



BOSCH



ACCESSORIES 2023

Introducing the new **EXPERT** range.

www.bosch-professional.com

The best your tool can get. Bosch Professional Accessories.




EXPERT

ACCESSORY RANGE

THE BEST YOUR TOOL CAN GET.

- ▶ Our new top performance range for all trades
- ▶ Longer, tougher, faster: Up to 100x better performance*
- ▶ Advanced technologies for the toughest applications






NEW PACKAGING

Distinctive blue and red packaging ensures you can quickly find EXPERT accessories on the shelf.


BENEFIT

Clear benefit icons with proven claims, so you know exactly what advantages you are getting.



TECHNOLOGY BEHIND THE BENEFIT

Each EXPERT accessory is backed by an innovative Bosch Technology that ensures it is the best your tool can get.



MATERIAL PICTURES

Clear pictograms show you exactly what materials an EXPERT accessory is designed for.



EXPERT STRIPE

The EXPERT stripe of our best performing range makes it easy to pick the best accessory for every job.

EXPERT

TABLE OF CONTENTS

1 DRILLING

6	Metal Drill Bits
27	Wood Drill Bits
43	Concrete Drill Bits
76	Multi-Material and Tile Drill Bits

2 ACCESSORIES FOR SCREWDRIVING

84	Impact Control
90	Impact Tough
98	Extra Hard
104	Adapters and Attachments

3 CHISELLING

106	Chisels with SDS plus Shank
110	Chisels with SDS max Shank
116	Chisels with Hex Shank

4 DIAMOND CUTTING, GRINDING AND DRILLING

120	Diamond cutting discs for angle grinders
140	Diamond cutting discs for tile cutting machines
147	Diamond cutting discs for table and petrol saws
151	Diamond cutting discs for joint cutters
155	Dry drill bits for drills
157	Dry drill bits for angle grinders
160	Dry core cutters

5 CUTTING, GRINDING AND BRUSHING

162	Carbide Cutting wheels
165	Diamond Cutting Wheels
167	Cutting discs
176	Grinding discs
180	Bosch cordless angle grinders
181	Tungsten carbide grinding heads
182	Grinding wheels
183	Wire brushes

6 CIRCULAR SAWING

200	Best for
203	Expert for
210	Standard for
213	AU and NZ Standard Range
220	Accessories

7 ROUTING AND PLANING

222	Router Bit Sets
224	Accessories for Biscuit Joiners
225	Planer Knives

8 JIGSAWING

228	Single lug shank
254	Universal shank
257	Jigsaw blade sets
259	Accessories
260	Other saws

9 RECIPROCATING SAWING

269	Reciprocating Saw Blades
304	Other Saw Blades

10 HOLESAWING

308	Hole Saws for Power Change Plus System
327	Power Change Hole Saw Accessories
333	Hole Saws with Thread
335	Arbored Hole Saws

11 ACCESSORIES FOR MULTI-CUTTERS

338	Sawing
366	Cutting and Scraping
369	Sanding and Polishing
376	Routing and Rasping
381	Sets
382	Depth stops

12 SANDING AND POLISHING

384	Abrasives for Random Orbital Sanders
395	Abrasives for Delta Sanders and Multi Sanders
403	Abrasives for Orbital Sanders
410	Abrasives for Belt Sanders
418	Abrasives for Handsanding
427	Abrasives for Angle Grinders
446	Abrasives for Straight Grinders
447	Accessories for Polishers

13 MACHINE ACCESSORIES

450	Accessories for Rotary Hammers and Impact Drills
454	Accessories for Drills
459	Accessories for Angle Grinders
476	Accessories for Concrete Grinders
477	Accessories for Straight Grinders
479	Accessories for Random Orbital Sanders
484	Accessories for Orbital Sanders
486	Accessories for Delta Sanders
488	Accessories for Belt Sanders
489	Accessories for Compact Belt Sanders
490	Accessories for Circular Saws
492	Accessories for Jigsaws
493	Accessories for Routers
498	Accessories for Planers
500	Accessories for Electric Scrapers
501	Nibbling and Cutting
506	Joining
510	Hot Air, Painting and Stripping
511	Dust Extraction
544	Carrying Cases

14 CORDLESS WORKING

546	Battery Packs
-----	---------------

TABLE OF CONTENTS

15 GENERAL INFORMATION

548 Part number index

560 Overview

565 Pictogram



METAL DRILLING

Discover precision and durability.

The best your tool can get. Bosch Professional Accessories.



METAL DRILL BITS

Complete range for hand-held applications.



HSS Ground



HSS Impact

Page number	14	12
Diameter mm	1.0 – 16.0	2.0 – 12.0
DIN standard	338 / 340	338
Shank type	Cylindrical	¼" Hex
MATERIALS		
Non-alloyed structural steel	✓	✓
Sheet steel	✓	✓
Non-alloyed tool steel	✓	✓
Alloyed tool steel	✓	✓
Stainless steel	✓	✓
Fire proof steel, Spring steel	-	-
Cast iron, cast steel	✓	✓
Malleable cast iron	✓	✓
Alloyed aluminium	✓	✓
Bronze	✓	✓
Brass	-	✓
PVC, polyamide	✓	✓
Perspex, Bakelite	✓	✓
Pertinax, Formica, Hard rubber	✓	✓

	
HSS Cobalt	HSS Ground Double-ended
20	23
1.0 – 13.0	2.0 – 6.5
338	1897
Cylindrical	Cylindrical
-	✓
-	✓
-	✓
✓	✓
✓	✓
✓	-
✓	✓
✓	✓
-	✓
-	✓
-	-
-	✓
-	✓
-	✓

Metal drill bit sets HSS PointTeQ, DIN 338

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Shank equal to drill bit diameter
- ▶ Two-cutter, cylindrical, two flutes



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece metal drill bit set, HSS PointTeQ						
2	24	P1c	5	1	917636	2 608 577 345
3	33					
4	43					
5	52					
6	57					



side set, milled 18-piece ToughBox metal drill bit set, HSS PointTeQ						
4	34	M0a	18	1	917681	2 608 577 350
4.5	40					
5	49					
5.5	49					
6	57					
7	61					
8	61					
9	70					
10	75					
1	75					
1.5	80					
2	86					
2	93					
2.5	93					
3	109					
3	117					
3.5	125					
4	133					



19-piece ProBox metal drill bit set, HSS PointTeQ						
1	12	P1k	19	1	917698	2 608 577 351
1.5	18					
2	24					
2.5	30					
3	33					
3.5	39					
4	43					
4.5	47					
5	52					
5.5	57					
6	57					
6.5	63					
7	69					
7.5	69					
8	75					
8.5	75					
9	81					
9.5	81					
10	87					

Metal drill bit sets HSS PointTeQ, DIN 338



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
25-piece ProBox metal drill bit set, HSS PointTeQ						
1	57	P1k	25	1	917704	2 608 577 352
1.5	57					
2	63					
2.5	69					
3	69					
3.5	75					
4	75					
4.5	81					
5	81					
5.5	87					
6	87					
6.5	94					
7	94					
7.5	101					
8	101					
8.5	101					
9	12					
9.5	18					
10	24					
10.5	30					
11	33					
11.5	39					
12	43					
12.5	47					
13	52					

HSS IMPACT

Highly robust with impact drivers.

highly

ROBUST

ROBUSTNESS

Due to high strength body.
Drill bit designed to perform with impact drivers



QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned.
No need to pre-punch up to 10 mm diameter



UNIVERSAL USE AND EXCELLENT FIXING

1/4" hex-shank fitting all power tools. No spinning of the drill

Impact Control HSS twist drill bits

- ▶ Highly robust drilling in metal, especially with impact drivers
- ▶ Very strong body provides high robustness
- ▶ Precision-ground from solid metal with an oxide coated flute for slicing through materials with reduced wear
- ▶ Manufactured to DIN 338, drill bit Type N (flute angle) with tip of 135 degrees
- ▶ Active cutting and perfect centering due to pointed split point tip. 1/4-inch hex shank for universal use

PICK & CLICK

high-strength body

highly


ROBUST

1/4"

Precise

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
2	24	60	6.35	PC1d	1	5	858731	2 608 577 045
3	33	72	6.35	PC1d	1	5	858786	2 608 577 048
4	43	83	6.35	PC1d	1	5	858809	2 608 577 052
5	52	91	6.35	PC1d	1	5	858847	2 608 577 056
6	57	98	6.35	PC1d	1	5	858861	2 608 577 058
8	75	117	6.35	PC1d	1	5	858892	2 608 577 061

Impact Control HSS twist drill bits sets



Product Properties				Ordering Information				
	Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece set	2	60	41.0 x 110.0 x 72	P1k	8	6	881760	2 608 577 146
	3	72						
	4	83						
	5	91						
	6	98						
	7	109						
	8	117						
	10	133						

HSS GROUND

High-precision holes.



EXCELLENT CUTTING FEATURES

135° tip design enables up to 40% faster drilling rate and up to 50% lower feed pressure than standard HSS drills with chisel edge

QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter

TIGHT TOLERANCES AND ACCURATE HOLES

As a result of its precision-ground drill bit body



Metal drill bits HSS-G

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Shank equal to drill bit diameter, drill bit colour: polished
- ▶ Two-cutter, cylindrical, two flutes
- ▶ **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-G metal drill bits

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
1	12	34	-	PC1c	1	5	694001	2 608 588 265
1.5	18	40	-	PC1c	1	5	694018	2 608 588 266
2	24	49	-	PC1c	1	5	694025	2 608 588 267
2.5	30	57	-	PC1c	1	5	694032	2 608 588 268
3	33	61	-	PC1c	1	5	694049	2 608 588 269
3.5	39	70	-	PC1c	1	5	694056	2 608 588 270
4	43	75	-	PC1c	1	5	694063	2 608 588 271
4.5	47	80	-	PC1c	1	5	694070	2 608 588 272
5	52	86	-	PC1c	1	5	694087	2 608 588 273
5.5	57	93	-	PC1c	1	5	694094	2 608 588 274
6	57	93	-	PC1c	1	5	694100	2 608 588 275
6.5	63	101	-	PC1c	1	5	694117	2 608 588 276
7	69	109	-	PC1c	1	5	694124	2 608 588 277



Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
7.5	69	109	-	PC1c	1	5	694131	2 608 588 278	
8	75	117	-	PC1c	1	5	694148	2 608 588 279	
8.5	75	117	-	PC1c	1	5	694155	2 608 588 280	
9	81	125	-	PC1c	1	5	694162	2 608 588 281	
9.5	81	125	-	PC1c	1	5	694179	2 608 588 282	
10	87	133	-	PC1c	1	5	694186	2 608 588 283	
10.5	87	133	-	PC1c	1	5	694193	2 608 588 284	
11	94	142	-	PC1c	1	5	694209	2 608 588 285	
11.5	94	142	-	PC1c	1	5	694216	2 608 588 286	
12	101	151	-	PC1c	1	5	694223	2 608 588 287	
12.5	101	151	-	PC1c	1	5	694230	2 608 588 288	
13	101	151	-	PC1c	1	5	694247	2 608 588 289	
-	24	49	5/64	PC1c	1	5	693639	2 608 588 228	
-	30	57	3/32	PC1c	1	5	693646	2 608 588 229	
-	33	61	7/64	PC1c	1	5	693653	2 608 588 230	
-	36	65	1/8	PC1c	1	5	693660	2 608 588 231	
-	39	70	9/64	PC1c	1	5	693677	2 608 588 232	
-	43	75	5/32	PC1c	1	5	693684	2 608 588 233	
-	47	80	11/64	PC1c	1	5	693691	2 608 588 234	
-	52	86	3/16	PC1c	1	5	693707	2 608 588 235	
-	52	86	13/64	PC1c	1	5	693714	2 608 588 236	
-	57	93	15/64	PC1c	1	5	693721	2 608 588 237	
-				PC1c	1	5	693738	2 608 588 238	
-	63	101	1/4	PC1c	1	1	693745	2 608 588 239	
-	69	109	17/64	PC1c	1	5	693752	2 608 588 240	
-	69	109	9/32	PC1c	1	5	693769	2 608 588 241	
-	75	117	19/64	PC1c	1	5	693776	2 608 588 242	
-	75	117	15/16	PC1c	1	1	693783	2 608 588 243	
-	75	117	21/64	PC1c	1	5	693790	2 608 588 244	
-	81	125	11/32	PC1c	1	5	693806	2 608 588 245	
-	81	125	23/64	PC1c	1	5	693813	2 608 588 246	
-	87	133	3/8	PC1c	1	5	693820	2 608 588 247	
-	87	133	25/64	PC1c	1	5	693837	2 608 588 248	
-	87	133	13/32	PC1c	1	5	693844	2 608 588 249	
-	94	142	27/64	PC1c	1	5	693851	2 608 588 250	
-	94	142	7/16	PC1c	1	5	693868	2 608 588 251	
-	94	142	29/64	PC1c	1	5	693875	2 608 588 252	
-	101	151	15/32	PC1c	1	5	693882	2 608 588 253	
-	101	151	31/64	PC1c	1	5	693899	2 608 588 254	
-	101	151	1/2	PC1c	1	1	693905	2 608 588 255	

Pack of 10

1	12	34	-	P2a	10	1	290494	2 608 595 049	
2	24	49	-	P2a	10	1	290517	2 608 595 051	
3	33	61	-	P2a	10	1	290555	2 608 595 055	
4	43	75	-	P1h	10	1	290593	2 608 595 059	
5	52	86	-	P1h	10	1	290623	2 608 595 062	
5.5	57	93	-	P1h	10	1	290647	2 608 595 064	
6	57	93	-	P1h	10	1	290661	2 608 595 066	
6.5	63	101	-	P1h	10	1	290685	2 608 595 068	
7	69	109	-	P1h	10	1	290708	2 608 595 070	
7.5	69	109	-	P1h	10	1	290715	2 608 595 071	
-	36	65	1/8	P2a	10	1	474450	2 608 585 440	
-	39	70	9/64	P2a	10	1	474467	2 608 585 441	
-	52	86	3/16	P1h	10	1	474498	2 608 585 444	
-	63	101	1/4	P1h	10	1	474535	2 608 585 448	



Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	75	117	5/16	P1h	10	1	474573	2 608 585 452
Pack of 10								
4.5	47	80	-	P1h	10	1	290616	2 608 595 061
Pack of 5								
8	75	117	-	P1h	5	1	290722	2 608 595 072
8.5	75	117	-	P1h	5	1	290739	2 608 595 073
9	81	125	-	P1h	5	1	290753	2 608 595 075
10	87	133	-	P1h	5	1	290777	2 608 595 077
10.5	87	133	-	P1h	5	1	290784	2 608 595 078
11	94	142	-	P1h	5	1	290791	2 608 595 079
11.5	94	142	-	P1h	5	1	290807	2 608 595 080
12	101	151	-	P1h	5	1	290814	2 608 595 081
12.5	101	151	-	P1h	5	1	290821	2 608 595 082
13	101	151	-	P1h	5	1	290838	2 608 595 083
-	87	133	3/8	P1h	5	1	474610	2 608 585 456
-	101	151	1/2	P1h	5	1	474696	2 608 585 464



Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inch	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece metal drill bit set HSS-G, 135° drill bit tip, 1/4" hex shank										
2	-	-	-	-	-	P1k	5	1	395427	2 608 595 517
3	-	-	-	-	-					
4	-	-	-	-	-					
5	-	-	-	-	-					
6	-	-	-	-	-					
7-Piece Metal Drill Bit Set HSS-G, 135° Drill Bit Tip, Cylindrical Shank										
-	1/16	20	43	B	-	P1k	7	5	695787	2 608 588 398
	3/32	30	57							
	1/8	36	65							
	5/32	43	75							
	3/16	52	86							
	7/32	57	93							
	1/4	63	101							



Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter mm	Diameter inch	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
7-Piece Metal Drill Bit Set HSS-G, 135° Drill Bit Tip, Cylindrical Shank											
1.5	-	18	40	B	-	P1k	7	5	695848	2 608 588 404	
2		24	49								
3		33	61								
4		43	75								
5		52	86								
5.5		57	93								
6		57	93								
7-piece HSS-G metal drill bit set, DIN 338, 135°											
2	-	24	49	-	141.0 x 80.0 x 20	P1k	7	1	784863	2 608 589 295	
3		33	61								
4		43	75								
5		52	86								
6		57	93								
8		75	117								
10		87	133								
-	1/16	20	43	B	-	P1k	13	5	695794	2 608 588 399	
	5/64	24	49								
	3/32	30	57								
	7/64	33	61								
	1/8	36	65								
	9/64	39	70								
	5/32	43	75								
	11/64	47	80								
	3/16	52	86								
	13/64	52	86								
	7/32	57	93								
	15/64	57	93								
	1/4	63	101								
1.5	-	18	40	B	-	P1k	13	5	695855	2 608 588 405	
2		24	49								
2.5		30	57								
3		33	61								
3.2		36	65								
3.5		39	70								
4		43	75								
4.5		47	80								
4.8		52	86								
5		52	86								
5.5		57	93								
6		57	93								
6.5		63	101								






Product Properties						Ordering Information					
Diameter mm	Diameter inch	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
1	-	12	34	-	-	P1k	19	5	695824	2 608 588 402	
1.5		18	40								
2		24	49								
2.5		30	57								
3		33	61								
3.5		39	70								
4		43	75								
4.5		47	80								
5		52	86								
5.5		57	93								
6		57	93								
6.5		63	101								
7		69	109								
7.5		69	109								
8		75	117								
8.5		75	117								
9		81	125								
9.5		81	125								
10		87	133								
1	-	12	34	-	-	P1k	25	5	695831	2 608 588 403	
1.5		18	40								
2		24	49								
3		30	57								
3.5		33	61								
4		39	70								
4.5		43	75								
5		47	80								
5.5		52	86								
6		57	93								
6.5		57	93								
7		63	101								
7.5		69	109								
8		69	109								
8.5		75	117								
9		75	117								
9.5		81	125								
10		81	125								
11		87	133								
11.5		87	133								
12		94	142								
12.5		94	142								
13		101	151								
		101	151								
		101	151								
-	1/16	20	93	-	-	P1k	29	5	695770	2 608 588 397	
	5/64	24	101								
	3/32	30	109								
	7/64	33	109								
	1/8	36	117								
	9/64	39	117								
	5/32	43	117								
	11/64	47	125								
	3/16	52	125								
	13/64	52	133								
	7/32	57	133								
	15/64	57	133								
	1/4	63	142								
	17/64	69	142								
	9/32	69	142								
	19/64	75	151								
	5/16	75	151								
	21/64	75	151								
	11/32	81	43								
	23/64	81	49								
	3/8	87	57								
	25/64	87	61								
	13/32	87	65								
	27/64	94	70								
	7/16	94	75								
	29/64	94	80								
	15/32	101	86								
	31/64	101	86								
	1/2	101	93								

Metal drill bits HSS-G, DIN 340

- ▶ Twist drill bit made of high speed steel manufactured to DIN 340
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Twist drill bit ground from solid metal
- ▶ Shank equal to drill bit diameter, drill bit colour: polished
- ▶ Two-cutter, cylindrical, two flutes



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
3	66	100	-	PC1c	1	5	694315	2 608 588 296
4	78	119	-	PC1c	1	5	694322	2 608 588 297
6	91	139	-	PC1c	1	5	694339	2 608 588 298
8	109	165	-	PC1c	1	5	694346	2 608 588 299
10	121	184	-	PC1c	1	5	694353	2 608 588 300
-	78	119	5/32	PC1c	1	5	694261	2 608 588 291
-	87	132	3/16	PC1c	1	5	694278	2 608 588 292
-	97	148	1/4	PC1c	1	5	694285	2 608 588 293
-	109	165	5/16	PC1c	1	5	694292	2 608 588 294
-	121	184	3/8	PC1c	1	5	694308	2 608 588 295

Robust Line metal drill bit sets HSS-G (ground), 135° drill bit tip

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°								
2	24	A 156.5 x 69.5 x 23		P1k	6	1	446136	2 607 010 529
3	33							
4	43							
5	52							
6	57							
8	75							



10-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°

Diameter mm	Working length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1	12	B 156.5 x 106.5 x 23		P1k	10	1	446198	2 607 010 535
2	24							
3	33							
4	43							
5	52							
6	57							
7	69							
8	75							
9	81							
10	87							



HSS COBALT

Long lifetime when drilling stainless steel.



LONG LIFETIME IN STAINLESS STEEL


Heat and wear resistant drill bit with 5 % cobalt alloying

QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter

TIGHT TOLERANCES AND ACCURATE HOLES

As a result of its precision-ground drill bit body



Metal drill bits HSS-Co, DIN 338



- ▶ Twist drill bit made of alloyed high speed steel to DIN 338, cobalt content 5%
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Twist drill bit ground from solid metal with excellent surface quality manufactured to special factory standards
- ▶ Shank equal to drill bit diameter, except when diameter >10 mm shank is 10 mm, drill bit colour: bronze
- ▶ Two-cutter, cylindrical, two flutes
- ▶ **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-Co metal drill bits

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
2	24	49	-	PC1c	1	5	694711	2 608 588 336
2.5	30	57	-	PC1c	1	5	694728	2 608 588 337
3	33	61	-	PC1c	1	5	694735	2 608 588 338
3.5	39	70	-	PC1c	1	5	694742	2 608 588 339
4	43	75	-	PC1c	1	5	694759	2 608 588 340
4.5	47	80	-	PC1c	1	5	694766	2 608 588 341
5	52	86	-	PC1c	1	5	694773	2 608 588 342
5.5	57	93	-	PC1c	1	5	694780	2 608 588 343
6	57	93	-	PC1c	1	5	694797	2 608 588 344
6.5	63	101	-	PC1c	1	5	694803	2 608 588 345



Metal drill bits HSS-Co, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7	69	109	-	PC1c	1	5	694810	2 608 588 346
8	75	117	-	PC1c	1	5	694834	2 608 588 348
9	81	125	-	PC1c	1	1	694858	2 608 588 350
10	87	133	-	PC1c	1	5	694872	2 608 588 352
10.5	87	133	-	PC1c	1	5	694889	2 608 588 353
11	94	142	-	PC1c	1	5	694896	2 608 588 354
12	101	151	-	PC1c	1	5	694919	2 608 588 356
12.5	101	151	-	PC1c	1	3	694926	2 608 588 357
13	101	151	-	PC1c	1	5	694933	2 608 588 358
-	32	57	3/32	PC1c	1	5	694421	2 608 588 307
-	41	70	1/8	PC1c	1	5	694445	2 608 588 309
-	59	89	3/16	PC1c	1	5	694483	2 608 588 313
-	70	102	1/4	PC1c	1	5	694520	2 608 588 317

Metal drill bit sets HSS-Co, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
18-piece Toughbox metal drill bit set HSS-Co, DIN 338, 135°								
1	12	34	180.0 x 85.0 x 45	P1k	1	1	574730	2 607 017 047
1.5	18	40						
2	24	49						
2	24	49						
2.5	30	57						
3	33	61						
3	33	61						
3.5	39	70						
4	43	75						
4	43	75						
4.5	47	80						
5	52	86						
5.5	57	93						
6	57	93						
7	69	109						
8	75	117						
9	81	125						
10	87	133						



Metal drill bit sets HSS-Co, DIN 338



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
23-Piece Metal Drill Bit Set HSS-Co, Cylindrical Shank								
2	24	49	-	P1k	23	5	695879	2 608 588 407
2.5	30	57						
3	33	61						
3.5	39	70						
4	43	75						
4.5	47	80						
5	52	86						
5.5	57	93						
6	57	93						
6.5	63	101						
7	69	109						
7.5	69	109						
8	75	117						
8.5	75	117						
9	81	125						
9.5	81	125						
10	87	133						
10.5	87	133						
11	94	142						
11.5	94	142						
12	101	151						
12.5	101	151						
13	101	151						

Double-ended drill bits HSS-G

Double-ended drill bits HSS-G


- ▶ Ground HSS drill bit, similar to DIN 1897
- ▶ Right-hand cutting twist drill bit, Type N, 118° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
3.2	11.2	49	P1d	1	5	694995	2 608 588 364



A-tip

Step drill bit, 3-flat shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Step height mm	Shank diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5 steps, diameter 4-6-8-10-12 mm									
HSS	4-12	4	6	50	P1a	1	1	107334	2 608 597 518



13 steps, diameter 6-8-10-12-14-16-18-20-22-24-26-28-30 mm									
HSS	6-30	4	10	93.5	P1a	1	1	107358	2 608 597 520




9 steps, diameter 4-6-8-10-12-14-16-18-20 mm									
HSS	4-20	4	8	70.5	P1a	1	1	107341	2 608 597 519



Countersink bits, sheet metal cone drill bits

HSS countersink bit, cylindrical shank with five 90° cutting edges




- Suitable for non-ferrous metals, steel, wood, plastics
- Ground countersink manufactured to DIN 335
- With five 90° cutting edges



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Step height	Total length mm	Shank diameter inch	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	M 5	40	1/4	8	P1h	1	1	085694	2 608 596 665
12	M 6	40	1/4	8	P1c	1	1	059770	2 608 596 371
16	M 8	43	1/4	8	P1c	1	1	059787	2 608 596 372
20	M 10	45	1/4	8	P1c	1	1	059794	2 608 596 373

Accessories for metal drill bits

Rasp drill bits HSS, cylindrical shank



- ▶ Ground bit, 118° drill bit tip with split point, deep-set cutting teeth

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	90	6	P1c	1	1	107433	2 608 597 528

Ground rasp drill bit HSS, with 118° split point, deep-set cutting teeth

Suitable for non-ferrous metals, wood

Recommended speed: 1000 to 2000 rpm

Drill Bit Sharpener S 41

- ▶ **Appropriate for** drills with spindle collar diameter of 43 mm, optimum speed of 2000 to 3000 rpm
- ▶ For drill bits with diameters of 2.5 mm to 10 mm and point angle of 118°

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Drill bit sharpener S 41		C0a	1	1	070249	2 607 990 050
Replacement grinding disc for drill bit sharpener		U0	1	1	070256	2 608 600 029





WOOD DRILL BITS

Find the right one for every application.

The best your tool can get. Bosch Professional Accessories.



WOOD DRILL BITS

Versatile products for all applications.

			
	SelfCut Speed Spade Bits	Brad point drill bits	Brad point drill bits with 90° countersink
	EXPERT		
Page number	32	37	36
Diameter mm	6.0 – 40.0	3.0 – 30.0	3.0 – 12.0
Working length mm	115 / 370	33 – 145	33 – 56
Shank type	¼" Hex	Cylindrical	Cylindrical
	 		

MATERIALS

Softwood	✓	✓	✓
Tropical wood	–	✓	✓
Plywood	✓	✓	✓
Veneered chipboard	✓	✓	✓
Laminated chipboard and fibre board	✓	✓	✓
Formica	–	✓	✓
Zementgebundene Spanplatte	–	–	–
Profiles, pipes, thickwalled	✓	–	–
Rockwool boards	✓	–	–
Porous concrete	✓	–	–
Thermoplasts	–	–	–
Duroplasts	–	✓	✓
Hard foam materials	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

		
HSS brad point drill bits	Spur auger bits	Forstner bits
37	39	41
2.0 – 10.0	6.0 – 32.0	10.0 – 50.0
24 – 87	95 – 470	–
¼" Hex	Various Hex	Cylindrical Ø 8 / 10 mm
✓	✓	✓
✓	✓	✓
✓	✓	✓
✓	–	✓
✓	–	–
✓	–	–
–	–	–
–	–	–
–	–	–
–	–	–
–	–	–
–	–	–
✓	–	–
✓	–	–

HIGH SPEED DRILLING IN WOOD

EXPERT SelfCut Speed Spade Bits

ASSORTMENT: Ø 6mm - 40mm

EXPERT

- 1 Fast drilling is easy with Bosch Tip Technology
- 2 Self-feeding thread for effortless drilling and speed
- 3 Clever wave-shaped spade designed for fast chip removal



EXPERT SelfCut Speed Spade Drill Bits

EXPERT



- Ideal for fast and rough drilling in all types of softwood, such as drilling through holes for cables, pipes, and other hardware installations. Easy to use in tight niches. Not suitable for hardwood.
- Best for electricians and other installation workers: high speed and efficiency.
- Up to 3x faster than Bosch 2609255269 Spade Bit.
- 1/4" Hex shank for use with three-jaw drill driver chucks and hexagonal drill driver chucks.



PRODUCT PROPERTIES

ORDERING INFORMATION

Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Total length 152 mm							
10	152	1/4	PC1d	1	5	533858	2 608 900 311
12	152	1/4	PC1d	1	5	533865	2 608 900 312
14	152	1/4	PC1d	1	5	533889	2 608 900 314

EXPERT SelfCut Speed Spade Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
16	152	1/4	PC1d	1	5	533896	2 608 900 315	
17	152	1/4	PC1d	1	5	533902	2 608 900 316	
18	152	1/4	PC1d	1	5	533919	2 608 900 317	
19	152	1/4	PC1d	1	5	533926	2 608 900 318	
20	152	1/4	PC1d	1	5	533933	2 608 900 319	
22	152	1/4	PC1d	1	5	533940	2 608 900 320	
24	152	1/4	PC1d	1	5	533957	2 608 900 321	
25	152	1/4	PC1d	1	5	533964	2 608 900 322	
26	152	1/4	PC1d	1	5	533971	2 608 900 323	
28	152	1/4	PC1d	1	5	533988	2 608 900 324	
30	152	1/4	PC1d	1	5	533995	2 608 900 325	
32	152	1/4	PC1d	1	5	534008	2 608 900 326	
35	152	1/4	PC1d	1	5	534015	2 608 900 327	
36	152	1/4	PC1d	1	5	534022	2 608 900 328	
38	152	1/4	PC1d	1	5	534039	2 608 900 329	
40	152	1/4	PC1d	1	5	534046	2 608 900 330	
Total length 400 mm								
12	400	1/4	PC1a	1	5	534145	2 608 900 340	
13	400	1/4	PC1a	1	5	534152	2 608 900 341	
14	400	1/4	PC1a	1	5	534169	2 608 900 342	
16	400	1/4	PC1a	1	5	534176	2 608 900 343	
17	400	1/4	PC1a	1	5	534183	2 608 900 344	
18	400	1/4	PC1a	1	5	534190	2 608 900 345	
19	400	1/4	PC1a	1	5	534206	2 608 900 346	
20	400	1/4	PC1a	1	5	534213	2 608 900 347	
24	400	1/4	PC1a	1	5	534237	2 608 900 349	
25	400	1/4	PC1a	1	5	534244	2 608 900 350	
26	400	1/4	PC1a	1	5	534251	2 608 900 351	
28	400	1/4	PC1a	1	5	534268	2 608 900 352	
30	400	1/4	PC1a	1	5	534275	2 608 900 353	
35	400	1/4	PC1a	1	5	534299	2 608 900 355	
36	400	1/4	PC1a	1	5	534305	2 608 900 356	
38	400	1/4	PC1a	1	5	534312	2 608 900 357	
40	400	1/4	PC1a	1	5	534329	2 608 900 358	

EXPERT SelfCut Speed Spade Drill Bit Sets

EXPERT



- Ideal for fast and rough drilling in all types of softwood, such as drilling through holes for cables, pipes, and other hardware installations. Easy to use in tight niches. Not suitable for hardwood.
- Best for electricians and other installation workers: high speed and efficiency.
- Up to 3x faster than Bosch 2609255269 Spade Bit.
- 1/4" Hex shank for use with three-jaw drill driver chucks and hexagonal drill driver chucks.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Set dimension(s) mm	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
3-piece SelfCut Speed spade bit set								
20 22 25	232.0 x 115.0 x 20	3	PC1a	3	5	534053	2 608 900 331	
6-piece SelfCut Speed spade bit set in a roll-up case								
14 16 18 20 22 24	195.0 x 185.0 x 15	6	PC1a	6	1	534060	2 608 900 332	
13 16 19 20 22 25	195.0 x 185.0 x 15	6	PC1a	6	1	534077	2 608 900 333	
7-piece SelfCut Speed spade bit set including extension (152 mm)								
16 18 20 22 25 32	215.0 x 235.0 x 20	7	PC1a	7	5	534084	2 608 900 334	
8-piece SelfCut Speed spade bit set								
12 16 18 20 22 25 28 32	230.0 x 210.0 x 20	8	PC1a	8	5	534091	2 608 900 335	
13-piece SelfCut Speed spade bit set in a roll-up case								
10 12 13 14 16 18 20 22 24 25 28 30 32	300.0 x 345.0 x 20	13	PC1a	13	5	534107	2 608 900 336	

Extension for spade bits



PRODUCT PROPERTIES		ORDERING INFORMATION					
	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
1/4" (6.35 mm) hex shank extension for Self Cut Speed spade bits							
	152	PC1a	1	1	346450	2 608 595 422	
	305	PC1a	1	1	346467	2 608 595 423	

Daredevil Clean Cut spade bits

- Designed for greater control and cleaner cuts
- Hex shank with power groove reduces slippage
- provide a clean and nice hole with minimal tear out



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter (D) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Pack of 1							
6	1/4	PC1c	1	5	963732	2 608 577 426	
8	1/4	PC1c	1	5	963749	2 608 577 427	
10	1/4	PC1c	1	5	963756	2 608 577 428	
12	1/4	PC1c	1	5	963763	2 608 577 429	
13	1/4	PC1d	1	5	963770	2 608 577 430	
14	1/4	PC1c	1	5	963787	2 608 577 431	
16	1/4	PC1c	1	5	963794	2 608 577 432	
18	1/4	PC1d	1	5	963800	2 608 577 433	
19	1/4	PC1c	1	5	963817	2 608 577 434	
20	1/4	PC1d	1	5	963824	2 608 577 435	
22	1/4	PC1d	1	5	963831	2 608 577 436	
24	1/4	PC1c	1	5	963848	2 608 577 437	
25	1/4	PC1c	1	5	963855	2 608 577 438	
28	1/4	PC1c	1	5	963862	2 608 577 439	
30	1/4	PC1d	1	5	963879	2 608 577 440	
32	1/4	PC1d	1	5	963886	2 608 577 441	
35	1/4	PC1c	1	5	963893	2 608 577 442	
38	1/4	PC1d	1	5	963909	2 608 577 443	

Daredevil Clean Cut spade bit sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece set with 13/16/19/20/22/25 mm diameter spade bits							
13	160		PC1a	6	5	963916	2 608 577 444
16	160						
19	160						
20	155						
22	160						
25	160						

Daredevil Xtreme self-cut spade bits - short length

- ▶ Daredevil Xtreme Spade Bit offers high-speed drilling, performing 7 times faster than standard spade bits
- ▶ Ideal for cordless tools: achieves more holes per battery charge even in the hardest materials
- ▶ Innovative self-feeding cutting tip enables fast and accurate drilling with less pressure
- ▶ 1/4" power groove shank allows for fast changes and convenient handling



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
6	152	1/4		PC1c	1	5	963923	2 608 577 445
8	152	1/4		PC1c	1	5	963930	2 608 577 446
12	152	1/4		PC1c	1	5	963954	2 608 577 448
13	152	1/4		PC1c	1	5	963961	2 608 577 449
14	152	1/4		PC1c	1	5	963978	2 608 577 450
30	152	1/4		PC1c	1	5	964074	2 608 577 460
32	152	1/4		PC1c	1	5	964081	2 608 577 461
35	152	1/4		PC1c	1	5	964098	2 608 577 462
38	152	1/4		PC1c	1	5	964104	2 608 577 463
40	152	1/4		PC1c	1	5	964111	2 608 577 464

Daredevil Xtreme self-cut spade bits - long length



- ▶ Daredevil Xtreme Spade Bit offers high-speed drilling, performing 7 times faster than standard spade bits
- ▶ Ideal for cordless tools: achieves more holes per battery charge even in the hardest materials
- ▶ Innovative self-feeding cutting tip enables fast and accurate drilling with less pressure
- ▶ 1/4" power groove shank allows for fast changes and convenient handling

Pack of 1								
6	400	1/4		PC1c	1	5	964159	2 608 577 468
8	400	1/4		PC1c	1	5	964166	2 608 577 469
10	400	1/4		PC1c	1	5	964173	2 608 577 470
12	400	1/4		PC1c	1	5	964180	2 608 577 471
16	400	1/4		PC1c	1	5	964197	2 608 577 472

Daredevil Xtreme self-cut spade bits - long length

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
20	400	1/4	PC1c	1	5	964203	2 608 577 473
22	400	1/4	PC1c	1	5	964210	2 608 577 474
25	400	1/4	PC1c	1	5	964227	2 608 577 475
32	400	1/4	PC1c	1	5	964234	2 608 577 476

Daredevil Xtreme self-cut spade bits - short length sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece set with 16/20/25 mm spade bits						
16	152	PC1b	3	1	964128	2 608 577 465
20	152					
25	152					



Daredevil Quick-Change Extensions 1/4"

- ▶ Insert bits with one hand
- ▶ Fast bit change

PRODUCT PROPERTIES		ORDERING INFORMATION				
Length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Daredevil 1/4" Quick-Change Extension						
305		P1e	1	5		2 610 042 154




Brad point drill bits

Brad point drill bit sets




PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece Robust Line brad point drill bit set									
3	33	61	B	156.5 x 106.5 x 23	P1k	8	5	446174	2 607 010 533
4	43	75							
5	52	86							
6	57	93							
7	69	109							
8	75	117							
9	80	120							
10	80	120							

Brad point drill bits with 90° countersink




- **Suitable for** hard and soft wood, laminated and non-laminated chipboard, plywood
- Drilling and countersinking in one operation
- Countersink can also be used as a depth stop
- Cylindrical, two flutes




PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Outer diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	
3	16		P1c	1	1	323666		2 608 595 345	
4	16		P1c	1	1	059978		2 608 596 391	
5	16		P1c	1	1	059985		2 608 596 392	
6	16		P1c	1	1	059992		2 608 596 393	
8	20		P1c	1	1	060011		2 608 596 395	
10	20		P1c	1	1	060028		2 608 596 396	
12	20		P1c	1	1	060035		2 608 596 397	

Brad point drill bits HSS with 1/4" hex shank



- Suitable for hard and soft wood
- HSS precision brad point drill bit ground from solid metal with centring tip and cutting edges
- With hex shank manufactured to ISO 1173 E6.3
- Fast, tool-free drill bit changes
- Drill bit colour: polished
- Two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2	24	62	PC1d	1	5	395434	2 608 595 518
3	33	74	PC1d	1	5	395441	2 608 595 519
4	43	88	PC1d	1	5	395458	2 608 595 520
5	52	99	PC1d	1	5	395465	2 608 595 521
6	63	106	PC1d	1	5	395472	2 608 595 522
8	75	117	PC1d	1	5	395489	2 608 595 523
10	87	133	PC1d	1	5	395496	2 608 595 524




Standard brad point drill bits



- Suitable for hard and soft wood
- Drill bit with centring tip and shoulder cutter
- Drill bit colour: black, ground point
- Two flutes

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
3	33	61	3	PC1d	1	5	059060	2 608 596 300
4	43	75	4	PC1d	1	5	059077	2 608 596 301
5	52	86	5	PC1d	1	5	059084	2 608 596 302
6	57	93	6	PC1d	1	5	059091	2 608 596 303
8	75	117	8	PC1d	1	5	059114	2 608 596 305
10	80	120	10	PC1d	1	5	059138	2 608 596 307
12	96	151	10	PC1d	1	5	059152	2 608 596 309



Wood drill bit sets with hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece brad point drill bit set, 1/4" hex shank									
2	24	62	- 56.0 x 18.0 x 163		P1k	5	1	395502	2 608 595 525
3	33	74							
4	43	88							
5	52	99							
6	63	106							

SPUR AUGER BITS

Precise and clean drilled holes.

HEAVY-DUTY SELF-FEEDING TIP

Pulls the bit through all the way

NEW DESIGNED SCORING SPUR


Clean and fast holes

SOLID CENTRE, LOW-FRICTION FLUTE

Straight holes, high chip removal




Spur auger bits, hex shank



- **Suitable** for all soft and hard woods, even wet wood
- Ideal for use in ancillary building trade, for joiners and roofers
- Can be used in all drills with 13 mm chuck
- For through-holes, pre-drilling for rafter nails and for deep dowel holes
- Precision-ground for accurate dimensional stability when drilling
- Fast drilling rate due to optimised flute geometry
- High break resistance, fine surface finish

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Total length 235 mm									
6	170	4.8	3/16	3/16	P1h	1	1	183314	2 608 597 622
8	170	6.35	1/4	1/4	P1h	1	1	183321	2 608 597 623
10	170	6.35	1/4	1/4	P1h	1	1	183338	2 608 597 624
11	170	6.35	1/4	1/4	P1h	1	1	183345	2 608 597 625
12	170	6.35	1/4	1/4	P1h	1	1	183352	2 608 597 626
13	170	7.9	5/16	5/16	P1h	1	1	183369	2 608 597 627
14	170	11.1	7/16	7/16	P1h	1	1	183376	2 608 597 628
15	170	11.1	7/16	7/16	P1h	1	1	183383	2 608 597 629
16	170	11.1	7/16	7/16	P1h	1	1	183390	2 608 597 630
18	170	11.1	7/16	7/16	P1h	1	1	183406	2 608 597 631
20	170	11.1	7/16	7/16	P1h	1	1	183413	2 608 597 632




Spur auger bits, hex shank

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) Inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
22	170	11.1	7/16	7/16	P1h	1	1	183420	2 608 597 633
24	170	11.1	7/16	7/16	P1h	1	1	183437	2 608 597 634
25	170	11.1	7/16	7/16	P1h	1	1	183444	2 608 597 635
26	170	11.1	7/16	7/16	P1h	1	1	183451	2 608 597 636
28	170	11.1	7/16	7/16	P1h	1	1	183468	2 608 597 637
30	170	11.1	7/16	7/16	P1h	1	1	183475	2 608 597 638

Total length 450 mm

8	385	6.35	1/4	1/4	P1h	1	1	183499	2 608 597 640
10	385	6.35	1/4	1/4	P1h	1	1	183505	2 608 597 641
12	385	6.35	1/4	1/4	P1h	1	1	183512	2 608 597 642
14	385	11.1	7/16	7/16	P1h	1	1	183529	2 608 597 643
16	385	11.1	7/16	7/16	P1h	1	1	183536	2 608 597 644
18	385	11.1	7/16	7/16	P1h	1	1	183543	2 608 597 645
20	385	11.1	7/16	7/16	P1h	1	1	183550	2 608 597 646
22	385	11.1	7/16	7/16	P1h	1	1	183567	2 608 597 647
24	385	11.1	7/16	7/16	P1h	1	1	183574	2 608 597 648
25	385	11.1	7/16	7/16	P1h	1	1	505925	2 608 585 730
26	385	11.1	7/16	7/16	P1h	1	1	183581	2 608 597 649
30	385	11.1	7/16	7/16	P1h	1	1	183604	2 608 597 651
32	385	11.1	7/16	7/16	P1h	1	1	183611	2 608 597 652

Daredevil Scotch auger bits, hex shank



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	205	305	P1h	1	1	642491	2 608 587 556
11	205	305	P1h	1	1	642507	2 608 587 557
12	205	305	P1h	1	1	642514	2 608 587 558
14	205	305	P1h	1	1	642521	2 608 587 559
16	205	305	P1h	1	1	642538	2 608 587 560
17	205	305	P1h	1	1	642545	2 608 587 561
19	205	305	P1h	1	1	642552	2 608 587 562
22	205	305	P1h	1	1	642576	2 608 587 564
24	205	305	P1h	1	1	642583	2 608 587 565
25	205	305	P1h	1	1	642590	2 608 587 566

Hinge cutting and Forstner bits

Forstner drill bits, DIN 7483 G



- **Suitable for** hard and soft wood, veneered wood
- Precision drill bit with main and side cutting spurs, and short centre tip
- Made of tempered special steel according to factory standard, cutter hardness of minimum 50 HRC
- Forged and ground drilling head, polished with black flutes
- Meets high requirements with regard to cutting quality and tear-free drilled hole edges
- Can be used in all drills with 10 mm chuck



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Pack of 1								
10	90	8	P1p	1	1	076043	2 608 596 971	
15	90	8	P1p	1	1	076050	2 608 596 972	
20	90	8	P1p	1	1	076067	2 608 596 973	
25	90	8	P1p	1	1	076074	2 608 596 974	
30	90	8	P1p	1	1	076098	2 608 596 976	
35	90	10	P1p	1	1	076104	2 608 596 977	
40	90	10	P1p	1	1	076111	2 608 596 978	
32	90	10	P1p	1	1	098045	2 608 597 114	

Dowelling accessories

Profile wooden dowels

► Profile wooden dowels in diameters of 6; 8; 10 mm



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
6	30	P1d	50	1	085793	2 607 000 444	
8	40	P1d	150	1	085274	2 607 000 445	
		P1d	40	1	085281	2 607 000 446	
10	40	P1d	120	1	085298	2 607 000 447	
		P1d	30	1	085304	2 607 000 448	

HAMMER DRILL BITS

Drill in concrete effectively.

The best your tool can get. Bosch Professional Accessories.



THE SDS PLUS DRILL BIT RANGE

Quick mounting and 100% power transfer.

		
	SDS plus-7X	SDS plus-5
	EXPERT	
Page number	48	59
Diameter mm	3.5 – 30.0	3.0 – 26.0
Working length mm	50 – 950	50 – 950
Head design		
PGM certification		
		

MATERIALS

Masonry		
Concrete		
Reinforced concrete		-
Natural stone		-

HEAD DESIGNS



4-cutter full carbide head



4-cutter



Tungsten carbide teeth²



Asymmetrical carbide teeth



2-cutter

²Bosch EXPERT products vs. Bosch standard products



Page number	54	61	62
Diameter mm	6.0 – 24.0	16.0 – 32.0	25.0 – 112.0
Working length mm	100 – 320	120	50 – 54
Head design			
PGM certification		-	-

MATERIALS

Masonry		-	
Concrete		-	
Reinforced concrete	-		-
Natural stone	-	-	-

THE SDS MAX DRILL BIT RANGE

Quick mounting and 100% power transfer.

		
	SDS max-8X	SDS max-7
	EXPERT	
Page number	63	65
Diameter mm	12.0 – 32.0	10.5 – 52
Working length mm	200 – 800	200 – 1200
Head design		
PGM certification		
		

MATERIALS

Masonry		
Concrete		
Reinforced concrete		
Natural stone		

HEAD DESIGNS



4-cutter full carbide head



2-cutter



Asymmetrical carbide teeth



4-cutter



Multi-cutter

* Bosch EXPERT products vs. Bosch standard products



SDS max-9 Natural Stone

SDS max-9 Speed Clean

Page number	68	66
Diameter mm	28.0 – 32.0	14.0 – 35.0
Working length mm	400 – 800	400 – 650
Head design	+	+
PGM certification	✓	✓

MATERIALS

Masonry	✓	✓
Concrete	✓	✓
Reinforced concrete	-	-
Natural stone	✓	-

LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS plus-7X Hammer Drill Bits

ASSORTMENT: Ø 3.5 mm - 30 mm

EXPERT

- 1 Extremely durable drill bit tip with Bosch Carbide Technology
- 2 Punch through reinforced concrete with a 4-cutter Full Carbide Head
- 3 Highly resistant drill tip connection with Bosch's welding technology



CARBIDE TECHNOLOGY

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT



- Ideal for drilling holes in reinforced concrete, e.g. to anchor interior installations such as air conditioning, heating pipes, electrical wiring and lights.
- Best for electricians: long lasting and powerful.
- Lasts up to 3x longer than Bosch SDS plus-3 Drill Bit.
- Fits all SDS plus rotary hammer drills.



CARBIDE TECHNOLOGY UP TO 3x LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1	3.5	50	115	P1e	1	1	531281	2 608 900 055
	3.5	100	165	P1e	1	1	531298	2 608 900 056
	4	50	115	P1e	1	1	531304	2 608 900 057
	4	100	165	P1e	1	1	531311	2 608 900 058
	5	50	115	P1e	1	5	531328	2 608 900 059

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5	100	165	P1e	1	5	531335	2 608 900 060
5	150	215	P1e	1	5	531342	2 608 900 061
5	200	265	P1e	1	5	531359	2 608 900 062
5	250	315	P1e	1	5	531366	2 608 900 063
5	400	465	P1e	1	1	531373	2 608 900 064
5.5	50	115	P1e	1	5	531380	2 608 900 065
5.5	100	165	P1e	1	5	531397	2 608 900 066
5.5	150	215	P1e	1	5	531403	2 608 900 067
5.5	200	265	P1e	1	5	531410	2 608 900 068
5.5	250	315	P1e	1	1	531427	2 608 900 069
5.5	400	465	P1e	1	1	531434	2 608 900 070
6	50	115	P1e	1	5	531441	2 608 900 071
6	100	165	P1e	1	5	531458	2 608 900 072
6	150	215	P1e	1	5	531465	2 608 900 073
6	200	265	P1e	1	5	531472	2 608 900 074
6	250	315	P1e	1	5	531489	2 608 900 075
6	400	465	P1e	1	1	531496	2 608 900 076
6.5	50	115	P1e	1	1	531502	2 608 900 077
6.5	100	165	P1e	1	5	531519	2 608 900 078
6.5	150	215	P1e	1	5	531526	2 608 900 079
6.5	200	265	P1e	1	5	531533	2 608 900 080
6.5	250	315	P1e	1	1	531540	2 608 900 081
6.5	400	465	P1e	1	1	531557	2 608 900 082
7	50	115	P1e	1	1	531564	2 608 900 083
7	100	165	P1e	1	1	531571	2 608 900 084
7	150	215	P1e	1	1	531588	2 608 900 085
7	200	265	P1e	1	1	531595	2 608 900 086
8	50	115	P1e	1	5	531601	2 608 900 087
8	100	165	P1e	1	5	531618	2 608 900 088
8	150	215	P1e	1	5	531625	2 608 900 089
8	200	265	P1e	1	5	531632	2 608 900 090
8	250	315	P1e	1	1	531649	2 608 900 091
8	300	365	P1e	1	5	531656	2 608 900 092
8	400	465	P1e	1	1	531663	2 608 900 093
9	100	165	P1e	1	1	531670	2 608 900 094
9	150	215	P1e	1	1	531687	2 608 900 095
10	50	115	P1e	1	1	531694	2 608 900 096
10	100	165	P1e	1	5	531700	2 608 900 097
10	150	215	P1e	1	5	531717	2 608 900 098
10	200	265	P1e	1	5	531724	2 608 900 099
10	250	315	P1e	1	1	531731	2 608 900 100
10	300	365	P1e	1	5	531748	2 608 900 101
10	400	465	P1e	1	1	531755	2 608 900 102
10	550	600	P1e	1	1	531762	2 608 900 103
10	950	1,000	P1e	1	1	531779	2 608 900 104
11	100	165	P1e	1	1	531786	2 608 900 105
11	150	215	P1e	1	1	531793	2 608 900 106
11	200	265	P1e	1	1	531809	2 608 900 107
12	100	165	P1e	1	5	531816	2 608 900 108
12	150	215	P1e	1	5	531823	2 608 900 109
12	200	265	P1e	1	5	531830	2 608 900 110
12	250	315	P1e	1	5	531847	2 608 900 111
12	300	365	P1e	1	5	531854	2 608 900 112
12	400	465	P1e	1	1	531861	2 608 900 113
12	550	600	P1e	1	1	531878	2 608 900 114
12	950	1,000	P1e	1	1	531885	2 608 900 115
13	100	165	P1e	1	1	531892	2 608 900 116
13	150	215	P1e	1	1	531908	2 608 900 117
13	200	265	P1e	1	1	531915	2 608 900 118
14	100	165	P1e	1	5	531922	2 608 900 119
14	150	215	P1e	1	5	531939	2 608 900 120
14	200	265	P1e	1	5	531946	2 608 900 121
14	250	315	P1e	1	5	531953	2 608 900 122
14	300	365	P1e	1	1	531960	2 608 900 123
14	400	465	P1e	1	1	531977	2 608 900 124
14	550	600	P1e	1	1	531984	2 608 900 125

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	14	950	1,000	P1e	1	1	531991	2 608 900 126
	15	100	165	P1e	1	1	532004	2 608 900 127
	15	200	265	P1e	1	1	532011	2 608 900 128
	15	400	465	P1e	1	1	532028	2 608 900 129
	16	150	215	P1e	1	5	532035	2 608 900 130
	16	200	265	P1e	1	5	532042	2 608 900 131
	16	250	315	P1e	1	1	532059	2 608 900 132
	16	400	465	P1e	1	1	532066	2 608 900 133
	16	550	600	P1e	1	1	532073	2 608 900 134
	16	950	1,000	P1e	1	1	532080	2 608 900 135
	17	150	215	P1e	1	1	532097	2 608 900 136
	17	250	315	P1e	1	1	532103	2 608 900 137
	18	200	250	P1e	1	1	532110	2 608 900 138
	18	400	450	P1e	1	1	532127	2 608 900 139
	18	550	600	P1e	1	1	532134	2 608 900 140
	18	950	1,000	P1e	1	1	532141	2 608 900 141
	20	200	250	P1e	1	1	532158	2 608 900 142
	20	400	450	P1e	1	1	532165	2 608 900 143
	20	550	600	P1e	1	1	532172	2 608 900 144
	20	950	1,000	P1e	1	1	532189	2 608 900 145
	22	200	250	P1e	1	1	532196	2 608 900 146
	22	400	450	P1e	1	1	532202	2 608 900 147
	22	550	600	P1e	1	1	532219	2 608 900 148
	22	950	1,000	P1e	1	1	532226	2 608 900 149
	24	400	450	P1e	1	1	532233	2 608 900 150
	25	400	450	P1e	1	1	532240	2 608 900 151
	25	550	600	P1e	1	1	532257	2 608 900 152
	25	950	1,000	P1e	1	1	532264	2 608 900 153
	28	400	450	P1e	1	1	532271	2 608 900 154
	30	400	450	P1e	1	1	532288	2 608 900 155
Pack of 10								
	4	50	115	P1h	10	1	532295	2 608 900 156
	5	50	115	P1h	10	1	532301	2 608 900 157
	5	100	165	P1h	10	1	532318	2 608 900 158
	6	50	115	P1h	10	1	532325	2 608 900 159
	6	100	165	P1h	10	1	532332	2 608 900 160
	6	150	215	P1h	10	1	532349	2 608 900 161
	6	200	265	P1h	10	1	532356	2 608 900 162
	6.5	100	165	P1h	10	1	532363	2 608 900 163
	6.5	150	215	P1h	10	1	532370	2 608 900 164
	6.5	200	265	P1h	10	1	532387	2 608 900 165
	7	100	165	P1h	10	1	532394	2 608 900 166
	8	100	165	P1h	10	1	532400	2 608 900 167
	8	150	215	P1h	10	1	532417	2 608 900 168
	8	200	265	P1h	10	1	532424	2 608 900 169
	10	100	165	P1h	10	1	532431	2 608 900 170
	10	150	215	P1h	10	1	532448	2 608 900 171
	10	200	265	P1h	10	1	532455	2 608 900 172
	12	100	165	P1h	10	1	532462	2 608 900 173
	12	150	215	P1h	10	1	532479	2 608 900 174
	12	200	265	P1h	10	1	532486	2 608 900 175
	14	200	265	P1h	10	1	532493	2 608 900 176
	16	200	265	P1h	10	1	532509	2 608 900 177
Pack of 30								
	5	50	115	P0h	30	1	532516	2 608 900 178
	5	100	165	P0h	30	1	532523	2 608 900 179
	6	50	115	P0h	30	1	532530	2 608 900 180
	6	100	165	P0h	30	1	532547	2 608 900 181
	6	150	215	P0h	30	1	532554	2 608 900 182
	8	100	165	P0h	30	1	532561	2 608 900 183
	8	150	215	P0h	30	1	532578	2 608 900 184
	8	200	265	P0h	30	1	532585	2 608 900 185
	10	100	165	P0h	30	1	532592	2 608 900 186
	10	150	215	P0h	30	1	532608	2 608 900 187
	10	200	265	P0h	30	1	532615	2 608 900 188
	12	150	215	P0h	30	1	532622	2 608 900 189

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12	200	265	P0h	30	1	532639	2 608 900 190
Pack of 50							
6	100	165	P0h	50	1	532646	2 608 900 191
8	100	165	P0h	50	1	532653	2 608 900 192
10	100	165	P0h	50	1	532660	2 608 900 193
10	150	215	P0h	50	1	532677	2 608 900 194

EXPERT SDS plus-7X Hammer Drill Bit Sets

EXPERT



- Ideal for drilling holes in reinforced concrete, e.g. to anchor interior installations such as air conditioning, heating pipes, electrical wiring and lights.
- Best for electricians: long lasting and powerful.
- Lasts up to 3x longer than Bosch SDS plus-3 Drill Bit.
- Fits all SDS plus rotary hammer drills.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5-piece Robust Line SDS plus-7X hammer drill bit set							
5	50	115	P1k	5	1	532714	2 608 900 197
6	50	115					
6	100	165					
8	100	165					
10	100	165	P1k	5	1	532721	2 608 900 198
6	100	165					
6	100	165					
8	100	165					
8	100	165					
10	100	165					

Bulldog Xtreme SDS plus drill bits



- **Suitable for** masonry, concrete and reinforced concrete
- **Appropriate for** all rotary hammers with SDS plus holder
- www.pgm.eu

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
5	50	115	PC1d	1	5	916370	2 608 578 258

Bulldog Xtreme SDS plus drill bits

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		
5	100	165	PC1d	1	5	916387	2 608 578 259	
5	150	215	PC1d	1	5	916394	2 608 578 260	
5.5	50	115	PC1d	1	5	916400	2 608 578 261	
5.5	100	165	PC1d	1	5	916417	2 608 578 262	
6	50	115	PC1d	1	5	916424	2 608 578 263	
6	100	165	PC1d	1	5	916431	2 608 578 264	
6	150	215	PC1d	1	5	916448	2 608 578 265	
6	200	265	PC1d	1	1	916455	2 608 578 266	
6	250	315	PC1d	1	1	916462	2 608 578 267	
6.5	50	115	PC1d	1	5	916479	2 608 578 268	
6.5	100	165	PC1d	1	5	916486	2 608 578 269	
6.5	150	215	PC1d	1	5	916493	2 608 578 270	
6.5	200	265	PC1d	1	1	916509	2 608 578 271	
7	50	115	PC1d	1	5	916523	2 608 578 273	
7	100	165	PC1d	1	5	916530	2 608 578 274	
7	250	315	PC1d	1	1	916516	2 608 578 272	
8	50	115	PC1d	1	5	916547	2 608 578 275	
8	100	165	PC1d	1	5	916554	2 608 578 276	
8	150	215	PC1d	1	5	916561	2 608 578 277	
8	200	265	PC1d	1	1	916578	2 608 578 278	
8	250	315	PC1d	1	1	916585	2 608 578 279	
8	400	465	PC1d	1	1	916592	2 608 578 280	
10	50	115	PC1d	1	5	916615	2 608 578 282	
10	100	165	PC1d	1	5	916622	2 608 578 283	
10	150	215	PC1d	1	5	916639	2 608 578 284	
10	200	265	PC1d	1	1	916646	2 608 578 285	
10	250	315	PC1d	1	1	916653	2 608 578 286	
10	400	465	PC1d	1	1	916660	2 608 578 287	
11	150	215	PC1d	1	5	916677	2 608 578 288	
12	100	165	PC1d	1	5	916684	2 608 578 289	
12	150	215	PC1d	1	5	916691	2 608 578 290	
12	250	315	PC1d	1	1	916714	2 608 578 292	
12	400	465	PC1d	1	1	916721	2 608 578 293	
13	100	165	PC1d	1	5	916738	2 608 578 294	
14	100	165	PC1d	1	5	916752	2 608 578 296	
14	150	215	PC1d	1	5	916769	2 608 578 297	
14	200	265	PC1d	1	5	916776	2 608 578 298	
14	250	315	PC1d	1	1	916783	2 608 578 299	
14	400	465	PC1d	1	1	916790	2 608 578 300	
15	200	265	PC1d	1	5	916806	2 608 578 301	
16	150	215	PC1d	1	5	916813	2 608 578 302	
16	200	265	PC1d	1	5	916820	2 608 578 303	
16	250	315	PC1d	1	1	916837	2 608 578 304	
16	400	465	PC1d	1	1	916844	2 608 578 305	
18	200	250	PC1d	1	1	916851	2 608 578 306	
18	400	450	PC1d	1	1	916868	2 608 578 307	
20	200	250	PC1d	1	1	916875	2 608 578 308	
20	400	450	PC1d	1	1	916882	2 608 578 309	
22	200	250	PC1d	1	1	916899	2 608 578 310	
22	400	450	PC1d	1	1	916905	2 608 578 311	
24	400	450	PC1d	1	1	916912	2 608 578 312	
25	400	450	PC1d	1	1	916929	2 608 578 313	
28	400	450	PC1d	1	1	916936	2 608 578 314	
30	400	450	PC1d	1	1	916943	2 608 578 315	

Bulldog Xtreme SDS plus drill bits


PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Pack of 10								
5	100	165	P1h	10	1	916950	2 608 578 316	
5.5	100	165	P1h	10	1	916967	2 608 578 317	
6	100	165	P1h	10	1	916974	2 608 578 318	
6.5	150	210	P1h	10	1	916981	2 608 578 319	
8	100	165	P1h	10	1	916998	2 608 578 320	
10	100	165	P1h	10	1	917001	2 608 578 321	
10	150	215	P1h	10	1	917018	2 608 578 322	
12	100	165	P1h	10	1	917025	2 608 578 323	
12	150	215	P1h	10	1	917032	2 608 578 324	

SDS PLUS-9 SPEED CLEAN

Drilling and cleaning in one step.

ACCURATE CENTRING

Centring tip for active cutting in concrete



EFFICIENT DUST REMOVAL

2 extraction holes

HIGH WEAR RESISTANCE

4-cutter with highly robust and aggressive carbide blades



SDS plus-9 Speed Clean

SDS plus-9 SpeedClean

- **Suitable for** drilling holes in concrete
- **System:** The best result is achieved in combination with an SDS plus rotary hammer, e.g. Bosch GBH 2-28 DV Professional (0 611 267 201), and a dust class M dust extractor, e.g. Bosch GAS 35 M AFC Professional (0 601 9C3 100).
- **Note:** Always follow the instructions provided by the fixings manufacturer regarding the fitting of fixings.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
6	100	230	PC1b	1	1	976534	2 608 579 291
8	100	230	PC1b	1	1	976541	2 608 579 292
10	100	230	PC1b	1	1	976558	2 608 579 293
12	200	330	P1e	1	1	954006	2 608 578 962
14	250	380	P1e	1	1	954013	2 608 578 963
15	250	380	P1e	1	1	954020	2 608 578 964
16	250	380	P1e	1	1	857352	2 608 576 286
18	150	280	PC1b	1	1	976565	2 608 579 294
18	320	450	P1e	1	1	857369	2 608 576 287
20	150	280	PC1b	1	1	976572	2 608 579 295
20	320	450	P1e	1	1	857376	2 608 576 288
22	320	450	P1e	1	1	857383	2 608 576 289
24	320	450	P1e	1	1	857390	2 608 576 290

SDS plus-9 Speed Clean



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Replacement Connector SDS plus							
-	-	-	P1b	1	1	857406	2 608 576 291

Bulldog SDS plus drill bits

- Suitable for masonry, concrete and reinforced concrete
- Appropriate for all rotary hammers with SDS plus holder
- www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
5	50	110	P2e	1	5	915588	2 608 578 179
5	100	160	P2e	1	5	915595	2 608 578 180
5	150	210	P2e	1	5	915601	2 608 578 181
5.5	50	110	P2e	1	5	915618	2 608 578 182
5.5	100	160	P2e	1	5	915625	2 608 578 183
5.5	150	210	P2e	1	5	915632	2 608 578 184
6	50	110	P2e	1	5	915649	2 608 578 185
6	100	160	P2e	1	5	915656	2 608 578 186
6	150	210	P2e	1	5	915663	2 608 578 187
6	200	260	P2e	1	5	915670	2 608 578 188
6.5	50	110	P2e	1	5	915687	2 608 578 189
6.5	100	160	P2e	1	5	915694	2 608 578 190
6.5	150	210	P2e	1	5	915700	2 608 578 191
6.5	200	260	P2e	1	1	915717	2 608 578 192
7	50	110	P2e	1	5	915724	2 608 578 193
7	100	160	P2e	1	5	915731	2 608 578 194
7	150	210	P2e	1	5	915748	2 608 578 195
8	50	110	P2e	1	5	915755	2 608 578 196
8	100	160	P2e	1	5	915762	2 608 578 197
8	150	210	P2e	1	5	915779	2 608 578 198
8	200	260	P2e	1	1	915786	2 608 578 199
8	400	460	P2e	1	1	915793	2 608 578 200
9	100	160	P2e	1	5	915809	2 608 578 201
9	150	210	P2e	1	5	915816	2 608 578 202
10	50	110	P2e	1	5	915823	2 608 578 203
10	100	160	P2e	1	5	915830	2 608 578 204
10	150	210	P2e	1	5	915847	2 608 578 205
10	200	260	P2e	1	1	915854	2 608 578 206
10	250	310	P2e	1	1	915861	2 608 578 207
10	400	460	P2e	1	1	915878	2 608 578 208
11	100	160	P2e	1	5	915885	2 608 578 209
11	200	260	P2e	1	1	915892	2 608 578 210
12	100	160	P2e	1	5	915908	2 608 578 211
12	150	210	P2e	1	5	915915	2 608 578 212
12	200	260	P2e	1	5	915922	2 608 578 213
12	400	460	P2e	1	1	915939	2 608 578 214
13	100	160	P2e	1	5	915946	2 608 578 215
13	200	260	P2e	1	5	915953	2 608 578 216
14	100	160	P2e	1	5	915960	2 608 578 217
14	150	210	P2e	1	5	915977	2 608 578 218
14	200	260	P2e	1	5	915984	2 608 578 219
14	250	310	P2e	1	1	915991	2 608 578 220
14	400	460	P2e	1	1	916004	2 608 578 221
15	100	160	P2e	1	5	916011	2 608 578 222
15	200	260	P2e	1	5	916028	2 608 578 223
15	400	460	P2e	1	1	916035	2 608 578 224
16	150	210	P2e	1	5	916042	2 608 578 225
16	200	260	P2e	1	5	916059	2 608 578 226
16	250	310	P2e	1	1	916066	2 608 578 227
16	400	460	P2e	1	1	916073	2 608 578 228
18	150	200	P1e	1	1	916080	2 608 578 229

Bulldog SDS plus drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
18	250	300	P1e	1	1	916097	2 608 578 230
18	400	450	P1e	1	1	916103	2 608 578 231
20	150	200	P1e	1	1	916110	2 608 578 232
20	250	300	P1e	1	1	916127	2 608 578 233
20	400	450	P1e	1	1	916134	2 608 578 234
22	200	250	P1e	1	1	916141	2 608 578 235
22	400	450	P1e	1	1	916158	2 608 578 236
24	200	250	P1e	1	1	916165	2 608 578 237
24	400	450	P1e	1	1	916172	2 608 578 238
25	200	250	P1e	1	1	916189	2 608 578 239
25	400	450	P1e	1	1	916196	2 608 578 240
26	200	250	P1e	1	1	916202	2 608 578 241
26	400	450	P1e	1	1	916219	2 608 578 242

Pack of 10

5	50	110	P1h	10	1	916226	2 608 578 243
5	100	160	P1h	10	1	916233	2 608 578 244
5.5	50	110	P1h	10	1	916240	2 608 578 245
5.5	100	160	P1h	10	1	916257	2 608 578 246
6	50	110	P1h	10	1	916264	2 608 578 247
6	100	160	P1h	10	1	916271	2 608 578 248
6.5	100	160	P1h	10	1	916288	2 608 578 249
8	100	160	P1h	10	1	916295	2 608 578 250
10	100	160	P1h	10	1	916301	2 608 578 251
10	150	210	P1h	10	1	916318	2 608 578 252
10	200	260	P1h	10	1	916325	2 608 578 253
12	100	160	P1h	10	1	916332	2 608 578 254
12	150	210	P1h	10	1	916349	2 608 578 255
14	100	160	P1h	10	1	916356	2 608 578 256
16	150	210	P1h	10	1	916363	2 608 578 257

Bulldog SDS plus drill bit sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-Piece Bulldog SDS plus Drill Bit Set						
6 6 8 8 10		P1h	5	12	973175	2 608 579 280



Bulldog SDS plus drill bit sets




PRODUCT PROPERTIES		ORDERING INFORMATION					
		Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-Piece Bulldog SDS plus Drill Bit Set		6 8 10	P1h	3	1	973182	2 608 579 281

SDS plus-5 hammer drill bits



- Suitable for masonry, concrete and reinforced concrete
- Appropriate for all rotary hammers with SDS plus holder
- www.pgm.eu

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pack of 1											
3.5	50	110	-	-	-	P1e	1	5	189057	2 608 597 773	
4	50	115	-	-	-	P1e	1	5	028073	1 618 596 231	
4	100	165	-	-	-	P1e	1	5	189064	2 608 597 774	
5	50	115	-	-	-	P1e	1	5	027724	1 618 596 164	
5	100	165	-	-	-	P1e	1	5	027977	1 618 596 189	
5	150	215	-	-	-	P1e	1	5	074391	2 608 596 199	
5.5	50	115	-	-	-	P1e	1	5	027731	1 618 596 165	
5.5	100	165	-	-	-	P1e	1	5	045957	2 608 596 146	
5.5	150	215	-	-	-	P1e	1	5	189071	2 608 597 775	
5.5	200	265	-	-	-	P1e	1	5	189088	2 608 597 776	
6	50	115	-	-	-	P1e	1	5	027748	1 618 596 166	
6	100	165	-	-	-	P1e	1	5	027755	1 618 596 167	
6	150	215	-	-	-	P1e	1	5	045148	2 608 596 115	
6	200	265	-	-	-	P1e	1	5	189095	2 608 597 777	
6.5	50	115	-	-	-	P1e	1	5	027762	1 618 596 168	
6.5	100	165	-	-	-	P1e	1	5	027779	1 618 596 169	
6.5	150	215	-	-	-	P1e	1	5	189101	2 608 597 778	
6.5	200	265	-	-	-	P1e	1	5	189118	2 608 597 779	
6.5	250	315	-	-	-	P1e	1	5	189125	2 608 597 780	
7	50	115	-	-	-	P1e	1	5	027786	1 618 596 170	
7	100	165	-	-	-	P1e	1	5	027793	1 618 596 171	
7	150	215	-	-	-	P1e	1	5	098588	2 608 597 130	
8	50	115	-	-	-	P1e	1	5	027809	1 618 596 172	
8	100	165	-	-	-	P1e	1	5	027816	1 618 596 173	
8	150	215	-	-	-	P1e	1	5	027823	1 618 596 174	
8	200	265	-	-	-	P1e	1	5	028332	1 618 596 264	
8	400	465	-	-	-	P1e	1	1	045155	2 608 596 116	
10	50	115	-	-	-	P1e	1	5	027847	1 618 596 176	
10	100	165	-	-	-	P1e	1	5	027854	1 618 596 177	
10	150	215	-	-	-	P1e	1	5	028349	1 618 596 265	
10	200	265	-	-	-	P1e	1	5	027861	1 618 596 178	
10	250	315	-	-	-	P1e	1	5	046305	1 618 596 315	
10	400	465	-	-	-	P1e	1	1	028363	1 618 596 267	
11	150	215	-	-	-	P1e	1	5	046312	1 618 596 316	
12	100	165	-	-	-	P1e	1	5	027892	1 618 596 181	
12	150	215	-	-	-	P1e	1	5	028370	1 618 596 268	
12	200	265	-	-	-	P1e	1	5	027908	1 618 596 182	
12	250	315	-	-	-	P1e	1	5	189149	2 608 597 782	
12	400	465	-	-	-	P1e	1	1	028387	1 618 596 269	
12	550	615	-	-	-	P1e	1	1	028035	1 618 596 224	
13	100	165	-	-	-	P1e	1	5	027915	1 618 596 183	
13	150	215	-	-	-	P1e	1	5	046329	1 618 596 318	
13	200	265	-	-	-	P1e	1	5	027922	1 618 596 184	
14	100	165	-	-	-	P1e	1	5	027939	1 618 596 185	
14	150	215	-	-	-	P1e	1	5	028394	1 618 596 270	
14	200	265	-	-	-	P1e	1	5	027946	1 618 596 186	
14	250	315	-	-	-	P1e	1	5	028400	1 618 596 271	
14	550	615	-	-	-	P1e	1	1	028042	1 618 596 225	
15	100	165	-	-	-	P1e	1	5	027953	1 618 596 187	
15	200	265	-	-	-	P1e	1	5	027960	1 618 596 188	
15	400	465	-	-	-	P1e	1	1	028264	1 618 596 257	



SDS plus-5 hammer drill bits

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
16	150	215	-	-	-	P1e	1	5	047616	2 608 596 185	
16	250	315	-	-	-	P1e	1	5	047623	2 608 596 186	
16	400	465	-	-	-	P1e	1	1	028288	1 618 596 259	
18	150	200	-	-	-	P1e	1	1	028004	1 618 596 204	
18	250	300	-	-	-	P1e	1	1	046336	1 618 596 319	
18	400	450	-	-	-	P1e	1	1	028295	1 618 596 260	
20	150	200	-	-	-	P1e	1	1	028028	1 618 596 207	
20	250	300	-	-	-	P1e	1	1	028318	1 618 596 262	
20	400	450	-	-	-	P1e	1	1	028325	1 618 596 263	
22	200	250	-	-	-	P1e	1	1	028080	1 618 596 232	
22	400	450	-	-	-	P1e	1	1	028097	1 618 596 233	
24	200	250	-	-	-	P1e	1	1	028127	1 618 596 236	
24	400	450	-	-	-	P1e	1	1	028134	1 618 596 237	
25	200	250	-	-	-	P1e	1	1	028141	1 618 596 238	
25	400	450	-	-	-	P1e	1	1	028158	1 618 596 239	
26	200	250	-	-	-	P1e	1	1	028165	1 618 596 240	
26	400	450	-	-	-	P1e	1	1	028172	1 618 596 241	

Pack of 1

11	100	165	-	-	-	P1e	1	5	027878	1 618 596 179	
----	-----	-----	---	---	---	-----	---	---	--------	---------------	--

Pack of 1

14	400	465	-	-	-	P1e	1	1	045179	2 608 596 118	
----	-----	-----	---	---	---	-----	---	---	--------	---------------	--

Pack of 10


5.5	100	165	-	-	-	P1a	10	1	483490	2 608 585 615	
6	100	165	-	-	-	P1a	10	1	483513	2 608 585 617	
6	150	215	-	-	-	P1a	10	1	483520	2 608 585 618	
6.5	100	165	-	-	-	P1a	10	1	483537	2 608 585 619	
6.5	150	215	-	-	-	P1a	10	1	483544	2 608 585 620	
8	100	165	-	-	-	P1a	10	1	483575	2 608 585 623	
8	150	215	-	-	-	P1a	10	1	483582	2 608 585 624	
8	200	265	-	-	-	P1a	10	1	483599	2 608 585 625	
10	100	165	-	-	-	P1a	10	1	483605	2 608 585 626	
10	150	215	-	-	-	P1a	10	1	483612	2 608 585 627	
12	100	165	-	-	-	P1a	10	1	483636	2 608 585 629	
12	150	215	-	-	-	P1a	10	1	483643	2 608 585 630	



SDS plus-9 hammer drill bits Rebar Cutter

SDS plus-9
RebarCutter

- Suitable for rebar in concrete
- For non-impact use in rotary hammers with SDS plus holder.
- Only cut through rebar if approval has been issued by a stress analyst.
- Only use the Rebar Cutter without impact.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
16	120	300	10	P1h	1	1	576673	2 608 586 994
18	120	300	10	P1h	1	1	576680	2 608 586 995
20	120	300	10	P1h	1	1	576697	2 608 586 996
22	120	300	10	P1h	1	1	576703	2 608 586 997
25	120	300	10	P1h	1	1	576710	2 608 586 998
28	120	300	10	P1h	1	1	576727	2 608 586 999
32	120	300	10	P1h	1	1	576734	2 608 587 100

SDS plus-9 Core Cutters

SDS plus-9 CoreCutter

- Suitable for concrete, masonry, limestone
- For use with SDS plus or hex shank



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Core cutter depth (L1) mm	Working length (L2) mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
50	50	72	6	P1e	1	1	084659	2 608 550 075
68	50	72	6	P1e	1	1	084666	2 608 550 076

Accessories for core cutters

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter/width across flats mm	Total length mm	Shank		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hex shank for core cutters with M16								
11	220	Hexagon		P1e	1	1	096744	2 608 598 109
SDS plus shank for core cutters with M16								
-	105	SDS plus		P1e	1	1	046138	2 608 550 057
-	220	SDS plus		P1e	1	1	096751	2 608 598 110


LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS max-8X Hammer Drill Bits

ASSORTMENT: Ø 12mm - 32mm

EXPERT

- 1 Extremely durable drill bit tip with Bosch Carbide Technology
- 2 Punch through reinforced concrete with a 4-cutter Full Carbide Head
- 3 Highly resistant drill tip connection with Bosch's welding technology



CARBIDE TECHNOLOGY

EXPERT SDS max-8X Hammer Drill Bits

EXPERT



- ▶ Ideal for drilling holes in reinforced concrete, e.g. for chemical anchor setting and/or rebar connections.
- ▶ Best for construction workers: long lasting and powerful.
- ▶ Lasts up to 3x longer than Bosch SDS max-4 Drill Bit.
- ▶ Fits all SDS max rotary hammer drills.




PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number		
Pack of 1									
12	200	340	P1h	1	1	532752	2 608 900 201		
12	400	540	P1h	1	1	532769	2 608 900 202		
12	600	740	P1h	1	1	532776	2 608 900 203		
12	800	940	P1h	1	1	532783	2 608 900 204		
14	200	340	P1h	1	1	532813	2 608 900 207		
14	400	540	P1h	1	1	532820	2 608 900 208		

EXPERT SDS max-8X Hammer Drill Bits


EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	14	600	740	P1h	1	1	532837	2 608 900 209
	14	800	940	P1h	1	1	532844	2 608 900 210
	15	200	340	P1h	1	1	532868	2 608 900 212
	16	200	340	P1h	1	1	532882	2 608 900 214
	16	400	540	P1h	1	1	532899	2 608 900 215
	16	600	740	P1h	1	1	532905	2 608 900 216
	16	800	940	P1h	1	1	532912	2 608 900 217
	18	200	340	P1h	1	1	532950	2 608 900 221
	18	400	540	P1h	1	1	532967	2 608 900 222
	18	600	740	P1h	1	1	532974	2 608 900 223
	18	800	940	P1h	1	1	532981	2 608 900 224
	20	200	320	P1h	1	1	533025	2 608 900 228
	20	400	520	P1h	1	1	533032	2 608 900 229
	20	600	720	P1h	1	1	533049	2 608 900 230
	20	800	920	P1h	1	1	533056	2 608 900 231
	22	200	320	P1h	1	1	533070	2 608 900 233
	22	400	520	P1h	1	1	533087	2 608 900 234
	22	600	720	P1h	1	1	533094	2 608 900 235
	22	800	920	P1h	1	1	533100	2 608 900 236
	24	200	320	P1h	1	1	533124	2 608 900 238
	24	400	520	P1h	1	1	533131	2 608 900 239
	25	200	320	P1h	1	1	533148	2 608 900 240
	25	400	520	P1h	1	1	533155	2 608 900 241
	25	600	720	P1h	1	1	533162	2 608 900 242
	25	800	920	P1h	1	1	533179	2 608 900 243
	26	200	320	P1h	1	1	533193	2 608 900 245
	26	400	520	P1h	1	1	533209	2 608 900 246
	28	200	320	P1h	1	1	533216	2 608 900 247
	28	400	520	P1h	1	1	533223	2 608 900 248
	28	600	720	P1h	1	1	533230	2 608 900 249
	28	800	920	P1h	1	1	533247	2 608 900 250
	30	200	320	P1h	1	1	533261	2 608 900 252
	30	400	520	P1h	1	1	533278	2 608 900 253
	32	200	320	P1h	1	1	533285	2 608 900 254
	32	400	520	P1h	1	1	533292	2 608 900 255
	32	600	720	P1h	1	1	533308	2 608 900 256
	32	800	920	P1h	1	1	533315	2 608 900 257
Pack of 5								
	12	200	340	P0h	5	1	533346	2 608 900 260
	16	200	340	P0h	5	1	533353	2 608 900 261
	16	400	540	P0h	5	1	533360	2 608 900 262
	18	200	340	P0h	5	1	533377	2 608 900 263
	18	400	540	P0h	5	1	533384	2 608 900 264
	20	200	320	P0h	5	1	533391	2 608 900 265
	20	400	520	P0h	5	1	533407	2 608 900 266
	22	400	520	P0h	5	1	533414	2 608 900 267
	24	400	520	P0h	5	1	533421	2 608 900 268
	25	400	520	P0h	5	1	533438	2 608 900 269
	32	400	520	P0h	5	1	533445	2 608 900 270

SDS max-7 hammer drill bits



- Suitable for concrete and reinforced concrete, limestone, masonry
- For use in rotary hammers with SDS max holder
- Working lengths of 200, 400, 600, 800 and 1200 mm
- * 12 to 15 mm diameters are 2-cutters
- Re-closable packaging for professionals
- www.pgm.eu




PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
16	1,200	1,340	P1h	1	1	564793	2 608 586 755
18	1,200	1,340	P1h	1	1	564861	2 608 586 762
19	400	520	P1h	1	1	565486	2 608 586 764
20	1,200	1,320	P1h	1	1	565530	2 608 586 769
22	1,200	1,320	P1h	1	1	565585	2 608 586 774
25	1,200	1,320	P1h	1	1	565646	2 608 586 781
28	1,200	1,320	P1h	1	1	565714	2 608 586 788
35	400	520	P1h	1	1	565790	2 608 586 796
35	600	720	P1h	1	1	565806	2 608 586 797
35	800	920	P1h	1	1	565813	2 608 586 798
35	1,200	1,320	P1h	1	1	565820	2 608 586 799
38	400	520	P1h	1	1	565462	2 608 586 800
38	600	720	P1h	1	1	565837	2 608 586 801
40	400	520	P1h	1	1	565844	2 608 586 802
40	800	920	P1h	1	1	565868	2 608 586 804
40	1,200	1,320	P1h	1	1	565875	2 608 586 805
45	400	520	P1h	1	1	565882	2 608 586 806
52	400	520	P1h	1	1	565899	2 608 586 807
Pack of 1							
32	1,200	1,320	P1h	1	1	565783	2 608 586 795
40	600	720	P1h	1	1	565851	2 608 586 803

SDS MAX-9 SPEED CLEAN

Drilling and cleaning in one step.

ACCURATE CENTRING

Centring tip for active cutting in concrete



EFFICIENT DUST REMOVAL

2 extraction holes

HIGH WEAR RESISTANCE

4-cutter with highly robust and aggressive carbide blades



SDS max-9 Speed Clean

SDS max-9 SpeedClean

- **Suitable for** drilling holes in concrete
- **System:** The best result is achieved in combination with an SDS max rotary hammer, e.g. Bosch GBH 8-45 DV Professional (0 611 265 000), and a dust class M dust extractor, e.g. Bosch GAS 55 M AFC Professional (0 601 9C3 300).
- **Note:** Always follow the instructions provided by the fixings manufacturer regarding the fitting of fixings.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
14	400	620	P1e	1	1	954037	2 608 578 965
16	400	620	P1e	1	1	857420	2 608 576 293
18	400	620	P1e	1	1	857437	2 608 576 294
20	400	620	P1e	1	1	857444	2 608 576 295
22	400	620	P1e	1	1	857451	2 608 576 296
24	400	620	P1e	1	1	893893	2 608 576 779
25	400	590	PC1b	1	1	976589	2 608 579 296
25	500	720	P1e	1	1	857468	2 608 576 297
28	400	590	PC1b	1	1	976596	2 608 579 297
28	600	820	P1e	1	1	857475	2 608 576 298
30	600	820	P1e	1	1	857482	2 608 576 299
32	400	590	PC1b	1	1	976602	2 608 579 298
32	600	820	P1e	1	1	857499	2 608 576 300



SDS max-9 Speed Clean

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
35	400	590	PC1b	1	1	976619	2 608 579 299
35	650	870	P1e	1	1	857819	2 608 576 301

Replacement Connector SDS max

-	-	-	P1b	1	1	857826	2 608 576 302
---	---	---	-----	---	---	--------	---------------

SDS max-9 Natural Stone

- SDS max-9 NaturalStone
- 






► Suitable for natural stone

► Fits all rotary hammers with SDS max holder

► Re-closable packaging for professionals

► www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1 "Ram X Design"							
28	400	520	P1h	1	1	560115	1 618 596 502
28	600	720	P1h	1	1	560122	1 618 596 503
28	800	920	P1h	1	1	560139	1 618 596 504
32	400	520	P1h	1	1	560146	1 618 596 505
32	600	720	P1h	1	1	560153	1 618 596 506
32	800	920	P1h	1	1	560160	1 618 596 507

Accessories for SDS max core cutters




PRODUCT PROPERTIES			ORDERING INFORMATION				
Total length mm	Adapter for machine side	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
		Adapter for two-piece max-9 Core Cutters					
460	SDS max	P1e	1	1	560047	2 608 580 528	


SDS max-9 Core Cutters, two-piece, with thread

SDS max-9 CoreCutter

- Suitable for concrete, masonry, limestone
- Pilot drill bit included



PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter mm	Core cutter depth (L1) mm	Working length (L2) mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
Pack of 1							
45	80	112	6	C2h	1	1	557733
50	80	111	6	C2h	1	1	557740
125	80	97	11	C2h	1	1	557801
150	80	92	13	C2h	1	1	557818



IMPACT AND ROTARY DRILL BITS



Discover precision and durability.

The best your tool can get. Bosch Professional Accessories.



IMPACT AND ROTARY DRILL BITS

Drilling all kinds of materials.

					
	CYL-9 Multi Construction	HEX-9 Multi Construction	HEX-9 HardCeramic	CYL-3 for concrete	CYL-9 SoftCeramic
	EXPERT	EXPERT	EXPERT		
Page number	78	76	80	74	82
Shank type					
Diameter mm	3.0 – 16.0	3.0 – 12.0	3.0 – 12.0	3.0 – 16.0	3.0 – 16.0
Total length mm	70 – 250	90 – 150	90	70 – 400	70 – 90
PGM certification			-		-
	 	 	 		

MATERIALS

Hard concrete	-	-	-	-	-
Soft concrete			-		-
Marble			-		-
Solid brick			-		-
Hollow brick			-		-
Wood			-	-	-
Soft tile				-	
Hard tile / roof tile	-	-		-	-
Stone tiles	-	-		-	-
Steel			-	-	-
Sheet metal			-	-	-

* Bosch EXPERT products vs. Bosch standard products

CYL-5 concrete drill bit sets

CYL-5



PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
7-piece Robust Line CYL-5 concrete drill bit set							
4	50	90	197.0 x 87.5 x 21.5	P1k	7	1	690577
5	50	100					
5	50	100					
6	50	100					
6	50	100					
8	50	100					
10	100	150					

2 608 588 167

CYL-3 concrete drill bits

CYL-3

- Suitable for drilling holes in concrete, masonry, limestone, brick
- Heavy duty drill bit, suitable for all impact drills
- PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings
- Drill bit colour: silver-grey, sand-blasted



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
3	40	70	PC1d	1	5	186674	2 608 597 655
4.5	40	75	PC1d	1	5	186698	2 608 597 657
5	50	85	PC1d	1	5	186704	2 608 597 658
5	90	150	PC1d	1	5	186896	2 608 597 677
5.5	50	85	PC1d	1	5	186711	2 608 597 659
5.5	90	150	PC1d	1	5	186902	2 608 597 678
6	60	100	PC1d	1	5	186728	2 608 597 660
6	90	150	PC1d	1	5	186919	2 608 597 679
6.5	90	150	PC1d	1	5	186926	2 608 597 680
6.5	350	400	P1c	1	1	187015	2 608 597 689
7	60	100	PC1d	1	5	186742	2 608 597 662
7	90	150	PC1d	1	5	186933	2 608 597 681
8	80	120	PC1d	1	5	186759	2 608 597 663
8	90	150	PC1d	1	5	212878	2 608 597 898
8	150	200	PC1d	1	5	186940	2 608 597 682
8	350	400	P1c	1	1	187022	2 608 597 690
10	80	120	PC1d	1	5	186773	2 608 597 665
10	90	150	PC1d	1	5	212885	2 608 597 899
10	150	200	PC1d	1	5	186957	2 608 597 683
10	250	300	P1c	1	5	186971	2 608 597 685
10	350	400	P1c	1	1	187039	2 608 597 691
11	90	150	PC1d	1	5	186780	2 608 597 666
12	90	150	PC1d	1	5	186797	2 608 597 667
12	150	200	PC1d	1	5	186964	2 608 597 684
13	90	150	PC1d	1	5	186803	2 608 597 668
14	90	150	PC1d	1	5	186810	2 608 597 669
16	100	160	P1c	1	5	186834	2 608 597 671
16	350	400	P1c	1	1	187060	2 608 597 694
Pack of 1							
6.5	60	100	PC1d	1	5	186735	2 608 597 661

CYL-3 concrete drill bit sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7-piece CYL-3 concrete drill bit set							
4	40	75	P1k	7	1	601368	2 607 017 082
5	50	85					
6	60	100					
6	60	100					
7	60	100					
8	80	120					
10	80	120					

CYL-3 concrete drill bit sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece CYL-3 concrete drill bit set							
4	40	75	P1k	5	1	601344	2 607 017 080
5	50	85					
6	60	100					
6	60	100					
8	80	120					



7-piece Robust Line CYL-3 concrete drill bit set							
4	40	75	P1k	7	5	446297	2 607 010 545
5	50	85					
6	60	100					
6	60	100					
8	80	120					
10	80	120					
12	90	150					


HIGH PRECISION DRILLING MULTIPLE MATERIALS

EXPERT CYL-9/HEX-9 MultiConstruction Drill Bits

ASSORTMENT: Ø 3mm - 16mm

EXPERT

- 1 Accurate drilling is easy with Bosch Centering Geometry
- 2 Start holes accurately with a specially-designed centering tip
- 3 High-performance carbide tip manufactured by fine grinding
- 4 Optimised dust extraction channel for fast, efficient drilling



EXPERT HEX-9 MultiConstruction Drill Bits

EXPERT



- Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- Best for building trades: maximum precision and highly versatile.
- Up to 5x more precise than Bosch CYL-3 Drill Bit.
- Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and 1/4" internal hex tool holders.




PRODUCT PROPERTIES				ORDERING INFORMATION				
	Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1	3	45	90	PC1d	1	5	538624	2 608 900 569
	4	45	90	PC1d	1	5	538631	2 608 900 570
	5	50	100	PC1d	1	5	538648	2 608 900 571
	5.5	60	100	PC1d	1	5	538655	2 608 900 572

EXPERT

Product Properties			Ordering Information					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
5.5	90	150	PC1d	1	5	538662	2 608 900 573	
6	60	100	PC1d	1	5	538679	2 608 900 574	
6.5	60	100	PC1d	1	5	538709	2 608 900 577	
7	50	100	PC1d	1	5	538723	2 608 900 579	
7	90	150	PC1d	1	5	538730	2 608 900 580	
8	50	100	PC1d	1	5	538747	2 608 900 581	
10	90	150	PC1d	1	5	538754	2 608 900 582	
12	90	150	PC1d	1	5	538761	2 608 900 583	

EXPERT

- ▶ Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- ▶ Best for building trades: maximum precision and highly versatile.
- ▶ Up to 5x more precise than Bosch CYL-3 Drill Bit.
- ▶ Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and 3/4" internal hex tool holders.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece HEX-9 MultiConstruction drill bit set								
5	50	100	165.0 x 47.0 x 10	P1c	3	1	538778	2 608 900 584
6	60	100						
8	50	100						
5-piece HEX-9 MultiConstruction drill bit set								
4	45	90	135.0 x 73.0 x 15	P1h	5	1	538785	2 608 900 585
5	50	100						
6	60	100						
6	60	100						
8	50	100						
5.5	60	100	135.0 x 73.0 x 15	P1h	5	1	538792	2 608 900 586
6	60	100						
6	60	100						
7	60	100						
8	50	100						

EXPERT CYL-9 MultiConstruction Drill Bits

EXPERT



- Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- Best for building trades: maximum precision and highly versatile.
- Up to 5x more precise than Bosch CYL-3 Drill Bit.
- Cylindrical shank compatible with three-jaw drill chucks.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 1								
3	40	70	PC1d	1	5	538938	2 608 900 600	
3.5	40	70	PC1d	1	1	538952	2 608 900 602	
4	40	75	PC1d	1	5	538976	2 608 900 604	
4	80	130	PC1d	1	5	538983	2 608 900 605	
5	50	85	PC1d	1	5	538990	2 608 900 606	
5	90	150	PC1d	1	5	539003	2 608 900 607	
5.5	50	85	PC1d	1	5	539027	2 608 900 609	
5.5	100	150	PC1d	1	5	539034	2 608 900 610	
6	60	100	PC1d	1	5	539041	2 608 900 611	
6	90	150	PC1d	1	5	539058	2 608 900 612	
6	200	250	PC1d	1	1	596488	2 608 901 481	
6.5	60	100	PC1d	1	5	539089	2 608 900 615	
6.5	90	150	PC1d	1	5	539096	2 608 900 616	
6.5	200	250	PC1d	1	1	596495	2 608 901 482	
7	60	100	PC1d	1	5	539119	2 608 900 618	
7	90	150	PC1d	1	5	539126	2 608 900 619	
7	200	250	PC1d	1	1	596501	2 608 901 483	
8	80	120	PC1d	1	5	539140	2 608 900 621	
8	90	150	PC1d	1	5	539157	2 608 900 622	
8	200	250	PC1d	1	1	596518	2 608 901 484	
9	80	120	PC1d	1	5	539188	2 608 900 625	
10	80	120	PC1d	1	5	539195	2 608 900 626	
10	90	150	PC1d	1	5	539201	2 608 900 627	
10	200	250	PC1d	1	1	596525	2 608 901 485	
11	90	150	PC1d	1	5	539232	2 608 900 630	
12	90	150	PC1d	1	5	539249	2 608 900 631	
12	200	250	PC1d	1	1	596549	2 608 901 486	
14	150	200	PC1d	1	1	596556	2 608 901 487	
14	200	250	PC1d	1	1	596570	2 608 901 488	
16	150	200	P1c	1	1	596594	2 608 901 489	
Pack of 8								
10	80	120	P1h	8	1	539379	2 608 900 644	
Pack of 10								
4	40	75	P1h	10	1	539300	2 608 900 637	
5	50	85	P1h	10	1	539317	2 608 900 638	
5.5	50	85	P1h	10	1	539324	2 608 900 639	
6	60	100	P1h	10	1	539331	2 608 900 640	
7	60	100	P1h	10	1	539355	2 608 900 642	
8	80	120	P1h	10	1	539362	2 608 900 643	

EXPERT CYL-9 MultiConstruction Drill Bit Sets

EXPERT

- ▶ Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- ▶ Best for building trades: maximum precision and highly versatile.
- ▶ Up to 5x more precise than Bosch CYL-3 Drill Bit.
- ▶ Cylindrical shank compatible with three-jaw drill chucks.



Product Properties				Ordering Information				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4-piece Robust Line CYL-9 MultiConstruction drill bit set								
4	40	75	156.5 x 69.5 x 23	P1k	4	1	539386	2 608 900 645
5	50	85						
6	60	100						
8	80	120						
5.5	50	85	156.5 x 69.5 x 23	P1k	4	1	539393	2 608 900 646
6	60	100						
7	60	100						
8	80	120						
4-piece CYL-9 MultiConstruction drill bit set								
4	40	75	158.0 x 57.0 x 16	P1k	4	5	539423	2 608 900 649
5	50	85						
6	60	100						
8	80	120						
5.5	50	85	158.0 x 57.0 x 16	P1k	4	1	539430	2 608 900 650
6	60	100						
7	60	100						
8	80	120						
7-piece Robust Line CYL-9 MultiConstruction drill bit set								
4	40	75	197.0 x 87.5 x 23	P1k	7	1	539409	2 608 900 647
5	50	85						
6	60	100						
6	60	100						
8	80	120						
10	80	120						
12	90	150						
5	50	85	197.0 x 87.5 x 23	P1k	7	1	539416	2 608 900 648
5.5	50	100						
6	60	150						
6	90	150						
7	90	150						
8	90	150						
10	90	85						

LONG LIFE DRILLING HARD TILES

EXPERT HEX-9 HardCeramic Drill Bits

ASSORTMENT: Ø 3mm - 12mm

EXPERT

- 1 Extremely durable drill bit tip with Bosch Carbide Technology
- 2 High-performance carbide tip manufactured by fine grinding
- 3 Efficient drilling in hard materials with a multi-faceted design
- 4 Start holes accurately with a specially-designed centering tip




CARBIDE TECHNOLOGY

EXPERT HEX-9 HardCeramic Drill Bits

EXPERT



- Ideal for drilling holes in bathroom tiles, e.g. to install a shower partition wall; and drilling in roof tiles, without the need for cooling. Drills comfortably in tiles up to a hardness of PEI 5.
- Best for interior fitters and roofers: long lasting and practical.
- Lasts up to 10x longer than Bosch CYL-9 Ceramic Drill bit.
- Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and ¼" internal hex tool holders.



CARBIDE TECHNOLOGY UP TO 10x LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	
Pack of 1							
3	90	PC1d	1	1	232397	2 608 900 587	
4	90	PC1d	1	1	232403	2 608 900 588	
5	90	PC1d	1	1	232410	2 608 900 589	
6	90	PC1d	1	1	232427	2 608 900 590	


EXPERT HEX-9 HardCeramic Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	
7	90	PC1d	1	1	232434	2 608 900 591	
8	90	PC1d	1	1	232441	2 608 900 592	
10	90	PC1d	1	1	232458	2 608 900 593	
12	90	PC1d	1	1	232465	2 608 900 594	

EXPERT HEX-9 HardCeramic Drill Bit Sets

EXPERT



- ▶ Ideal for drilling holes in bathroom tiles, e.g. to install a shower partition wall; and drilling in roof tiles, without the need for cooling. Drills comfortably in tiles up to a hardness of PEI 5.
- ▶ Best for interior fitters and roofers: long lasting and practical.
- ▶ Lasts up to 10x longer than Bosch CYL-9 Ceramic Drill Bit.
- ▶ Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and 1/4" internal hex tool holders.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
3-piece HEX-9 HardCeramic tile drill bit set							
5	-	90	P1c	3	1	232472	2 608 900 595
6							
8							
5-piece HEX-9 HardCeramic tile drill bit set							
4	-	90	P1h	5	1	232496	2 608 900 597
5							
6							
8							
10							

CYL-9 SoftCeramic Tile Drill Bits



- Suitable for all soft density tiles and non-toughened glass
- Drill bit colour: white
- Note: Use with low speeds and without impact. No cooling required.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1						
3	70	PC1d	1	5	599184	2 608 587 157
4	70	PC1d	1	5	599191	2 608 587 158
5	70	PC1d	1	5	599207	2 608 587 159
5.5	70	PC1d	1	5	599214	2 608 587 160
6	80	PC1d	1	5	599221	2 608 587 161
6.5	80	PC1d	1	5	599238	2 608 587 162
7	80	PC1d	1	5	599245	2 608 587 163
8	80	PC1d	1	5	599252	2 608 587 164
12	90	PC1d	1	5	599276	2 608 587 166
14	90	PC1d	1	5	599283	2 608 587 167
Pack of 1						
10	90	PC1d	1	5	599269	2 608 587 165

CYL-9 SoftCeramic Tile Drill Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece CYL-9 SoftCeramic tile drill bit set						
4	70	P1k	5	1	599306	2 608 587 169
5	70					
6	80					
8	80					
10	90					

PICK AND CLICK

Build your own screwdriver bit sets.

The best your tool can get. Bosch Professional Accessories.



SCREWDRIVER BITS FROM BOSCH

Equipped for any application.



Extra Hard

Page number 98

Available bit types



Length mm 25 – 152

Customizable sets -

SET CONTENTS

Insert bits	✓
Power bits	✓
Double ended bits	✓
Twist drill bits with hex shank	✓
Multi Construcion drill bits with hex shank	✓
Concrete drill bits with hex shank	✓
Brad point drill bits with hex shank	✓
Nut setters	✓
Universal holder	✓

BIT TYPES



Phillips®



Sec Torx®



Slotted



Pozidriv



Internal hex




Internal Torx®




Internal square

Impact Control Screwdriver Bit Sets





PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
36-Piece screwdriver bit and nutsetter set with double-ended bits, Universal Holder Quick Release and Standard Magnetic						
PH2 (2x)	60	PC1b	36	6	851558	2 608 522 365
PZ2 (2x)	60					
T20, T25, T30	50					
PH1, PH2 (3x), PH3	50					
PZ2 (2x), PZ3	50					
T15, T20 (2x), T25 (2x), T30 (2x), T40	25					
PH1-PH2	25					
PH2-PH3	25					
PH2-PZ2 (2x)	25					
SL1x5.5	25					
T15-T20 (2x)						
T25-T30						
Nutsetter 8/10/13 mm						
Universal Holder Quick Release						
Universal Holder Standard Magnetic						




31-Piece screwdriver bit set with double-ended bits and Universal Holder Quick Release						
PH2	60	PC1b	31	3	995344	2 607 017 574
PZ2	50					
T15, T20, T25, T30	50					
PH1, PH2 (2x), PH3	25					
PZ2 (2x), PZ3	25					
T15, T20 (2x), T25 (2x), T30 (2x), T40	60					
PH1-PH2	60					
PH2-PH3	60					
PH2-PZ2 (2x)	60					
SL1x5.5	60					
T15-T20 (2x)	60					
T25-T30	60					
Universal Holder Quick Release	60					
Storage Box						

Impact Control Mixed Sets



PRODUCT PROPERTIES			ORDERING INFORMATION			
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
35-Piece drill and screwdriver bit set with HEX-9 MultiConstruction drill bits and Universal Holder Quick Release						
HEX-9 MultiConstruction 3.0/4.0/ 5.0 (2x)/6.0 (2x)/8.0 (2x) mm	25 25 25 60 50 50 50	PC1b	35	6	881777	2 608 577 147
PH1, PH2 (4x), PH3						
PZ2 (2x), PZ3						
T15, T20 (3x), T25 (3x), T30 (2x), T40						
PH2						
PZ2						
T15, T20, T25, T30						
Universal Holder Quick Release						

Impact Control Double-Ended Bit Packs



PRODUCT PROPERTIES			ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
Pack of 8 (Index) 8 double-ended Screwdriver Bits							
PH2-PZ2 (8x)	65	PC1a	8	5	851237	2 608 522 333	

Impact Control Sockets



PRODUCT PROPERTIES					ORDERING INFORMATION				
Width across flat mm	Outer diameter (D1) mm	Outer diameter (D2) mm	For thread	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Internal square drive 1/2", ISO 1174-1									
10	15	22	M 6	77	P1e	1	1	813891	2 608 522 302
11	16.3	22	M 7	77	P1e	1	1	813907	2 608 522 303
13	19.5	18.8	M 8	77	P1e	1	1	813914	2 608 522 304
17	19.5	23.8	M 10	77	P1e	1	1	813921	2 608 522 305
19	19.5	25.85	M 12	77	P1e	1	1	813938	2 608 522 306
21	19.5	27.8	-	77	P1e	1	1	813952	2 608 522 308
22	19.5	29.8	M 14	77	P1e	1	1	813969	2 608 522 309
24	19.5	31.75	M 16	77	P1e	1	1	813976	2 608 522 310
27	19.5	35.75	M 18	77	P1e	1	1	813983	2 608 522 311

Socket Sets





PRODUCT PROPERTIES				ORDERING INFORMATION				
Width across flat mm	Length mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
3-piece socket set								
17 19 21	85	1/2	M0a	3	1	704168	2 608 551 102	
7-piece socket set								
13 17 19 21 24	39	1/2	M0a	7	1	631556	2 608 551 029	
9-piece socket set								
10 11 13 17 19 21 22 24 27	38	1/2	C0d	9	1	701075	2 608 551 100	



Socket Sets

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Width across flat mm	Length mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	10	77	1/2	C0d	9	1	704151	2 608 551 101
	11							
	13							
	17							
	19							
	21							
	22							
	24							
	27							

Impact Control Screwdriver Bit Sets




PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ..	Part number
Modular 24-piece Impact Tough Screwdriver Bit Set						
PH1 (2x), PH2 (3x), PH3	25	M0a	24	3	2 610 045 672	
PH2R	25					
R1 (2x), R2 (2x), R3	25					
T15, T20 (2x)	50					
P2R2	50					
PH2 (2x)						
R2 (2x)						
T25, T30						
Universal Holder Standard						
Magnetic						
Modular 44-piece Impact Tough Screwdriver Bit Set						
PH1 (2x), PH2 (5x), PH3 (2x)	25	PC1a	44	3	2 610 045 673	
PH2R (2x)	25					
R1 (2x), R2 (3x), R3 (2x)	25					
T15 (2x), T20, T25 (2x), T30 (2x), T40 (2x)	50					
P2R2 (2x)	50					
PH1, PH2 (2x), PH3						
R1 (2x), R2 (2x), R3						
T15, T20, T25 (2x), T30, T40						
Universal Holder Standard						
Magnetic						
Modular 48-piece Impact Tough Screwdriver Bit Set						
PH1 (2x), PH2 (6x), PH3 (2x)	25	PC1a	52	3	2 610 045 674	
PH2R (2x)	25					
R1 (2x), R2 (6x), R3 (2x)	25					
T15 (5x), T20 (2x), T25	50					
P2R2 (2x)	50					
PH2 (4x), PH3	60					
R1 (2x), R2 (2x), R3	60					
T20 (2x), T25 (2x)						
PH2-PH2						
R2-R2						
T25-T25						
Universal Holder Standard						
Magnetic						

Impact Control Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION						
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode			Part number
					..			
Impact Tough Modular Set, Medium Empty Modular Case								
-	-	M0a	1	3		2 610 046 117		
Impact Tough Modular Set, Case in Case Storage Box								
-	-	PC1c	1	5		2 610 046 121		



Product Properties			Ordering Information					
	Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	...	Part number
Pack of 1								
	P2R2	50	PC1c	1	5			2 610 039 573
	PH1	150	PC1c	1	5			2 610 039 593
	PH1	90	PC1c	1	5			2 610 039 582
	PH1	50	PC1c	1	5			2 610 039 564
	PH2	50	PC1c	1	5			2 610 039 565
	PH2	90	PC1c	1	5			2 610 039 583
	PH2	150	PC1c	1	5			2 610 039 594
	PH3	90	PC1c	1	5			2 610 039 584
	PH3	150	PC1c	1	5			2 610 039 595
	PZ2	50	PC1c	1	5			2 610 050 956
	R1	150	PC1c	1	5			2 610 039 596
	R1	50	PC1c	1	5			2 610 039 568
	R1	90	PC1c	1	5			2 610 039 585
	R2	150	PC1c	1	5			2 610 039 597
	R2	50	PC1c	1	5			2 610 039 569
	R2	90	PC1c	1	5			2 610 039 586
	R3	150	PC1c	1	5			2 610 039 598
	R3	50	PC1c	1	5			2 610 039 572
	R3	90	PC1c	1	5			2 610 039 587
	T15	50	PC1c	1	5			2 610 039 575
	T20	50	PC1c	1	5			2 610 039 576
	T25	50	PC1c	1	5			2 610 039 578
	T40	50	PC1c	1	5			2 610 039 581
	HEX4	50	PC1d	1	5			2 610 050 957
	HEX5	50	PC1c	1	5			2 610 050 958
	HEX5	90	PC1d	1	5			2 610 050 964
	HEX5	150	PC1d	1	5			2 610 050 965
	HEX6	50	PC1c	1	5			2 610 050 959

Pack of 1						
PH3	50	PC1c	1	5	2 610 039 567	

Pack of 1						
T30	50	PC1c	1	5	2 610 039 580	



Pack of 2							
	PH2	25	PC1c	2	5	2 610 039 544	
	PH1	25	PC1c	2	5	2 610 039 536	
	PH2	25	PC1c	2	5	2 610 039 538	
	PH3	25	PC1c	2	5	2 610 039 542	
	R1	25	PC1c	2	5	2 610 039 551	
	R2	25	PC1c	2	5	2 610 039 554	
	R3	25	PC1c	2	5	2 610 039 557	
	T10	25	PC1d	2	5	2 610 050 953	
	T15	25	PC1c	2	5	2 610 039 558	
	T20	25	PC1c	2	5	2 610 039 559	
	T25	25	PC1c	2	5	2 610 039 560	
	T27	25	PC1d	2	5	2 610 050 954	
	T30	25	PC1c	2	5	2 610 039 561	
	T40	25	PC1c	2	5	2 610 039 562	

Impact Tough Screwdriver Bits



PRODUCT PROPERTIES		ORDERING INFORMATION					
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	...	Part number
Pack of 3 T15, T20, T25							
-	50	PC1c	3	5			2 610 050 955





Pack of 5							
P2R2	50	PC1c	5	5			2 610 039 574
PH2	25	PC1c	5	5			2 610 039 539
PH2	50	PC1c	5	5			2 610 039 566
R2	25	PC1c	5	5			2 610 039 555
R2	50	PC1c	5	5			2 610 039 571
HEX5	50	PC1c	5	5			2 610 050 960




Pack of 15							
PH2	25	P1k	15	5			2 610 039 540
R2	25	P1k	15	5			2 610 039 556

Impact Tough Screwdriver Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Pack of 8						
PH1 (8x)	25	PC1c	8	5		2 610 046 085
R1 (2x), R2 (4x) R3 (2x)	25	PC1c	8	5		2 610 046 087
T15, T20 (2x), T25 (3x), T30, T40	25	PC1c	8	5		2 610 046 089
Pack of 8						
PH1 (2x), PH2 (4x), PH3 (2x)	50	PC1c	8	5		2 610 046 093
PH2 (8x)	50	PC1c	8	5		2 610 046 095
R1 (2x), R2 (4x), R3 (2x)	50	PC1c	8	5		2 610 046 097
		PC1c	8	5		2 610 046 099
PH2 (3x)	50	PC1c	8	5		2 610 046 101
R2 (2x)	50					
T25 (3x)	50					
HEX5 (8x)	50	PC1c	8	5		2 610 050 961
HEX3, HEX4 (2x), HEX5 (3x), HEX6 (2x)	50	PC1d	8	5		2 610 050 962
Pack of 4						
PH1, PH2, PH3	65	PC1c	4	5		2 610 046 103
R1, R2, R3	65	PC1c	4	5		2 610 046 105
T15-T20, T25, T30-T40	65	PC1c	4	5		2 610 046 107
PH2	65	PC1c	4	5		2 610 046 109
R2	65					
T25	65					
P2R2	65					
Pack of 4						
1/4", 5/16", 3/8", 7/16"						
-	50	PC1c	4	5		2 610 046 111

Impact Tough Screwdriver Double-Ended Bits



PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Pack of 1						
P2R2	90	PC1c	1	5		2 610 039 627
P2R2	150	PC1c	1	5		2 610 039 639
PH2	90	PC1c	1	5		2 610 039 622
PH2	150	PC1c	1	5		2 610 039 634
R2	90	PC1c	1	5		2 610 039 625
R2	150	PC1c	1	5		2 610 039 637
T15	150	PC1c	1	5		2 610 039 641
T20	150	PC1c	1	5		2 610 039 642
T25	150	PC1c	1	5		2 610 039 643
T30	150	PC1c	1	5		2 610 039 644

Pack of 3						
PH2	65	PC1c	3	5		2 610 039 606

Pack of 3						
R2	65	PC1c	3	5		2 610 039 610
P2R2	65	PC1c	3	5		2 610 039 614
HEX5	65	PC1c	3	5		2 610 050 966

Impact Tough Screwdriver Double-Ended Bit Mixed Packs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Pack of 3						
PH2	65	PC1c	3	5		2 610 050 968
PZ2	65					
PH1-PH2	65	PC1c	3	5		2 610 039 608
PH2-PH2	65					
PH2-PH3	65	PC1c	3	5		2 610 039 613
R1-R2	65					
R2-R2	65					
R2-R3	65	PC1c	3	5		2 610 039 620
T15-T20	65					
T25-T25	65					
T25-T30	65					

Impact Tough Nutsetters



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Width across flat inches	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode ..	Part number
1/4", 5/16", 3/8" nutsetters							
50	1/4 5/16 3/8	1/4	PC1c	3	5		2 610 039 652
65	1/4 5/16 3/8	1/4	PC1c	3	5		2 610 039 658

1/4" nutsetter

65	1/4	-	PC1c	1	5		2 610 039 653
----	-----	---	------	---	---	--	---------------

5/16" nutsetter

65	5/16	-	PC1c	1	5		2 610 039 654
----	------	---	------	---	---	--	---------------

1/2" nutsetter

65	1/2	-	PC1c	1	5		2 610 039 657
----	-----	---	------	---	---	--	---------------

7/16" nutsetter

65	7/16	-	PC1c	1	5		2 610 039 656
----	------	---	------	---	---	--	---------------

3/8" nutsetter

65	3/8	-	PC1c	1	5		2 610 039 655
----	-----	---	------	---	---	--	---------------



Impact Tough Bit Holders

PRODUCT PROPERTIES		ORDERING INFORMATION				
Drive end inch	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ..	Part number
Magnetic bit holder						
1/4	60	PC1c	1	5		2 610 039 732
Quick Change bit holder						
-	60	PC1c	1	5		2 610 039 563



Extra Hard for Phillips cross head screws



PRODUCT PROPERTIES		ORDERING INFORMATION					
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Drive ISO 1173 C6.3, 1/4" external hex shank							
PH2	25	PC1d	3	5	300377	2 607 001 511	
PH2	25	PC1d	10	1	300384	2 607 001 512	
PH0	25	P1b	25	1	300339	2 607 001 507	
PH2	25	P1b	100	1	300407	2 607 001 514	
Drive ISO 1173 E6.3, 1/4" external hex shank							
PH1	49	PC1d	3	5	300520	2 607 001 526	
PH2	49	PC1d	3	5	300544	2 607 001 528	
Drive ISO 1173 E6.3, 1/4" external hex shank							
PH2	89	PC1d	3	5	300612	2 607 001 535	
Drive ISO 1173 E6.3, 1/4" hex shank with spring ring for screw gun MA55							
PH2	145	PC1d	1	5	632850	2 608 522 068	
Drive ISO 1173 E6.3, 1/4" hex shank							
PH2	152	PC1d	1	5	300667	2 607 001 540	

Extra Hard for Pozidriv cross head screws



Drive ISO 1173 C6.3, 1/4" external hex shank							
PZ3	25	PC1d	10	1	300896	2 607 001 563	
Drive ISO 1173 E6.3, 1/4" external hex shank							
PZ2	49	PC1d	3	5	301039	2 607 001 577	
Drive ISO 1173 E6.3, 1/4" external hex shank							
PZ2	89	PC1d	3	5	301091	2 607 001 583	
Drive ISO 1173 E6.3, 1/4" external hex shank with spring ring for screw gun MA55							
PZ2	145	PC1d	1	5	632867	2 608 522 069	
Drive ISO 1173 E6.3, 1/4" external hex shank							
PZ2	152	PC1d	1	5	301145	2 607 001 588	

Extra Hard for internal Torx® screws



Drive ISO 1173 E6.3, 1/4" external hex shank							
T20	49	PC1d	1	5	301626	2 607 001 636	
T25	49	PC1d	1	5	301640	2 607 001 638	
T30	49	PC1d	1	5	301688	2 607 001 642	
Drive ISO 1173 E6.3, 1/4" external hex shank							
T27	152	PC1d	1	5	301985	2 607 001 672	

Extra Hard for internal hex screws



PRODUCT PROPERTIES		ORDERING INFORMATION					
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		
						Part number	
Drive ISO 1173 C6.3, 1/4" external hex shank							
HEX5	25	PC1d	3	5	302517	2 607 001 726	
HEX6	25	PC1d	3	5	302531	2 607 001 728	



Drive ISO 1173 E6.3, 1/4" external hex shank							
HEX5	49	PC1d	3	5	302593	2 607 001 734	
HEX6	49	PC1d	3	5	302609	2 607 001 735	

Extra Hard for internal square screws



Drive ISO 1173 E6.3, 1/4" external hex shank							
R2	49	PC1d	3	5	447324	2 608 521 115	



Drive ISO 1173 E6.3, 1/4" external hex shank							
R2	89	PC1d	3	5	447362	2 608 521 118	

Extra Hard Double-Ended Bit Packs

► Slotted screw = S, Phillips = PH, Pozidriv = PZ



PRODUCT PROPERTIES				ORDERING INFORMATION				
	Dimensions, 1st bit	Dimensions, 2nd bit	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	PH2	PH2	45	PC1d	1	5	302654	2 607 001 740
	PH2	PZ2	45	PC1d	1	5	302685	2 607 001 743
	PZ2	PZ2	45	PC1d	1	5	302678	2 607 001 742
	PH2	S1.0x5.5	45	PC1d	1	5	302630	2 607 001 738

Extra Hard 32-piece Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32-piece screwdriver bit set with quick-change universal holder						
- PH1, PH2 (2x), PH3 - PZ1, PZ2 (2x), PZ3 - HEX 3/4/5/6 - T10, T15, T20 (2x), T25, T27, T30, T40 - S 3/4/5/6 - Th 10/15/20/25/27/30/40	25	P1k	32	10	761734	2 607 017 319

Extra Hard 43-piece Screwdriver Bit Sets



43-piece screwdriver bit set with quick-change universal holder as well as magnetic universal holder						
- PH1, PH2 (2x), PH3 - PZ1, PZ2 (2x), PZ3 - SL3, SL4, SL5, SL6 - H3, H4, H5, H6 - T10, T15, T20 (2x), T25, T27, T30, T40 - TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40 - PH2 - PZ2 - SL6 - T15, T20, T25 - Nutsetter with permanent magnet for hex screws 6 mm, 8 mm, 10 mm	25 25 25 25 25 25 75 75 75 75 48-50	PC1b	43	6	669702	2 607 017 164

Extra Hard Mixed Sets



35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder						
- PH1, PH2, PH3 - PZ1, PZ2, PZ3 - S 3/4/5/6 - HEX 3/4/5/6 - TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40 - Nutsetter 8/10/13 mm - CYL:3 3.0/4.0/5.0/5.5/6.0/8.0 mm - Double blade PH2/PZ2 - Double blade Th20/Th25	25 25 25 25 25 50 70; 75; 85; 85; 100 ;150 60 60	PC1b	35	3	995313	2 607 017 571

Extra Hard Mixed Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder						
PH1, PH2, PH3	25	PC1b	35	3	995252	2 607 017 565
PZ1, PZ2, PZ3	25					
S 3/4/5/6	25					
H3, H4, H5, H6	25					
	50					
	70; 74; 83; 88; 99;					
	105					
T10, T15, T20 (2x), T25, T27, T30, T40	60					
	60					
Nutsetter 8/10/13 mm						
HSS-G 2.5/3.0/3.5/4.0/5.0/6.0 mm						
Double blade PH2/PZ2						
Double blade Th20/Th25						

Extra Hard Nutsetters for Hex Screws



PRODUCT PROPERTIES					ORDERING INFORMATION				
Length mm	Width across flat mm	Width across flat inches	Diameter (D1) mm	For thread	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Nutsetter with permanent magnet									
50	8	-	-	M 5	PC1a	1	5	084987	2 608 550 080
50	10	-	-	M 6	PC1a	1	5	084994	2 608 550 081
50	-	1/4	-	-	PC1a	1	5	081511	2 608 550 073
50	-	3/8	-	-	PC1a	1	5	085007	2 608 550 082

Nutsetter with permanent magnet

In conjunction with depth stops 3 600 552 506 and 3 600 552 507

GSR 6-25 TE Professional

65	8	-	12.6	M 5	PC1a	1	5	044509	2 608 550 037
65	10	-	14.5	M 6	PC1a	1	5	044523	2 608 550 039
65	-	1/4	11	-	PC1a	1	5	044479	3 608 550 503
65	-	5/16	12.6	-	PC1a	1	5	044486	3 608 550 504
65	-	3/8	14.1	-	PC1a	1	5	044493	3 608 550 505

Extra Hard Nutsetter Sets for Hex Screws



PRODUCT PROPERTIES				ORDERING INFORMATION				
Length mm	Width across flat mm	Shank inch		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece nutsetter pack								
Nutsetter with permanent magnet								
50	8 10 13	1/4		PC1a	3	5	700955	2 608 551 078

6-piece nutsetter set

Nutsetter with permanent magnet

50	6 7 8 10 12 13	1/4		C0a	6	10	700962	2 608 551 079
----	-------------------------------	-----	--	-----	---	----	--------	---------------

Adapter for Screwdriver Bits



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Shank	External square drive end, inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter for screwdriver bits							
1/2" internal square drive							
50	1/2" internal square	1/2	PC1a	1	5	704243	2 608 551 110

SDS CHISELS


Remove material more effectively.

The best your tool can get. Bosch Professional Accessories.



CHISEL WITH SDS PLUS SHANK

The right chisel for any application.



Page number	108	108	109	109
Total length mm	250	140 / 250	250	140 / 250
Cutting edge mm	-	-	20	20

MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓




Page number	109	109	109
Total length mm	250	140 / 250	260
Cutting edge mm	40 / 60	40	40

MATERIALS

Masonry	✓	✓	-
Concrete	✓	✓	-
Tiles	-	-	✓
Bricks	-	-	-
Asphalt	✓	✓	-
Wood	-	-	-
Mortar	-	-	-

POINTED CHISEL WITH SDS-PLUS SHANK

High demolition power.



Pointed Chisels with SDS plus Shank



► For use via SDS plus chisel attachment or directly in SDS plus hammers with rotation stop.

PRODUCT PROPERTIES				ORDERING INFORMATION		
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pointed chisel, Long Life with 30% longer lifetime and 15% higher material removal rate						
SDS plus pointed chisel is ideal for precision jobs in concrete without any work interruptions and with less jamming						
	250	P1e	1	1	370936	2 609 390 576
Pointed chisel						
SDS plus pointed chisel provides standard chiselling in concrete and brick for various renovation and restoration jobs						
	250	P1e	1	1	506489	2 608 690 145

Flat Chisels with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Flat chisel, Long Life with 30% longer lifetime and 15% higher material removal rate						
SDS plus flat chisel is ideal for various applications in concrete with less jamming and more progress						
250	20	C0a	5	1	293143	2 607 019 052



Flat chisel						
SDS plus flat chisel provides standard chiselling for various renovation and restoration jobs						
250	20	P1e	1	1	506472	2 608 690 144
		U0	10	1	462785	2 608 690 131

Spade Chisels with SDS plus Shank



Spade chisel, self-sharpening, Long Life with 30% higher material removal rate						
The SDS plus spade chisel delivers a high material removal rate in masonry and mortar						
250	40	P1e	1	1	425940	2 608 690 101
250	60	P1e	1	1	425957	2 608 690 102



Spade chisel						
SDS plus spade chisel offers standard chiselling for various renovation and restoration jobs						
250	40	P1e	1	1	506496	2 608 690 146


Tile Chisels with SDS plus Shank



Tile chisel, angled, self-sharpening, Long Life with 30% higher material removal rate						
SDS plus tile chisel delivers clean and fast removal of wall and floor tiles						
260	40	P1e	1	1	328012	2 608 690 091

CHISEL WITH SDS MAX SHANK

The right chisel for any application.



Page number	114	114	114	114
Total length mm	400	280 / 300 / 400 / 600	400	280 / 300 / 400 / 600
Cutting edge mm	-	-	25	25

MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓

CHISEL WITH SDS MAX SHANK

The right chisel for any application.

		
Self-sharpening Spade chisel	Spade chisel	Self-sharpening Tile chisel

Page number	114	114	115
Total length mm	350 / 400	300 / 350 / 400	300
Cutting edge mm	50 / 80 / 115	50 / 80 / 115	50
Dimension mm	-	-	-

MATERIALS

Masonry	✓	✓	-
Concrete	✓	✓	-
Tiles	-	-	✓
Bricks	-	-	-
Compact soil and gravel	-	-	-
Asphalt	✓	✓	-
Earth rods	-	-	-
Mortar and plaster	-	-	-

			
Tile chisel	Gouging chisel	Excavation chisel	Asphalt cutter
115	115	115	115
300	300	400	400
80	32	110	90
-	-	-	-
-	✓	-	-
-	-	-	-
✓	-	-	-
-	-	-	-
-	-	✓	-
-	-	-	✓
-	-	-	-
-	-	-	-

Chisels for heavy rotary and demolition hammers

Pointed Chisels RTec Speed with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
400	P1e	1	1	533621	2 608 690 167	
	C0a	10	1	533638	2 608 690 168	

RTec Speed pointed chisel, self-sharpening with 30% higher material removal rate
SDS max RTec Speed pointed chisel is ideal for precision jobs in concrete



Pointed Chisels with SDS max Shank



Pointed chisel

SDS max pointed chisel delivers standard chiselling in concrete and brick for various demolition applications

300	P1e	1	1	038942	1 618 600 015	
600	P1e	1	1	022118	1 618 600 012	



Flat Chisels RTec Sharp with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
400	25	P1e	1	1	460385	2 608 690 124
		C0a	10	1	530200	2 608 690 166

RTec Sharp flat chisel, self-sharpening, Long Life with 100% higher material removal rate
SDS max RTec Sharp flat chisel is ideal for various applications in concrete



Flat Chisels with SDS max Shank



Flat chisel

SDS max flat chisel provides standard chiselling for various demolition applications in concrete and brick

300	25	P1e	1	1	038966	1 618 600 204	
600	25	P1e	1	1	022132	1 618 600 203	



Spade Chisels with SDS max Shank



Spade chisel, self-sharpening, Long Life with 30% higher material removal rate

The SDS max spade chisel delivers a high material removal rate in masonry and mortar

350	50	P1e	1	1	397315	2 608 690 097	
-----	----	-----	---	---	--------	---------------	--



Spade Chisels with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Spade chisel							
SDS max spade chisel offers standard chiselling for various demolition applications in concrete and brick							
300	80	P1e	1	1	033398		1 618 601 008
350	115	P1e	1	1	022156		1 618 601 007

Tile Chisels with SDS max Shank



Tile chisel, self-sharpening, Long Life with 30% higher material removal rate							
SDS max tile chisel is ideal for the clean removal of wall and floor tiles							
300	50	P1e	1	1	397322		2 608 690 098



Tile chisel							
SDS max tile chisel is equipped for the standard removal of wall and floor tiles							
300	80	P1e	1	1	052979		1 618 601 019

Gouging Chisels with SDS max Shank



Gouging chisel							
SDS max gouging chisel is ideal for easily cutting narrow channels in brick							
300	32	P1e	1	1	022170		1 618 601 102

Excavation Chisels with SDS max Shank



Excavation chisel							
SDS max excavation chisel delivers easy loosening of heavily compacted soil and ground to make digging possible							
400	110	P1e	1	1	049283		1 618 601 017

Asphalt Cutters with SDS max Shank



Asphalt cutter							
SDS max asphalt cutter is ideal for the targeted breaking up of road surfaces to restore asphalt covering							
400	90	P1e	1	1	079761		2 608 690 003

Chisels with 28 mm Hex Shank

116

3

Pointed Chisels with 28 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Pointed chisel, self-sharpening							
Pointed chisel delivers a constantly high material removal rate							
400		U0	1	1	425995		2 608 690 106
Pointed chisel has a pointed tip for precise adjustment work in concrete							
520		U0	1	1	042543		1 618 600 019



Flat Chisels with 28 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Flat chisel provides standard chiselling for various demolition applications in concrete and brick							
520	35	U0	1	1	042550		1 618 600 206



Asphalt Cutters with 28 mm Hex Shank



Asphalt cutter is ideal for the targeted breaking up of road surfaces							
500	125	U0	1	1	042574		1 618 601 011



Chisels with 30 mm Hex Shank

Pointed Chisels with 30 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Pointed chisel, self-sharpening Pointed chisel delivers a constantly high material removal rate							
400		U0	1	1	426046	2 608 690 111	

Flat Chisels with 30 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Flat chisel provides standard chiselling for various demolition applications in concrete and brick							
400	35	U0	1	1	426053	2 608 690 112	

Spade Chisels with 30 mm Hex Shank



Spade chisel offers standard chiselling for various demolition applications in concrete and brick							
450	75	U0	1	1	426060	2 608 690 113	



DIAMOND ACCESSORIES

Cut, grind, and drill in the toughest materials.

The best your tool can get. Bosch Professional Accessories.

4

119



DIAMOND CUTTING DISCS CERAMIC

For angle grinders.

120
4



	Hard Ceramic	Best for Ceramic Extraclean Turbo	Standard for Ceramic
	EXPERT		
Page number	127	129	130
Diameter mm	76 – 125	115 – 125	110 – 230
Cutting width mm	1.4 – 1.9	1.4 – 1.8	1.6
Bore diameter	10.0 / 22.23	22.23	22.23
X-LOCK	✓	✓	✓
	 		

MATERIALS

Hard Ceramic (Porcelain tiles)	✓	–	–
Drywall board, fiber cement board	✓	✓	✓
Ceramic tiles	✓	✓	✓
Polystyrene, cardboard	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

DIAMOND CUTTING DISCS STONE

For angle grinders.



Page number	131	131
Diameter mm	115 – 300	115 – 300
Cutting width mm	2.2 – 2.8	1.6 – 3.1
Bore diameter	22.23	22.23

MATERIALS

Granite	✓	✓
Natural stone	✓	✓
Concrete	✓	✓
Pavement / garden slabs	✓	✓

DIAMOND CUTTING DISCS UNIVERSAL

For angle grinders.

122
4



	Multi Material Discs	Best for Universal Turbo
	EXPERT	
Page number	132	134
Diameter mm	115 – 300	115 – 230
Cutting width mm	2.2 – 2.8	2.2 – 2.5
Bore diameter	22.23	22.23
X-LOCK	✓	-
	 	

MATERIALS

Building site material	✓	✓
Concrete	✓	✓
Reinforced concrete	✓	-
Brick	✓	✓
Sand-, limestone	✓	✓
Rooftile	✓	✓

*Bosch EXPERT products vs. Bosch standard products



Standard for Universal



Standard for Universal Turbo

136	135
115 – 300	115 – 300
2.0 – 3.3	2.0 – 3.0
22.23	22.23
✓	-
✓	✓
✓	✓
✓	-
✓	✓
✓	✓
✓	✓

DIAMOND CUTTING DISCS CONCRETE

For angle grinders.



Best for Concrete



Standard for Concrete

Page number	137	137
Diameter mm	115 – 300	115 – 300
Cutting width mm	2.2 – 2.8	1.6 – 3.1
Bore diameter	22.23	22.23

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Garden slabs	✓	✓

* Only cut through reinforcement if approval has been given by a structural engineer.

DIAMOND CUTTING DISCS MARBLE

For angle grinders.



Best for Marble

Page number	138
Diameter mm	115 – 230
Cutting width mm	2.2
Bore diameter	22.23

MATERIALS

Marble	✓
Limestone	✓
Perspex	✓

DIAMOND CUTTING DISCS ABRASIVE

For angle grinders.



Best for Abrasives



Standard for Abrasives

Page number	139	139
Diameter mm	115 – 230	115 – 230
Cutting width mm	2.2 – 2.4	1.6 / 2.3
Bore diameter	22.23	22.23

MATERIALS

Limestone / sandstone	✓	✓
Brick	✓	✓
Fresh concrete	✓	✓
Porous concrete	✓	✓
Rooftile	✓	✓

HIGH PRECISION CUTTING TILES

EXPERT HardCeramic X-LOCK Discs


ASSORTMENT: Ø 85 mm – 125 mm

EXPERT

4


127

- 1 Clean, high quality cutting with Bosch Diamond Technology
- 2 Efficient thin blade cuts smoothly and stays cool
- 3 Chip-free cut with purpose-designed Continuous Rim
- 4 Reinforced centre reduces vibration for cleaner cut



EXPERT HardCeramic X-LOCK Diamond Cutting Discs

EXPERT



- Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- Best for tilers: top precision and quality finish.
- Up to 2x more precise than Bosch 2607019473 Ceramic Diamond Disc.
- With 22.23 mm bore for standard locking nut angle grinders.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	22.23	1.6	7	●	C1a	1	1	539911	2 608 900 656
115	22.23	1.4	10	●	C1a	1	1	539928	2 608 900 657
125	22.23	1.4	10	●	C1a	1	1	539935	2 608 900 658

EXPERT HardCeramic Diamond Cutting Discs

EXPERT



- ▶ Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- ▶ Best for tilers: top precision and quality finish.
- ▶ Up to 2x more precise than Bosch 2607019473 Ceramic Diamond Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	22.23	1.6	7	C1a	1	1	539881	2 608 900 653
115	22.23	1.4	10	C1a	1	1	539898	2 608 900 654

EXPERT HardCeramic 76 mm Diamond Cutting Discs

EXPERT



- ▶ Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- ▶ Best for tilers: top precision and quality finish.
- ▶ Up to 2x more precise than Bosch 2607019473 Ceramic Diamond Disc.
- ▶ With 10 mm bore for mini grinder.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
76	10.00	1.5	10	PC1b	1	1	539874	2 608 900 652

BEST FOR CERAMIC EXTRACLEAN TURBO

Focus on cutting speed.

4

129



FAST CUT

Sintered cutting rim

REDUCED CHIPPING

Turbo design

X-LOCK	✓
M14/Ø 22,23	✓

X-LOCK Diamond cutting discs Best for Ceramic Extraclean Turbo

best **Ceramic** extraclean

X-LOCK	✓
M14/Ø 22,23	✓



- ▶ Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK diamond discs also fit on standard angle grinders.
- ▶ The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as hard porcelain, extremely hard fine stoneware and natural stone.
- ▶ High cutting speed in all tiles.
- ▶ Sintered cutting rim.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	1.4	7	C1c	1	1	933308	2 608 615 132



Diamond cutting discs Best for Ceramic Extraclean Turbo

best  **Ceramic** extraclean




- ▶ The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as hard porcelain, extremely hard fine stoneware and natural stone.
- ▶ High cutting speed in all tiles.
- ▶ Sintered cutting rim.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	1.4	7	C1c	1	1	518086	2 608 602 478
125	22.23	1.4	7	C1c	1	1	518093	2 608 602 479



X-LOCK Diamond cutting discs Standard for Ceramic

standard  **Ceramic**



- ▶ Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK diamond discs also fit on standard angle grinder.
- ▶ For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- ▶ Sintered cutting rim.

Pack of 1								
125	22.23	1.6	7	C1c	1	1	933360	2 608 615 138



Diamond cutting discs Standard for Ceramic

standard  **Ceramic**

- ▶ For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- ▶ Sintered cutting rim.

Pack of 1								
115	22.23	1.6	7	C1c	1	1	441292	2 608 602 201
125	22.23	1.6	7	C1c	1	1	441308	2 608 602 202
180	22.23	1.6	7	C1c	1	1	441322	2 608 602 204
230	22.23	1.9	7	C1c	1	1	441339	2 608 602 205



Diamond cutting discs Best for Stone

best    **for Stone**

long
LIFE

fast
CUT



- For extremely hard stone such as granite.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Up to 15 mm segment height enables a long lifetime, even in the most demanding materials (valid for 230 mm and 300 mm diameter discs).
- Excellent cutting speed thanks to the “Speed Stripes” for less side friction.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581479	2 608 602 641
125	22.23	2.2	12	C1c	1	1	581486	2 608 602 642
180	22.23	2.4	12	C1c	1	1	581509	2 608 602 644
230	22.23	2.4	15	C1c	1	1	581516	2 608 602 645

Diamond cutting discs Standard for Stone

standard    **for Stone**

- For hard materials such as granite, natural stone.
- Sintered diamond cutting segments.



Pack of 1								
115	22.23	1.6	10	C1c	1	1	581035	2 608 602 597
125	22.23	1.6	10	C1c	1	1	581042	2 608 602 598
180	22.23	2	10	C1c	1	1	581066	2 608 602 600
230	22.23	2.3	10	C1c	1	1	581073	2 608 602 601



LONG LIFE CUTTING CONSTRUCTION MATERIALS

EXPERT MultiMaterial Discs

ASSORTMENT: Ø 115mm - 450mm


EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Low Friction Segments designed to minimise wear on sides
- 3 Segments laser-welded to steel body for the strongest connection



EXPERT MultiMaterial X-LOCK Diamond Cutting Discs

EXPERT




- Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- Best for construction workers: long lasting and highly versatile.
- Lasts up to 4x longer than Bosch 2608615028 Multi Material Diamond Disc.
- With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	2.4	12	●	C1a	1	1	540047	2 608 900 669
125	22.23	2.4	12	●	C1a	1	1	540054	2 608 900 670

EXPERT MultiMaterial Diamond Cutting Discs

EXPERT



- ▶ Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- ▶ Best for construction workers: long lasting and highly versatile.
- ▶ Lasts up to 4x longer than Bosch 2608615028 Multi Material Diamond Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	2.2	12	C1b	1	1	539959	2 608 900 660
150	22.23	2.4	12	C1b	1	1	539966	2 608 900 661
230	22.23	2.4	15	C1b	1	1	539980	2 608 900 663
300	22.23	2.8	15	C1d	1	1	539997	2 608 900 664

EXPERT MultiMaterial X-LOCK Turbo Diamond Cutting Discs

EXPERT



- ▶ Ideal for cutting various materials, such as concrete, bricks, soft stone, and roof tiles, eg when cutting stone paving slabs and masonry materials.
- ▶ Ideal for construction workers: durable and precise.
- ▶ Lasts up to 2x longer than Bosch Eco for Universal Cutting Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.


PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...
125	22.23	2.4	12	●	PC1b	1	1	631530
115	22.23	2.4	12	●	PC1b	1	1	631523

EXPERT MultiMaterial Turbo Diamond Cutting Discs

EXPERT



- Ideal for cutting various materials, such as concrete, bricks, soft stone, and roof tiles, eg when cutting stone paving slabs and masonry materials.
- Ideal for construction workers: durable and precise.
- Lasts up to 2x longer than Bosch Eco for Universal Cutting Disc.
- With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
230	22.23	2.4	15	PC1b	1	1	631547	2 608 901 598

Diamond cutting discs Best for Universal Turbo

best  Universal

- Excellent cutting performance in all building materials, particularly suitable for clean cut edges without material break out thanks to continuous cutting rim.

- Our best Turbo diamond cutting disc.

- Sintered cutting rim.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	2.2	12	C1c	1	1	581783	2 608 602 672
180	22.23	2.5	12	C1c	1	1	581806	2 608 602 674
230	22.23	2.5	15	C1c	1	1	581813	2 608 602 675



Diamond cutting discs Standard for Universal

standard  Universal

- The diamond cutting disc that is a problem solver in all building materials.

- Sintered diamond cutting segments.



Pack of 1								
115	22.23	2	10	C1c	1	1	869676	2 608 615 057
125	22.23	2	10	C1c	1	1	869690	2 608 615 059
230	22.23	2.6	10	C1c	1	1	869751	2 608 615 065



Diamond cutting discs Standard for Universal Turbo

- standard    **Universal**
- ▶ The solution in all building materials with clean cut edges.

▶ Sintered cutting rim.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
115	22.23	2	10	C1c	1	1	510004	2 608 602 393
125	22.23	2	10	C1c	1	1	510011	2 608 602 394
180	22.23	2.5	10	C1c	1	1	510035	2 608 602 396
230	22.23	2.5	10	C1c	1	1	510042	2 608 602 397

STANDARD FOR UNIVERSAL

Focus on cutting speed.

136

4



OUTSTANDING LIFETIME AND SPEED

10 mm segment height with homogenous diamond distribution

HIGH SPEED

Unique segment design allows low friction between segment and material

HIGH PERFORMANCE

In reinforced concrete and masonry thanks to optimized diamond quality and grit size.

X-LOCK	✓
M14/Ø 22,23	✓

X-LOCK Standard for Universal diamond cutting discs

standard  **Universal**

X-LOCK	✓
M14/Ø 22,23	✓

- ▶ Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK diamond discs also fit on standard angle grinder.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Sintered diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
125	22.23	2	10	C1c	1	1	933834	2 608 615 166




Diamond cutting discs Best for Concrete

best  Concrete



- Ideal for all types of hardened concrete and reinforced concrete.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- Up to 15 mm segment height for a long lifetime, even in demanding materials.
- Laser-welded diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581578	2 608 602 651
125	22.23	2.2	12	C1c	1	1	581585	2 608 602 652
180	22.23	2.4	12	C1c	1	1	581608	2 608 602 654
230	22.23	2.4	15	C1c	1	1	581615	2 608 602 655

Diamond cutting discs Standard for Concrete

standard  Concrete



- The affordable diamond cutting disc that is a problem solver in concrete.
- Sintered diamond cutting segments.

Pack of 1

115	22.23	1.6	10	C1c	1	1	441247	2 608 602 196
125	22.23	1.6	10	C1c	1	1	441254	2 608 602 197
150	22.23	2	10	C1c	1	1	441261	2 608 602 198
180	22.23	2	10	C1c	1	1	441278	2 608 602 199
230	22.23	2.3	10	C1c	1	1	441285	2 608 602 200



Diamond cutting discs Best for Marble

best  Marble



- ▶ Perfectly clean cut edges without material break out in marble, limestone and perspex thanks to electroplated cutting rim.
- ▶ For the highest demands on speed and cut quality.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	3	C1c	1	1	581950	2 608 602 689
125	22.23	2.2	3	C1c	1	1	581967	2 608 602 690
180	22.23	2.2	3	C1c	1	1	581981	2 608 602 692
230	22.23	2.2	3	C1c	1	1	581998	2 608 602 693

Diamond cutting discs Best for Abrasive

best  Abrasive


long
LIFE

fast
CUT



- For all softer and abrasive materials such as brick, sandstone or limestone. The hard bond ensures cutting speed in abrasive materials as well as long lifetime with up to 15 mm segment height.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- Laser-welded diamond segments.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581851	2 608 602 679
125	22.23	2.2	12	C1c	1	1	581868	2 608 602 680
180	22.23	2.4	12	C1c	1	1	581882	2 608 602 682
230	22.23	2.4	15	C1c	1	1	581899	2 608 602 683



Diamond cutting discs Standard for Abrasive

standard  Abrasive



- The affordable solution for soft and abrasive materials.
- Sintered diamond cutting segments.

115	22.23	1.6	10	C1c	1	1	581219	2 608 602 615
125	22.23	1.6	10	C1c	1	1	581226	2 608 602 616
180	22.23	2	10	C1c	1	1	581240	2 608 602 618
230	22.23	2.3	10	C1c	1	1	581257	2 608 602 619



DIAMOND CUTTING DISCS CERAMIC

For tile cutting machines and table saws.




Standard for Ceramic


Page number	146
Diameter mm	180 – 350
Cutting width mm	1.6 – 2.0
Bore diameter	25.40 / 30.00
MATERIALS	
Ceramic tiles	✓

DIAMOND CUTTING DISCS STONE

For table saws and petrol saws.



Best for Stone



Standard for Stone

Page number	100172783	100172785
Diameter mm	300 – 450	300 – 450
Cutting width mm	2.8 – 3.8	3.1 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Granite	✓	✓
Natural stone	✓	✓
Concrete	✓	✓
Pavement / garden slabs	✓	✓

DIAMOND CUTTING DISCS CONCRETE

For table saws and petrol saws.



Best for Concrete



Standard for Concrete

Page number	147	147
Diameter mm	300 – 450	300 – 500
Cutting width mm	2.8 – 3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Garden slabs	✓	✓

DIAMOND CUTTING DISCS UNIVERSAL

For table saws and petrol saws.



	Multi Material Discs	Standard for Universal
	EXPERT	
Page number	148	149
Diameter mm	300 – 450	300 – 450
Cutting width mm	2.8 – 3.3	3.3 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40
	 	

MATERIALS

Building site material	✓	✓
Concrete	✓	✓
Reinforced concrete	✓	✓
Brick	✓	✓
Sand-, limestone, Rooftile	✓	✓

*Bosch EXPERT products vs. Bosch standard products

DIAMOND CUTTING DISCS MARBLE

For table saws and petrol saws.

144
4



Best for Marble


Page number	100172798
Diameter mm	300 / 350
Cutting width mm	2.6
Bore diameter	25.40

MATERIALS

Marble	✓
Limestone	✓
Perspex	✓

DIAMOND CUTTING DISCS ABRASIVE AND ASPHALT

For table saws and petrol saws.



Page number	150	150
Diameter mm	300 – 450	300 – 400
Cutting width mm	3.2 – 3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Asphalt	✓	✓
Bitumen	✓	✓
Limestone / sandstone	-	-
Brick	-	-
Fresh concrete	✓	✓
Porous concrete	-	-
Rooftile	-	-

Diamond cutting discs Standard for Ceramic

standard  Ceramic




- ▶ For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- ▶ Sintered cutting rim.
- ▶ * With reduction ring.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
180	25.40	1.6	7	C1c	1	1	576406		2 608 602 536
200	25.40	1.6	7	C1c	1	1	576413		2 608 602 537
230	25.40	1.6	7	C1c	1	1	576420		2 608 602 538
250	30.00/25.40*	1.6	7	C1c	1	1	576437		2 608 602 539
300	30.00/25.40*	2	7	C1a	1	1	576444		2 608 602 540
350	30.00/25.40*	2	7	C1a	1	1	576451		2 608 602 541

Diamond cutting discs Best for Concrete

best    Concrete




- ▶ Ideal for all types of hardened concrete and reinforced concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ Low friction segments: designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Up to 15 mm segment height for a long lifetime, even in demanding materials.
- ▶ * With reduction ring.

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	2.8	15		C1a	1	1	581639	2 608 602 657
350	20.00/25.40*	3.2	15		C1a	1	1	581646	2 608 602 658
400	20.00/25.40*	3.2	12		C0a	1	1	581653	2 608 602 659
450	25.40	3.6	12		C0a	1	1	581660	2 608 602 660



Diamond cutting discs Standard for Concrete

standard    Concrete



- ▶ The affordable diamond cutting disc that is a problem solver in concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ * With reduction ring.

300	20.00/25.40*	2.8	10		C1a	1	1	576475	2 608 602 543
350	20.00/25.40*	2.8	10		C1a	1	1	576482	2 608 602 544
400	20.00/25.40*	3.2	10		C1a	1	1	576499	2 608 602 545
450	25.40	3.6	10		C1a	1	1	576505	2 608 602 546




EXPERT MultiMaterial Diamond Cutting Discs

EXPERT



- ▶ Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- ▶ Best for construction workers: long lasting and highly versatile.
- ▶ Lasts up to 3x longer than Bosch 2608615034 Multi Material Diamond Disc.
- ▶ With 25.4 mm bore, fits 20 mm bores with reduction rings.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
300	20.00+25.40*	3	15	C1d	1	1	540009	2 608 900 665	
350	20.00/25.40*	3.3	15	C1d	1	1	540016	2 608 900 666	
400	20.00/25.40*	3.3	12	C1d	1	1	540023	2 608 900 667	
450	25.40	3.3	12	C1d	1	1	540030	2 608 900 668	

Diamond cutting discs Standard for Universal

standard    **Universal**

- ▶ The diamond cutting disc that is a problem solver in all building materials.
- ▶ Sintered diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
300	25.40	3.3	10	C1a	1	1	869799	2 608 615 069
350	25.40	3.3	10	C1a	1	1	869812	2 608 615 071
400	25.40	3.2	10	C1a	1	1	869836	2 608 615 073

Diamond cutting discs Best for Asphalt

best  Asphalt



- ▶ Ideal for cutting asphalt and asphalt over concrete. It is also possible to cut fresh concrete and occasionally concrete.
- ▶ Laser-welded diamond segments.
- ▶ Protective segments prevent premature wear of the base blade and guarantee long lifetime.
- ▶ * With reduction ring.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
400	20.00/25.40*	3.2	12	C1a	1	1	739740	2 608 603 642
450	25.40	3.6	12	C1a	1	1	739757	2 608 603 643



Diamond cutting discs Standard for Asphalt

standard  Asphalt




- ▶ Ideal for asphalt and occasional work in concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ * With reduction ring.

300	20.00/25.40*	2.8	10	C1a	1	1	581301	2 608 602 624
350	20.00/25.40*	3.2	10	C1a	1	1	581318	2 608 602 625
400	20.00/25.40*	3.6	10	C0a	1	1	581325	2 608 602 626



DIAMOND CUTTING DISCS CONCRETE

For joint cutters.



Page number	152	152
Diameter mm	300 – 450	300 – 450
Cutting width mm	2.8 –3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40


MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Pavement / garden slabs	✓	✓

* Only cut through reinforcement if approval has been given by a structural engineer.

Diamond cutting discs Best for Concrete

best    **Concrete**




- ▶ Ideal for all types of hardened concrete and reinforced concrete.
- ▶ Laser-welded diamond cutting segments up to a diameter of 450 mm. Diamond cutting segments for diameters of 800 and 900 mm.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Up to 15 mm segment height for a long lifetime, even in demanding materials.
- ▶ * With reduction ring.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
300	20.00/25.40*	2.8	15	C1a	1	1	581639	2 608 602 657
350	20.00/25.40*	3.2	15	C1a	1	1	581646	2 608 602 658
400	20.00/25.40*	3.2	12	C0a	1	1	581653	2 608 602 659
450	25.40	3.6	12	C0a	1	1	581660	2 608 602 660



Diamond cutting discs Standard for Concrete

standard    **Concrete**




- ▶ The affordable diamond cutting disc that is a problem solver in concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ * With reduction ring.

300	20.00/25.40*	2.8	10	C1a	1	1	576475	2 608 602 543
350	20.00/25.40*	2.8	10	C1a	1	1	576482	2 608 602 544
400	20.00/25.40*	3.2	10	C1a	1	1	576499	2 608 602 545
450	25.40	3.6	10	C1a	1	1	576505	2 608 602 546



DIAMOND CUTTING DISCS ASPHALT

For joint cutters.



Page number	154	154
Diameter mm	350 – 450	300 – 450
Cutting width mm	3.2 – 3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Asphalt	✓	✓
Fresh concrete	✓	✓
Bitumen	✓	✓

Best for Asphalt diamond cutting discs

best for Asphalt



long LIFE fast CUT

- ▶ Ideal for cutting asphalt and asphalt over concrete. It is also possible to cut fresh concrete and occasionally concrete.
- ▶ Protective segments prevent premature wear of the base blade and guarantee long lifetime.
- ▶ Laser-welded diamond cutting segments up to a diameter of 450 mm. Diamond cutting segments for diameters of 800 and 900 mm.
- ▶ * With reduction ring.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
400	20.00/25.40*	3.2	12	C1a	1	1	739740	2 608 603 642
450	25.40	3.6	12	C1a	1	1	739757	2 608 603 643



Diamond cutting discs Standard for Asphalt

standard for Asphalt



- ▶ Ideal for asphalt and occasional work in concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ * With reduction ring.

300	20.00/25.40*	2.8	10	C1a	1	1	581301	2 608 602 624
350	20.00/25.40*	3.2	10	C1a	1	1	581318	2 608 602 625
400	20.00/25.40*	3.6	10	C0a	1	1	581325	2 608 602 626
450	25.40	3.2	10	C0a	1	1	581332	2 608 602 627



DIAMOND CORE CUTTERS AND CORE EDGE SINKERS

For universal use.



Page number	156	158
Shank	13 mm or Hex	M 14
Water cooling	-	-
Diameter mm	6.0 – 14.0	14.0 – 83.0
Drilling depth mm	33	30 – 35
X-LOCK	-	✓

MATERIALS

Tiles, porcelain	✓	✓
Stoneware	✓	✓
Marble	✓	✓
Concrete	-	-
Reinforced concrete	-	-
Limestone	-	-
Brick	-	-

Diamond dry drill bits

Diamond drill bits Easy Dry

best  Ceramic



- **Suitable for** soft wall tiles through to very hard floor tiles such as fine stoneware.
- For use in cordless screwdrivers and drills with **13 mm chuck**.
- **Note:** drill without impact. Optimum speed: 1500 rpm.




PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	15/64	33	P1p	1	1	577915	2 608 587 139
8	5/16	33	P1p	1	1	577939	2 608 587 141
14	9/16	33	P1p	1	1	577960	2 608 587 144

Diamond cutters Dry Speed

best  Ceramic

- Suitable for soft wall tiles through to very hard floor tiles and natural stone.
- For use on angle grinders.




PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	9/16	30	P1h	1	1	577656	2 608 587 113
16	5/8	30	P1h	1	1	577663	2 608 587 114
20	25/32	35	P1h	1	1	577670	2 608 587 115
22	7/8	35	P1h	1	1	577687	2 608 587 116
25	1	35	P1h	1	1	577694	2 608 587 117
27	1 1/16	35	P1h	1	1	577700	2 608 587 118
30	1 3/16	35	P1h	1	1	577717	2 608 587 119
32	1 1/4	35	P1h	1	1	577724	2 608 587 120
35	1 3/8	35	P1h	1	1	577731	2 608 587 121
38	1 1/2	35	P1h	1	1	577748	2 608 587 122
40	1 9/16	35	P1h	1	1	577755	2 608 587 123
45	1 49/64	35	P1h	1	1	577762	2 608 587 124
51	2	35	P1h	1	1	577779	2 608 587 125
55	2 11/64	35	P1h	1	1	577786	2 608 587 126
57	2 1/4	35	P1h	1	1	577793	2 608 587 127
60	2 3/8	35	P1h	1	1	577809	2 608 587 128
65	2 9/16	35	P1h	1	1	577816	2 608 587 129
67	2 5/8	35	P1h	1	1	577823	2 608 587 130
68	2 11/16	35	P1h	1	1	577830	2 608 587 131
70	2 3/4	35	P1h	1	1	577847	2 608 587 132
75	2 61/64	35	P1h	1	1	577854	2 608 587 133
80	3 5/32	35	P1h	1	1	577861	2 608 587 134
83	3 1/4	35	P1h	1	1	577878	2 608 587 135

X-LOCK Diamond cutters Dry Speed

best  Ceramic

- ▶ Changing diamond cutters is fast and convenient thanks to the keyless X-LOCK system.
- ▶ **Suitable for** soft wall tiles through to very hard floor tiles and natural stone.
- ▶ For use on X-LOCK angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	9/16	30	P1h	1	1	933636	2 608 599 027
20	25/32	35	P1h	1	1	933650	2 608 599 029
22	7/8	35	P1h	1	1	933667	2 608 599 030
25	1	35	P1h	1	1	933674	2 608 599 031
27	1 1/16	35	P1h	1	1	933681	2 608 599 032
30	1 3/16	35	P1h	1	1	933698	2 608 599 033
32	1 1/4	35	P1h	1	1	933704	2 608 599 034
35	1 3/8	35	P1h	1	1	933711	2 608 599 035
38	1 1/2	35	P1h	1	1	933728	2 608 599 036
40	1 9/16	35	P1h	1	1	925501	2 608 599 014
45	1 49/64	35	P1h	1	1	925518	2 608 599 015
51	2	35	P1h	1	1	925525	2 608 599 016
57	2 1/4	35	P1h	1	1	925549	2 608 599 018
60	2 3/8	35	P1h	1	1	925556	2 608 599 019
65	2 9/16	35	P1h	1	1	925563	2 608 599 020
67	2 5/8	35	P1h	1	1	925570	2 608 599 021
70	2 3/4	35	P1h	1	1	925594	2 608 599 023
75	2 61/64	35	P1h	1	1	925600	2 608 599 024
83	3 1/4	35	P1h	1	1	925624	2 608 599 026
16	5/8	30	P1h	1	1	933643	2 608 599 028

Milling Cutter

20	7/8	35	P1h	1	1	933742	2 608 599 038
----	-----	----	-----	---	---	--------	---------------

68	2 11/16	35	P1h	1	1	925587	2 608 599 022
----	---------	----	-----	---	---	--------	---------------

X-LOCK Diamond cutter set Dry Speed

bestCeramic



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece diamond cutter set including 20mm milling cutter						
68	33	M0a	5	1	933735	2 608 599 037
51	33					
35	33					
25	33					
20	33					

Accessories for diamond core edge sinkers with Power-Change adapter



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips						
7.15	120	PC1d	1	1	375924	2 608 584 777

Accessories for Diamond Socket Core Cutters with M16 Shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Diameter/width across flats mm	Adapter for machine side	Total length mm	Shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hex shank for core cutters with M16									
-	11	-	220	Hexagon	P1e	1	1	096744	2 608 598 109
SDS plus shank for core cutters with M16									
-	-	-	105	SDS plus	P1e	1	1	046138	2 608 550 057
-	-	-	220	SDS plus	P1e	1	1	096751	2 608 598 110

DISCS FOR CUTTING, GRINDING AND BRUSHING

Change them faster with X-Lock.

The best your tool can get. Bosch Professional Accessories.

5

161



CARBIDE MULTI WHEEL

Make your angle grinder more versatile.



Carbide Multi Wheel

EXPERT

Page number	163
Diameter mm	115 – 125
Thickness mm	1
Fitting tool	Angle grinder
X-LOCK	✓
	 

MATERIALS

Softwood / hardwood	✓
Construction timber	✓
Plywood/Chipboard	✓
MDF/Laminate board	✓
Wood with nails	✓
Plastic	✓
Plaster	✓
Copper pipe	✓


LONG LIFE CUTTING MULTIPLE MATERIALS

EXPERT Carbide Multi Wheel X-LOCK Cutting Discs

ASSORTMENT: Ø 76 – 125 mm

EXPERT

- 1 Exceptional durability is built in with Bosch Carbide Technology
- 2 Advanced steel body keeps constant speed and depth
- 3 Extra strong laser bonding of carbide grit and steel body



5

163

EXPERT Carbide Multi Wheel X-LOCK Cutting Discs

EXPERT



- Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- Best for shopfitters: long lasting and highly versatile.
- Carbide Technology for Long Life Cutting Multi Materials.
- With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
115	22.23	C1a	10	1	567525	2 608 901 194	
125	22.23	PC1d	1	1	567518	2 608 901 193	
		C1a	10	1	567532	2 608 901 195	

EXPERT Carbide Multi Wheel Cutting Discs

EXPERT



- ▶ Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- ▶ Best for shopfitters: long lasting and highly versatile.
- ▶ Carbide Technology for Long Life Cutting Multi Materials.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	PC1d	1	1	567464	2 608 901 188
125	22.23	PC1d	1	1	567471	2 608 901 189

EXPERT Carbide Multi Wheel Cutting Discs

EXPERT



- ▶ Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- ▶ Best for shopfitters: long lasting and highly versatile.
- ▶ Carbide Technology for Long Life Cutting Multi Materials.
- ▶ With 10 mm bore for mini grinder.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
For cordless angle grinders with 10 mm fitting						
76	10.00	PC1a	1	1	567549	2 608 901 196

DIAMOND METAL WHEEL

The new way of cutting metal.



Diamond for metal wheel

EXPERT

Page number	166
Diameter mm	105 - 355
Fitting tool	Angle grinder, marble cutter, chop saw, petrol saw
X-LOCK	✓
	UP TO 100x* LONG LIFE DIAMOND TECHNOLOGY

MATERIALS

Cast iron	✓
Steel profiles	✓
Stainless steel	✓
Brass, bronze	✓
Copper	✓
Fiber glass	✓

*Bosch EXPERT products vs. Bosch standard products

EXPERT Diamond Metal Wheel X-LOCK Cutting Discs 125 mm

EXPERT



- ▶ Ideal for cutting cast iron, rebar, steel, stainless steel as well as non-ferrous metals including copper, brass and fibre glass. Don't use it to cut aluminium, concrete or stone.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 100x longer than Bosch 2608603171 Cutting Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	●	C1b	1	1	536828	2 608 900 533

EXPERT Diamond Metal Wheel Large Size Cutting Discs

EXPERT



- ▶ Ideal for cutting cast iron, rebar, steel, stainless steel as well as non-ferrous metals including copper, brass and fibre glass. Don't use it to cut aluminium, concrete or stone.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 30x longer than Bosch 2610065817 Bonded Cutting Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
180	22.23	C1b	1	1	536842	2 608 900 535	
230	22.23	C1b	1	1	536859	2 608 900 536	

CUTTING DISCS

For angle grinders and petrol saws.



Expert for Inox



Standard for Inox



Expert for Metal

5

167

Page number	169	171	173
Diameter mm	115 – 230	115 – 230	115 – 400
Thickness mm	1.0 – 3.0	1.0 – 1.9	1.0 – 3.5
Disc types			
Grit	30 – 60	36 – 60	30 – 60
Fitting tool	Angle grinder	Angle grinder	Angle grinder, cut-off saw
X-LOCK	–	✓	✓

MATERIALS

Non-alloyed and alloyed structural steel	✓	✓	✓
Square-edged steel profiles	✓	✓	✓
Tool steel	✓	✓	✓
Stainless and acid-resistant steel	✓	✓	–
Square-edged stainless steel profiles	✓	✓	–
Cast iron	✓	–	✓

DISC TYPES



Straight



With depressed centre



Standard for Stone



Multi construction

Page number	174	175
Diameter mm	115-230	115-230
Thickness mm	2.5-3.0	1.0-1.9
Disc types		
Grit	30	46/60
Fitting tool	Angle grinder	Angle grinder
X-LOCK	-	✓

MATERIALS

Non-alloyed and alloyed steel	-	✓
Stainless and acid-resistant steel	-	✓
Rail	-	-
Aluminium alloy	-	✓
Brass, bronze	-	✓
Cast iron	-	✓
Copper	-	✓
Slate	✓	✓
Tiles	✓	✓
Brick	✓	✓
Concrete	✓	-
Marble	✓	✓
Limestone	✓	-
Plastics	-	✓

THE MASTERS IN INOX AND METAL

Perfect for cutting.

FAST AND PRECISION CUTTING

Thanks to the 1 mm disc thickness

HIGH DISC STABILITY

Because of the precision manufactured glass fibre net



PERFECT SURFACE QUALITY AFTER CUTTING

Due to high quality abrasive grains and functional fillers

X-LOCK	✓
M14/Ø 22,23	✓

X-LOCK Expert for INOX+Metal cutting discs

expert **Inox+Metal**

Rapido

X-LOCK	✓
M14/Ø 22,23	✓



- ▶ Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for both stainless steel and metal for high requirements
- ▶ Maximum circumferential speed: 80 m/s
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION			
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
Straight							
Rapido , fast and clean cuts without burr formation or blue discolouration							
AS 60 T INOX BF	125	22.23	1	U0	1	25	947541
							2 608 619 264



X-LOCK Expert for INOX cutting discs

expert  **Inox**

X-LOCK	✓
M14/Ø 22,23	✓

- ▶ Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for INOX for high requirements
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
AS 46 T INOX BF	125	22.23	1.6	U0	1	25	947558	2 608 619 265



Expert for INOX cutting discs

expert  **Inox**

Rapido

- ▶ Cutting discs for INOX for high requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%



Straight								
Rapido , fast and clean cuts without burr formation or blue discolouration								
A 46 X BF	105	-	1	U0	1	25	642309	2 608 603 047



Straight								
Rapido , fast and clean cuts without burr formation or blue discolouration								
AS 60 T INOX BF	125	22.23	1	U0	1	25	219624	2 608 600 549

X-LOCK Standard for INOX cutting discs



- ▶ Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for INOX with good performance at an attractive price
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22.23	1	U0	1	25	947527	2 608 619 262

Rapido



Rapido

Straight								
10 Rapido discs in a reclosable tin								
WA 60 T BF	125	22.23	1	M1a	10	10	947572	2 608 619 267



Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22.23	1.6	U0	1	25	991032	2 608 619 363



Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22.23	1.6	M1a	10	10	991049	2 608 619 364

Standard for INOX cutting discs

standard  Inox

Rapido

- ▶ Cutting discs for INOX with good performance at an attractive price
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	105	16.00	1	C0a	100	1	786447	2 608 601 263



Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	115	22.23	1	C0a	100	1	786454	2 608 601 264



Straight Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22.23	1	C0a	100	1	786461	2 608 601 265

10pcs Inox cutting discs with counter top display								
Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	105	-	1	M1a	10	10	723480	2 608 603 464 ⁱ
WA 60 T BF	115	-	1	M1a	10	10	723503	2 608 603 467 ⁱ
WA 60 T BF	125	-	1	U0	10	10	723527	2 608 603 470 ⁱ

ⁱ = 06.2024

Cutting discs – Metal

X-LOCK Expert for Metal cutting discs

expert  **Metal**

X-LOCK	✓
M14/ø 22,23	✓

- ▶ Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for metal for high requirements
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
With depressed centre								
A 30 S BF	125	22.23	2.5	U0	1	25	947473	2 608 619 257



5

173

Metal Cutting Discs

PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Thickness mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
straight								
A 30 S BF	100	2.5		U0	1	50	642187	2 608 603 035 ⁱ
A 30 S BF	115	2.5		U0	1	50	642194	2 608 603 036 ⁱ
A 30 S BF	125	2.8		U0	1	50	642200	2 608 603 037 ⁱ
A 30 S BF	180	2.8		U0	1	40	642217	2 608 603 038 ⁱ
A 30 S BF	230	2.8		U0	1	25	642224	2 608 603 039 ⁱ
				U0	1	25	642231	2 608 603 040 ⁱ
A 30 S BF	355	3		U0	1	20	642255	2 608 603 042 ⁱ
Straight Appropriate for chop saws / stationary pendulum action cutters/grinders Maximum drive power of 3 bhp/2.4 kW								
A 30 S BF	300	3		U0	1	25	642248	2 608 603 041 ⁱ

ⁱ = 06.2024



Cutting discs – Stone

Standard for Stone cutting discs

- standard  **Stone**
- ▶ Cutting discs for stone with good performance at an attractive price
 - ▶ **Appropriate** for hand-held angle grinders
 - ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
C 30 S BF	100	22.23	3.2	U0	1	50	642330	2 608 603 050
C 30 S BF	115	22.23	3.2	U0	1	50	642347	2 608 603 051 ⁱ
C 30 S BF	125	22.23	3.2	U0	1	50	642354	2 608 603 052 ⁱ
C 30 S BF	180	22.23	3.2	U0	1	50	064507	2 608 603 053 ⁱ
C 30 S BF	230	22.23	3.2	U0	1	25	642361	2 608 603 054 ⁱ
C 30 S BF	230	-	3.2	U0	1	25	642378	2 608 603 055

i = 06.2024

Cutting discs – Multi Material

X-LOCK Multi Material cutting discs

Rapido MultiConstruction

X-LOCK	✓
M14/Ø 22,23	✓



- ▶ Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for multi materials
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

PRODUCT PROPERTIES				ORDERING INFORMATION			
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
							Part number

Straight

Cut virtually everything without disc changes

Cutting disc for metal, inox, non-ferrous metal, stone, soft tile, marble and plastic

ACS 60 V BF	125	22.23	1	U0	1	25	947596	2 608 619 269
ACS 46 V BF	125	22.23	1.6	U0	1	25	947602	2 608 619 270



5

175

Multi Material cutting discs

Rapido MultiConstruction



- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%
- ▶ The thin Rapido disc offers many advantages: fast and clean cutting with little exertion of force, very accurate, less noise and dust, and no blue discolouration or burr formation

Straight

Cut virtually everything without disc changes

Cutting disc for metal, inox, non-ferrous metals, stone, soft tiles, marble and plastics

AS 60 V BF	105	16.00	1	U0	1	25	642262	2 608 603 043
-------------------	-----	-------	---	----	---	----	--------	----------------------

GRINDING DISCS

For angle grinders.



Expert for Metal



Standard for Metal

Page number	177	177
Diameter mm	100 – 230	115 – 230
Thickness mm	4.0 – 8.0	6.0
Grit	30	24
X-LOCK	✓	–

MATERIALS

Non-alloyed and alloyed steel	✓	✓
Welded seams	✓	✓
Stainless and acid-resistant steel	–	–
Aluminium alloy	–	–
Cast iron	✓	✓

Grinding discs – Metal

Standard for Metal grinding discs

standard  Metal

+30%
LONGER
LIFE

- ▶ Grinding discs for metal with good performance at an attractive price
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
A 24 P BF	100	16.00	4	U0	1	25	642385		2 608 603 056 ⁱ
A 24 P BF	100	16.00	6	U0	1	25	642392		2 608 603 057 ⁱ
A 24 P BF	115	22.20	6	U0	1	25	642408		2 608 603 058 ⁱ
A 24 P BF	125	22.20	6.8	U0	1	20	642415		2 608 603 059 ⁱ
A 24 P BF	180	22.20	6.8	U0	1	20	642422		2 608 603 060 ⁱ
A 24 P BF	230	22.20	6.8	U0	1	10	642439		2 608 603 061 ⁱ

i = 06.2024



X-LOCK Expert for Metal grinding discs

expert  Metal

XLOCK	✓
M14/Ø 22,23	✓



- ▶ Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK grinding discs also fit on standard angle grinders.
- ▶ Grinding discs for metal for high requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)


A 30 T BF	125	22.23	6	U0	1	10	947497		2 608 619 259
-----------	-----	-------	---	----	---	----	--------	--	---------------



X-LOCK Standard for Metal grinding discs

standard  Metal

	✓
M14/ø 22,23	✓



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 24 P BF	125	22.23	6	U0	1	10	991063	2 608 619 366

Stone grinding discs



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
C 24 R BF	100	6	U0	1	25	642446	2 608 603 062	
C 24 R BF	115	6	U0	1	25	642453	2 608 603 063	
C 24 R BF	125	6.8	U0	1	20	642460	2 608 603 064	

Accessories for Bosch GWS 12V-76 V-EC Professional cordless angle grinder

Expert for Inox cutting discs for GWS 12V-76 Professional

expert  **Inox**

- **Appropriate for** GWS 12V-76 Professional cordless angle grinder with 10 mm toolholder
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/CI < 0.1%



180
5



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5								
For cordless angle grinders with 10mm fitting								
A 60 R INOX BF	76	10.00	1	C1a	5	1	830560	2 608 601 520

Tungsten carbide grinding heads for angle grinders

Tungsten carbide grinding heads for angle grinders

- ▶ The Carbide Grinding Head for angle grinders has a high material removal rate with minimal force required
- ▶ Suitable for grinding and carving cork, soft and hard wood, glass fibre plastic and rubber, removing formwork protrusions on exposed concrete, residual concrete on formwork boards, tile glue from wall, shaping aerated concrete, limestone and marble, hoof care for hooved animals, removing coatings and paintings on wood and building materials
- ▶ For hand-held angle grinders at maximum circumferential speed of 80 m/s (depending on rpm and disc diameter)

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Grade	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



Slanted

Suitable for all 100 mm M10 angle grinders

100	Coarse	16	C1a	1	1	139953	2 608 600 249
100	Medium	16	C1a	1	1	139960	2 608 600 250
100	Fine	16	C1a	1	1	139977	2 608 600 251



Flat

Suitable for all 115 and 125 mm M14 angle grinders

For dust-free working, select the right Bosch extraction guard for your Bosch angle grinder: 2605510224 or 1605510281

115	Coarse	22.23	C1a	1	1	103824	2 608 600 175
115	Medium	22.23	C1a	1	1	103831	2 608 600 176



slanted

Suitable for all 115 and 125 mm M14 angle grinders

115	Medium	22.23	C1a	1	1	103862	2 608 600 179
115	Fine	22.23	C1a	1	1	103879	2 608 600 180



Flat

Suitable for all 180 and 230 mm M14 angle grinders

180	Coarse	22.23	C1a	1	1	168434	2 608 600 364
180	Medium	22.23	C1a	1	1	168427	2 608 600 363
180	Fine	22.23	C1a	1	1	168410	2 608 600 362



slanted

Suitable for all 180 and 230 mm M14 angle grinders

180	Fine	22.23	C1a	1	1	168441	2 608 600 365
-----	------	-------	-----	---	---	--------	---------------

Grinding wheels for double-wheeled bench grinders

Grinding wheels for double-wheeled bench grinders - Aluminium oxide

- ▶ With **fine** grit: **Suitable for** fine grinding of hardened and non-hardened steel, twist drill bits (not masonry bits), planer blades, chisels, scrapers, punches, lawn mower blades
- ▶ With **coarse** grit: **Suitable for** pre-grinding of hardened and non-hardened steel, wood chisels, planer blades, chisels, axes, etc.
- ▶ Ceramic bonding, aluminium oxide, cylindrical

PRODUCT PROPERTIES					ORDERING INFORMATION				
Specification	Disc diameter mm	Thickness (b1) mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GBG 60-20 Professional									
A 36 P4 V6	200	25	32	36	C1a	1	1	084833	2 608 600 111



Grinding wheels for double-wheeled bench grinders - SiC

- ▶ **Suitable for** grinding masonry drill bits, tungsten carbide and tungsten carbide tipped tools, and cast iron parts
- ▶ Ceramic bonding, SiC, cylindrical

GBG 60-20 Professional									
GC 46 M5 VG	200	25	32	46	C1a	1	1	084789	2 608 600 106



WIRE BRUSHES

For angle grinders and drills.



5

183

Page number	184	186	187	188	190	191	192
Wire types	 	 		 	 		
Wire thickness mm	0.30	0.30 – 0.50	0.30	0.20 – 0.50	0.20 – 0.35	0.20	1.00 / 1.10
X-LOCK	✓	✓	✓	-	-	-	-

BRUSH TYPES

Pencil brush Ø mm	-	-	-	10 – 25	10 – 25	-	-
Cup brush Ø mm	75 – 101	65 – 100	70 / 75	50 – 70	50 / 60	50	50 / 75
Tapered brush Ø mm	100 / 115	100 / 115	-	-	-	-	-
Wire wheel Ø mm	115	115	-	30 – 100	30 – 100	75 / 80	75 / 100

TOOLS

Angle grinder	M14 / M10	M14 / M10	M14 / M10	-	-	-	-
Drill	-	-	-	Ø 6 mm	Ø 6 mm	Ø 6 mm	Ø 6 mm

MATERIALS

Metal	✓	✓	✓	✓	✓	✓	✓
Inox	-	✓	-	-	✓	-	-
Non-ferrous metals	-	-	✓	-	-	✓	-
Wood	-	-	✓	-	-	✓	✓
Paint	-	-	✓	-	-	✓	✓
PVC	-	-	-	-	-	-	✓

WIRE TYPES



Crimped wires



Knotted wires

BRUSHES – SOLUTIONS FOR ALL APPLICATIONS

Appropriate for angle grinders and drills.

184

5

THE RIGHT BRUSH FOR AN OPTIMUM WORK RESULT WITH DIFFERENT TOOLS

X-LOCK and M14 for angle grinders, Ø 6mm shank for drills

THE OPTIMUM SOLUTION FOR LIGHT AND HEAVY DUTY APPLICATIONS

Knotted and crimped wire with different thickness




FOR USE ON DIFFERENT MATERIALS

Steel, stainless steel, non-ferrous metal, wood, paint, PVC

X-LOCK

X-LOCK Steel brushes



► Changing brushes is fast and convenient thanks to the keyless X-LOCK system.

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

heavy **for Metal**



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for X-LOCK angle grinders

75	0.35	12,500	-	125	C1a	1	1	954129	2 608 620 726
75	0.5	12,500	-	125	C1a	1	1	954136	2 608 620 727



X-LOCK Steel brushes

clean  **Metal**


PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

75	0.3	12,500	-	125	C1a	1	1	954112	2 608 620 725
----	-----	--------	---	-----	-----	---	---	--------	---------------



heavy  **Metal****Wire wheel – knotted wire**

Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for X-LOCK angle grinders

115	0.5	12,500	12	-	C1a	1	1	954174	2 608 620 731
-----	-----	--------	----	---	-----	---	---	--------	---------------

clean  **Metal****Wire wheel – crimped wire**

Ideal for removing annealing colour on welded seams.


Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

115	0.3	12,500	-	-	C1a	1	1	954181	2 608 620 732
-----	-----	--------	---	---	-----	---	---	--------	---------------



X-LOCK Stainless steel brushes



► Changing brushes is fast and convenient thanks to the keyless X-LOCK system.

PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
							Part number

heavy **Inox****Wire cup brush – knotted wire, stainless**

Suitable for heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.

Appropriate for X-LOCK angle grinders


75	0.5	12,500	125	C1a	1	1	954150	2 608 620 729
----	-----	--------	-----	-----	---	---	--------	---------------

clean **Inox****Wire cup brush – crimped wire, stainless**

Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for X-LOCK angle grinders

75	0.3	12,500	125	C1a	1	1	954143	2 608 620 728
----	-----	--------	-----	-----	---	---	--------	---------------


heavy **Inox****Wire wheel – knotted wire, stainless**

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.


Appropriate for X-LOCK angle grinders

115	0.5	12,500	-	C1a	1	1	954198	2 608 620 733
-----	-----	--------	---	-----	---	---	--------	---------------



X-LOCK Brass brushes

clean  Metal ▶ Changing brushes is fast and convenient thanks to the keyless X-LOCK system.



PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...

Wire cup brush – crimped wire, brass-coated							
Suitable for light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.							
Appropriate for X-LOCK angle grinders							
Advantage: corrosion protection provided by brass-coated wire.							
75	0.3	12,500	115	C1a	1	1	954167
				2 608 620 730			



Wire brushes for angle grinders and straight grinders with thread M10 / M14



Steel brushes



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

heavy Metal



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for angle grinders with M10

75	0.5	12,500	-	10	125	C1a	1	1	102711	2 608 622 063
----	-----	--------	---	----	-----	-----	---	---	--------	---------------

Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

75	0.5	12,500	-	14	125	C1a	1	1	026628	1 608 622 029
90	0.5	8,500	-	14	150	C1a	1	1	003124	1 608 614 001
100	0.8	8,500	-	14	180	C1a	1	1	026574	1 608 614 002

clean Metal



Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

70	0.3	12,500	-	14	125	C1a	1	1	631785	2 608 622 098
100	0.5	8,500	-	14	180	C1a	1	1	026611	1 608 614 011

heavy Metal



Wire wheel – knotted wire


Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.5	12,500	12	14	-	C1a	1	1	087254	2 608 622 059
-----	-----	--------	----	----	---	-----	---	---	--------	---------------

Steel brushes

clean **Metal**


PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	0.3	11,000	-	14	-	C1a	1	1	631808	2 608 622 100

Wire wheel – crimped wire

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional


heavy **Metal****Bevel Brush – knotted wire**

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.5	12,500	12	14	-	C1a	1	1	036023	2 608 622 011
115	0.5	12,500	-	14	-	C1a	1	1	087247	2 608 622 058

clean **Metal****Bevel brush – crimped wire**

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping, removing annealing colour on welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.3	12,500	-	14	-	C1a	1	1	087230	2 608 622 057
-----	-----	--------	---	----	---	-----	---	---	--------	---------------

Stainless steel brushes



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

heavy for **Inox****Wire cup brush – knotted wire, stainless**

Suitable for heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

75	0.5	12,500	14	125	C1a	1	1	087261	2 608 622 060
100	0.35	8,500	14	180	C1a	1	1	631853	2 608 622 105

clean for **Inox****Wire cup brush – crimped wire, stainless**

Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

65	0.3	12,500	14	115	C1a	1	1	087278	2 608 622 061
----	-----	--------	----	-----	-----	---	---	--------	---------------

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

Wire cup brush – crimped wire, stainless

Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

100	0.3	8,500	14	180	C1a	1	1	631839	2 608 622 103
-----	-----	-------	----	-----	-----	---	---	--------	---------------


heavy for **Inox****Wire wheel – knotted wire, stainless**

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.5	12,500	14	-	C1a	1	1	631860	2 608 622 106
-----	-----	--------	----	---	-----	---	---	--------	---------------

clean for **Inox****Wire wheel – crimped wire, stainless**

Ideal for removing annealing colour from welded seams on stainless steel.

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.3	8,500	14	-	C1a	1	1	631877	2 608 622 107
-----	-----	-------	----	---	-----	---	---	--------	---------------

Stainless steel brushes

heavy Inox

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

Bevel brush – knotted wire, stainless

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.35	12,500	14	-	C1a	1	1	631891	2 608 622 109
-----	------	--------	----	---	-----	---	---	--------	---------------

clean Inox**Bevel Brush – crimped wire, stainless**

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing, removing annealing colour on welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.35	12,500	14	-	C1a	1	1	631884	2 608 622 108
-----	------	--------	----	---	-----	---	---	--------	---------------

Brass brushes

clean Metal**Wire cup brush – crimped wire, brass-coated**

Suitable for light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for angle grinders with M10 or M14 thread and GGS 6 S Professional


Advantage: corrosion protection provided by brass-coated wire.

70	0.3	12,500	14	115	C1a	1	1	003131	1 608 614 020
----	-----	--------	----	-----	-----	---	---	--------	---------------

Wire brushes for drills (6 mm shank)



Steel brushes



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
50	0.2	4,500	-	C1d	1	1	049832	2 608 622 022

Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on small to medium metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.


25	0.3	4,500	-	C1d	1	1	004503	1 609 200 269
----	-----	-------	---	-----	---	---	--------	---------------

End brush – crimped wire

Ideal for working on very hard-to-reach areas.

Suitable for light duty cleaning work in corners and working on the inside of pipes and profiles, such as removing rust, roughing, matt sanding, paint stripping.

Nylon bristle with aluminium oxide



Wire cup brush – Nylon bristle with aluminium oxide coated abrasive K80


Suitable for paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on smaller to medium surfaces, texturing wood.

Adapts perfectly to the contours of the workpiece, without severely altering the surface.

Works at constant material removal rate because abrasive grains are continuously released.

50	1	4,500	-	C1d	1	1	082112	2 608 622 052
75	1	4,500	-	C1d	1	1	082105	2 608 622 051

Nylon bristle with aluminium oxide



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Wire wheel – Nylon bristle with aluminium oxide coated abrasive K80								
Suitable for paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on small surfaces, in grooves or on edges, texturing wood and removing annealing colour from welded seams on stainless steel. Adapts perfectly to the contours of the workpiece, without severely altering the surface. Works at constant material removal rate because abrasive grains are continuously released.								
75	1	4,500	8	C1d	1	1	082150	2 608 622 056
100	1	4,500	8	C1d	1	1	082143	2 608 622 055



CIRCULAR SAW BLADES

Discover precision and durability.

The best your tool can get. Bosch Professional Accessories.



CIRCULAR SAW BLADES FOR A VARIETY OF WOODWORKING APPLICATIONS

High precision of cuts and outstanding blade lifetime.



Best for Wood



Expert for Wood

Page number	200	203
Optimized for cordless saws	-	-
Diameter mm	165 – 500	120 – 450

TOOLS

Hand-held / Plunge	✓	✓
Mitre	✓	✓
Table	✓	✓
Panel-sizing	✓	✓
Hand dry cutters	-	-

MATERIALS

Hardwood and softwood	✓	✓
Timber and composites for construction	-	-
Wooden panel composites	✓	✓
Plywood	✓	✓
Fiberboards	✓	✓
Laminate flooring	✓	✓



Optiline Wood

Best for Laminate

210	201
-	-
85 - 400	216 - 305
✓	-
✓	✓
✓	-
-	-
-	-
✓	-
-	-
✓	✓
✓	-
✓	-
✓	✓

Tool reference list



CIRCULAR SAW BLADES FOR UNIVERSAL AND SPECIAL APPLICATIONS

High precision of cuts and outstanding blade lifetime.



Best for Multi Material



Expert for Multi Material

Page number	202	209
Optimized for cordless saws	—	—
Diameter mm	165 – 305	210 – 305

TOOLS


Hand-held / Plunge	✓	—
Mitre	✓	✓
Table	—	—

MATERIALS

Hardwood and softwood	✓	✓
Wooden panel composites	✓	✓
Fiberboards	✓	✓
Laminate flooring	✓	✓
High pressure laminate panels, Trespa®	✓	✓
Sandwich panels	—	—
Porous concrete	—	—
Fiber cement, Eternit®	—	—
Plasterboard		—
Corian®	—	—
Aluminium and other non-ferrous metals	✓	✓
Plastics, Epoxy	✓	✓

CIRCULAR SAW BLADES FOR METALWORKING APPLICATIONS

High precision of cuts and outstanding blade lifetime.



Page number	206	211
Optimized for cordless saws	-	
Diameter mm	140 – 315	136 – 173

TOOLS

Hand-held / Plunge	✓	-
Mitre	✓	-
Table	✓	-
Hand dry cutters	-	✓
Mitre dry cutters	-	-


MATERIALS

Steel*	-	✓
Stainless steel, Inox	-	-
Aluminium and other non-ferrous metals	✓	-
Plastics, Epoxy	✓	-
Hardwood and softwood	✓	-
Panel composites	✓	-
Fiberboards	✓	-
Laminate boards	✓	-


* Not for Inox

Top Precision Best for Wood



Circular saw blades for plunge and hand-held circular saws



- ▶ For precise, clean and quiet cuts in all types of wood with plunge and hand-held circular saws.



TOP Precision best **Wood**



PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
165	20	1.8/1.3	48	ATB	11,500	5	15	C1a	1	1	636858	2 608 642 384

Best for Laminate



Circular saw blades for mitre saws and sliding mitre saws



► A durable blade for all types of laminate flooring.



best **Laminate**




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
254	30	2.5/1.8	84	HLTCG	7,500	5	15	C1c	1	1	579575	2 608 642 135
305	30	2.5/1.8	96	HLTCG	6,200	5	18	C1c	1	1	579582	2 608 642 137

Top Precision Best for Multi Material

Circular saw blades for plunge and hand-held circular saws





- ▶ For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood with plunge and hand-held circular saws.



TOP Precision best **MultiMaterial**



HLTCG




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
165	20	1.8/1.3	48	HLTCG	11,500	0	17	C1a	1	1	636896	2 608 642 388

Expert for Wood


Circular saw blades for plunge and hand-held circular saws





- For effortlessly clean cross and rip cuts in all types of wood and wood-based materials. Microteq teeth for long lifetime.



expert **for Wood**



ATB



PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	20	2.6/1.6	40	ATB	10,300	2/6/32.5	10	15		C1a	1	1	796057	2 608 644 039

EXPERT FOR WOOD FOR MITRE SAWS

Perfect cuts in wood and wood based materials.



LONG LIFETIME

Due to the MicroteQ teeth made of extra hard durable carbide grains from in-house production




DURABLE CUTTING PERFORMANCE

Due to friction reducing, anti-corrosive ProteQtion coating



Circular saw blades for mitre saws and sliding mitre saws



- For effortlessly clean cuts in all types of wood and wood-based materials. Microteq teeth for long lifetime.



expert **for Wood**




PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
250	30	2.4/1.8	60	ATB	7,600	2/7/42 2/9.5/46.5 2/9/46 2/10/60	-5	15	C1a	1	1	648233	2 608 642 498	

Circular saw blades for mitre saws and sliding mitre saws


PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	2.4/1.8	40	ATB	7,600	2/9.5/46.5 2/9/46 2/10/60 2/7/42	-5	15	C1a	1	1	796460	2 608 644 080

Expert for Aluminium

Circular saw blades for plunge and hand-held circular saws





- For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal such as aluminium.



expert  **Aluminium**



HLTCG



PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	16	2.6/1.6	48	HLTCG	10,300	2/6/32.5	-5	15	C1a	1	1	796644	2 608 644 098

Expert for Steel

Circular saw blades for mitre dry cutters





- ▶ Clean and safe cuts through mild steel.
- ▶ Long lifetime.



expert **Steel**



MTCG



PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
254	25.4	2.6/2.2	60	HLTCG	1,900	0	12	C1a	1	1	737722	2 608 643 059
305	25.4	2.6/2.2	60	HLTCG	1,800	0	12	C1a	1	1	737739	2 608 643 060
355	25.4	2.6/2.2	80	HLTCG	1,600	0	12	C1a	1	1	737753	2 608 643 062

Expert for Stainless Steel


Circular saw blades for Mitre Dry Cutters



- ▶ Clean and safe cuts in stainless steel material.
- ▶ ResisteQ teeth manufactured from advanced metallic composites for outstanding wear resistance.
- ▶ Long lifetime.



expert **for StainlessSteel**




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
305	25.4	2.5/2.2	80	HLTCG	2,500	0	10	C1a	1	1	839969	2 608 644 284
305	25.4	2.5/2.2	60	HLTCG	2,500	0	10	C1a	1	1	839952	2 608 644 285

Expert for Multi Material



Circular saw blades for mitre saws and sliding mitre saws



- ▶ For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood.



expert **toMultiMaterial**




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	2.4/1.8	80	TCG	7,600	-5	15	C1a	1	1	648196	2 608 642 494

Optiline Wood



Optiline Wood for hand-held circular saws



► The precise blade for quality cuts in all types of wood.




ATB






PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	15	-	1.1/0.7	20	ATB	18,000	-	15	13	C1a	1	1	754279	2 608 643 071

Optiline Wood for mitre saws



ATB



305	30	-	2.5/1.8	96	ATB	5,000	-	-5	15	C1a	1	1	317405	2 608 640 442
-----	----	---	---------	----	-----	-------	---	----	----	-----	---	---	--------	---------------

Standard for Steel


Circular saw blades for cordless hand dry cutters



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.



standard **for Steel**






PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
136	20	1.6/1.2	30	HB	5,400	6	10	C1a	1	1	813860	2 608 644 225

Standard for Multi Material

Circular saw blades for mitre saws and table saws



- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.





PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
305	30	-	3.2/2.5	80	HLTCG	5,000	-	-5	15	C1a	1	1	317504	2 608 640 452

General Purpose

General purpose circular saw blades for handheld circular saws



ATB



PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	25.4	16 19 20	24	ATB	9,500	16	PC1b	1	1	965682	2 608 644 560
160	25.4	16 19 20	40	ATB	9,500	13	PC1b	1	1	965699	2 608 644 561
160	25.4	16 19 20	60	ATB	9,500	13	PC1b	1	1	965705	2 608 644 562
184	20	16	20	ATB	8,000	13	PC1b	1	1	965712	2 608 644 563
184	20	16	40	ATB	8,000	12	PC1b	1	1	965729	2 608 644 564
184	20	16	60	ATB	8,000	14	PC1b	1	1	965736	2 608 644 565
210	25	16 20	24	ATB	7,000	14	PC1b	1	1	965743	2 608 644 566
210	25	16 20	40	ATB	7,000	15	PC1b	1	1	965750	2 608 644 567
210	25	16 20	60	ATB	7,000	15	PC1b	1	1	965767	2 608 644 568
235	25	16 20	20	ATB	6,500	14	PC1b	1	1	965798	2 608 644 571
235	25	16 20	40	ATB	6,500	14	PC1b	1	1	965804	2 608 644 572
235	25	16 20	60	ATB	6,500	13	PC1b	1	1	965811	2 608 644 573
184	20	16	20	ATB	8,000	13	P0a	10	1	965934	2 608 644 585
235	25	20 16	20	ATB	6,500	14	P0a	10	1	965958	2 608 644 587



6

213

General purpose circular saw blade sets for handheld circular saws




ATB







184	20	16	20 40	ATB	8,000 8,000	13 12	PC1b	2	1	965910	2 608 644 583
184	20	16	16 24 40	ATB	8,000 8,000 8,000	10 10 12	PC1b	3	1	965927	2 608 644 584
235	25	20 16	20 40 60	ATB	6,500 6,500 6,500	14 14 13	PC1b	3	1	965941	2 608 644 586

General purpose circular saw blades for mitre saws and table saws







PRODUCT PROPERTIES						ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
216	30	25	24	ATB	7,000	PC1b	1	1	965774	2 608 644 569	
216	30	25	48	ATB	7,000	PC1b	1	1	965781	2 608 644 570	
254	30	25.4 25 20 16	24	ATB	6,000	PC1b	1	1	965828	2 608 644 574	
254	30	25.4 25 20 16	40	ATB	6,000	PC1b	1	1	965835	2 608 644 575	
254	30	25.4 25 20 16	60	ATB	6,000	PC1b	1	1	965842	2 608 644 576	
254	30	25.4 25 20 16	80	ATB	6,000	PC1b	1	1	965859	2 608 644 577	
254	30	25.4 25 20 16	100	ATB	6,000	PC1b	1	1	965866	2 608 644 578	
305	30	25.4 25 20 16	40	ATB	5,000	PC1b	1	1	965873	2 608 644 579	
305	30	25.4 25 20 16	60	ATB	5,000	PC1b	1	1	965880	2 608 644 580	
305	30	25.4 25 20 16	80	ATB	5,000	PC1b	1	1	965897	2 608 644 581	
305	30	25.4 25 20 16	100	ATB	5,000	PC1b	1	1	965903	2 608 644 582	

Wood circular saw blades for cordless handheld circular saws




PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
136	20	-	1.4/0.76	24	ATB	10,400	14	PC1b	1	1	229663	2 608 840 001
160	20	16	1.6/1.05	20	ATB	9,500	10	PC1b	1	1	965965	2 608 644 588
160	20	16	1.6/1.05	40	ATB	9,500	15	PC1b	1	1	965972	2 608 644 589
165	20	10	1.6/1.02	18	ATB	8,800	14	PC1b	1	1	229670	2 608 840 002
165	20	10	1.6/1.02	24	ATB	8,800	14	PC1b	1	1	229687	2 608 840 003
165	20	10	1.6/1.02	40	ATB	8,800	14	PC1b	1	1	229694	2 608 840 004
184	20	16	1.6/1.05	20	ATB	8,000	12	PC1b	1	1	965989	2 608 644 590
184	20	16	1.6/1.05	40	ATB	8,000	11	PC1b	1	1	965996	2 608 644 591
210	25	16	1.8/1.25	20	ATB	7,000	12	PC1b	1	1	966009	2 608 644 592
210	25	16	1.8/1.25	40	ATB	7,000	15	PC1b	1	1	966016	2 608 644 593
235	25	16 20	1.8/1.25	60	ATB	6,500	15	PC1b	1	1	966023	2 608 644 594
160	20	16	2.5/1.8	40	ATB	6,000	14	P0a	10	1	966047	2 608 644 596



PRODUCT PROPERTIES				ORDERING INFORMATION					
				Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Circular saw blade wood for cordless table saws.									
				PC1b	1	1	986151	2 608 644 647	
				PC1b	1	1	986168	2 608 644 648	
				PC1b	1	1	986144	2 608 644 646	


Wood circular saw blade sets for cordless handheld circular saws



PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	20	16	20 40	ATB	8,000 8,000	12 11	PC1b	2	1	966030	2 608 644 595

Ferrous Metal


Ferrous Metal circular saw blades for handheld dry-cutters



PRODUCT PROPERTIES						ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
160	20	32	ATB	5,000	12	PC1b	1	1	966160	2 608 644 608	
180	20	38	ATB	4,500	12	PC1b	1	1	966177	2 608 644 609	

Fibre Cement


Fibre Cement circular saw blades for handheld circular saws



PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
182	20	16	6	HLTCG	10,000	15	PC1b	1	1	966184	2 608 644 610


Multi Material

Multi Material circular saw blades for handheld circular saws



PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	25.4	16 19 20	60	HLTCG	9,500	16	PC1b	1	1	966054	2 608 644 597
184	20	16	60	HLTCG	8,000	15	PC1b	1	1	966061	2 608 644 598
235	25	16 20	80	HLTCG	6,500	15	PC1b	1	1	966092	2 608 644 601
210	25	16 20	60	HLTCG	7,000	16	PC1b	1	1	966078	2 608 644 599

Multi Material circular saw blades for mitre saws and table saws



216	30	25	80	HLTCG	7,000	16	PC1b	1	1	966085	2 608 644 600
254	30	25.4 25 20	60	HLTCG	6,000	16	PC1b	1	1	966108	2 608 644 602
254	30	25.4 25 20	80	HLTCG	6,000	16	PC1b	1	1	966115	2 608 644 603
254	30	25.4 25 20	100	HLTCG	6,000	17	PC1b	1	1	966122	2 608 644 604
254	30	25.4 25 20	120	HLTCG	6,000	17	PC1b	1	1	966139	2 608 644 605
305	30	25.4 25 20	60	HLTCG	5,000	15	PC1b	1	1	966146	2 608 644 606
305	30	25.4 25 20	100	HLTCG	5,000	15	PC1b	1	1	966153	2 608 644 607

Accessories for Circular Saws

Reducing Rings for Circular Saw Blades

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore size mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Reduction rings for circular saw blades							
Base blade thickness of 1.25 mm up to max. 1.4 mm							
20	16	1	P1b	1	1	433549	2 600 100 188
Reduction rings for circular saw blades							
Base blade thickness of 1.4 mm up to max. 1.7 mm							
25	16	1.2	P1b	1	1	433686	2 600 100 202
25	20	1.2	P1b	1	1	433693	2 600 100 203
Reduction rings for circular saw blades							
Base blade thickness of 1.7 mm up to max. 2.2 mm							
25.4	16	1.5	P1b	1	1	433839	2 600 100 217
25.4	20	1.5	P1b	1	1	433853	2 600 100 219
30	20	1.5	P1b	1	1	433860	2 600 100 220
30	25	1.5	P1b	1	1	433877	2 600 100 221
30	25.4	1.5	P1b	1	1	433884	2 600 100 222





7

221

ROUTER BITS AND PLANER KNIVES

Get that perfect finishing cut.

The best your tool can get. Bosch Professional Accessories.



ROUTER BIT SETS

Fine cuts for a wide variety of applications.



6 pcs Trim and Edging Router Bit Set



15 pcs Mixed Router Bit Set

Page number	223	223
-------------	-----	-----

SHANK

6 mm; 8 mm; 1/4 inch	✓	✓
----------------------	---	---

MATERIALS

Hardwood	✓	✓
Softwood	✓	✓
Wooden composites	✓	✓


SET CONTENT

Straight bit 1-cutter	-	-
Straight bit 2-cutter	-	✓
Straight bit 3-cutter	-	✓
Rounding over bit	✓	✓
Chamfer bit	✓	✓
Flush trim bit	✓	✓
Flush pattern bit	✓	✓
Dovetail bit	-	✓
V-groove bit	-	✓
Slotting cutter	-	✓
Rebating cutter	-	✓
Roman ogee bit	-	✓
Cove bit	-	✓
Pilot panel bit	-	-
Core box bit	-	-
Classical moulding bit	-	-
Hinge mortising bit	-	-

Mixed Router Bit Sets

6-piece Trim and Edging Router Bit Sets

► **Set contents:** Rounding over bits (1), Chamfer bits (2), Flush trim bit (3), Flush pattern bit (4)



PRODUCT PROPERTIES							ORDERING INFORMATION				
Shank mm	Type, router bit	Radius (R1) mm	Angle degrees	Diameter (D) mm	Working length (G) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Set with 8mm shank diameter bits.											
8	1	3	-	19	10	51	P1k	6	1	958004	2 607 017 469
	1	6	-	25	13	55					
	2	-	25	25	13	54					
	2	-	45	35	16	56					
	3	-	-	13	25	65					
	4	-	-	16	25	65					

7

223

15-piece Mixed Application Router Bit Sets

► **Set contents:** Flush trim bit (1), Flush pattern bit (2), Dovetail bit (3), Chamfer bits (4), V-groove bit (5), Slotting cutter (6), Rebating bit (7), Roman ogee bit (8), Cove bit (9), Rounding over bits (10), Straight bit 2 cutters (11), Straight bit 3 cutters (12)



Set with 8mm shank diameter bits.

8	1	-	-	35	25	65	P1k	15	1	958035	2 607 017 472
	2	-	-	25	25	65					
	3	-	12	16	12	49					
	4	-	45	32	16	56					
	4	-	25	32	13	54					
	5	-	60	27	18	50					
	6	-	-	29	4	50					
	7	-	-	19	13	54					
	8	4	-	25	12	52					
	9	10	-	8	12	54					
	10	3	-	10	10	51					
	10	6	-	16	13	55					
	11	-	-	13	20	50					
	11	-	-	16	30	60					
	12	-	-	13	30	60					

Accessories for Biscuit Joiners

Biscuit dowels for Bosch biscuit joiners


► For perfect joints.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Width mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Biscuit dowels GR 10							
55	19	4	P1d	50	1	093880	2 607 000 797
Biscuit dowels GR 20							
60	23	4	P1d	50	1	012829	2 607 000 103

UNIVERSAL PLANER KNIVES

Fit for use on all common handheld planers.



Page number	226	226
-------------	-----	-----

MEASUREMENT

82.4 × 5.5 × 1.1 mm	✓	✓
56.0 × 5.5 × 1.1 mm	✓	✓
82.0 × 29.0 × 3.0 mm	–	–

MATERIALS

Hardwood	✓	✓
Softwood	✓	✓
Wooden composites	✓	✓

Universal planer knives for hand-held planers

Carbide reversible planer knives

► **Appropriate for** planers from the brands Bosch, AEG, Black+Decker, Fein, Haffner, Hitachi, Holz-Her, Mafell, Makita, Metabo, Skil

PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Width mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Planer blade straight, tungsten carbide, 40° length x width: 82.4 mm x 5.5 mm							
82.4	5.5	1.1	PC1d	2	5	010450	2 607 000 096

Planer blade Sharp, straight, tungsten carbide, 40° Sharp planing blade, ideal for Bosch Woodrazor System. length x width: 82.4 mm x 5.5 mm							
82.4	5.5	1.1	PC1d	1	5	200783	2 608 635 376
			PC1d	2	1	200639	2 608 635 350

Planer blade for GH0 12V-20 Straight, tungsten carbide, 40° length x width: 56 mm x 5.5 mm							
56	5.5	1.1	PC1d	2	1	934084	2 608 000 672



JIGSAW BLADES

Cut every material effectively.

The best your tool can get. Bosch Professional Accessories.

8

227



JIGSAW BLADES FOR WOOD

The classics.

					
	Hardwood 2-Side Clean	Laminate Clean	Wood 2-Side Clean	Clean for Hardwood	Speed for Hardwood
	EXPERT	EXPERT	EXPERT		
Page number	235	237	240	238	238
Available blade types	2	1	3	5	2
T-Shank	✓	✓	✓	✓	✓
U-Shank	-	-	-	✓	-
					
					

MATERIALS

Softwood	-	-	✓	-	-
Plywood	-	-	✓	-	-
Hardwood, chipboard, MDF	✓	-	-	✓	✓
Laminated boards, kitchen worktops	✓	-	-	✓	-
Laminate, vinyl flooring	-	✓	-	-	-
WPC (wood plastic composites)	-	-	-	-	-
Construction wood	-	-	-	-	✓

				
Progressor for Wood	Precision for Wood	Clean for Wood	Speed for Wood	Basic for Wood
242	241	242	243	244
1	5	5	4	3
✓	✓	✓	✓	✓
✓	-	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	✓	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	✓	-	✓	-

JIGSAW BLADES FOR METAL

Make the cut you need.

			
	Stainless Steel	Basic for Inox	Progressor for Metal
	EXPERT		
Page number	245	246	246
Available blade types	2	2	1
T-Shank	✓	✓	✓
U-Shank	–	–	–
	 		
MATERIALS			
Sheet metal	–	–	✓
Perforated sheet metal	–	–	✓
Aluminium, non-ferrous metals	–	–	✓
Stainless steel sheets	✓	✓	–
Profiles, pipes (closed)	–	–	–
Profiles (open)	–	–	–
Metal sandwich	–	–	–

			
Flexible for Metal	Basic for Metal	Special for Alu	Flexible for Metal-Sandwich
246	247	248	248
5	6	2	1
✓	✓	✓	✓
-	✓	✓	-
✓	✓	-	-
✓	-	-	-
-	-	✓	-
-	-	-	-
✓	✓	-	-
✓	-	-	-
-	-	-	✓

JIGSAW BLADES FOR WOOD AND METAL

Nails? No problem.



Progressor for Wood and Metal

Page number	249
Available blade types	1
T-Shank	✓
U-Shank	-

MATERIALS

Construction timber with hardened screws and nails	-
Construction timber with nails	✓
Profiles, pipes, thickwalled	✓
Aluminium, non-ferrous metals	✓
Glass fibre reinforced plastic/epoxy	✓

*Bosch EXPERT products vs. Bosch standard products

JIGSAW BLADES FOR PLASTICS

For the most advanced materials.

			
	Plastic Composites clean	Carbon Fiber clean	Clean for PC
	EXPERT	EXPERT	
Page number	250	251	252
Available blade types	1	1	1
T-Shank	✓	✓	✓
U-Shank	-	-	-
	 	 	

MATERIALS

PP, PE	-	-	-
PVC, PA, PS	-	-	-
PMMA	-	-	-
PC	-	-	✓
WPC (wood plastic composites)	✓	-	-
CFRP (carbon fiber reinforced polymer)	-	✓	-
GFRP (glass fiber reinforced polymer)	✓	✓	-
Solid surface composites (Corian, Varicor)	✓	-	-

JIGSAW BLADES FOR SPECIAL APPLICATIONS

Unusual jigsaw jobs.

				
	Fiber Plaster	Soft Tile clean	Special for Ceramics	Special for Soft-Materials
	EXPERT	EXPERT		
Page number	253	253	253	253
Available blade types	2	1	1	2
T-Shank	✓	✓	✓	✓
U-Shank	-	-	-	-
	 	 		

MATERIALS

Drywall board, fiber cement board	✓	-	-	-
Porous concrete	✓	-	-	-
Ceramic tiles	-	✓	✓	-
Polystyrene, cardboard	-	-	-	✓
Rubber	-	-	-	✓
Fiber insulation materials	-	-	-	✓


HIGH PRECISION TEAR-FREE CUTTING LAMINATED WORKTOPS

EXPERT 'Hardwood 2-Side Clean' Blades

ASSORTMENT: T 308 BF

EXPERT

- 1 Cuts tear-free on both sides with 2-Side Clean geometry
- 2 Extra sharp teeth produced by precision grinding
- 3 Combines hard teeth and flexible body through Bi-Metal welding



8

235

EXPERT Hardwood 2-side clean T308BF Jigsaw Blades

EXPERT

- Ideal for making tear-free straight cuts in plastic-coated board materials such as kitchen counter tops.
- Best for shopfitters and carpenters: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2	13	5	50	C1b	3	10	537672	2 608 900 543
					C1b	5	10	537689	2 608 900 544
					P1h	25	1	537696	2 608 900 545
					C0a	100	1	537702	2 608 900 546

HIGH PRECISION TEAR-FREE CUTTING LAMINATED WORKTOPS

EXPERT 'Hardwood 2-Side Clean' Blades

ASSORTMENT: T 308 BFP

EXPERT

- 1 Cuts tear-free on both sides with 2-side clean geometry
- 2 Extra sharp teeth produced by precision grinding
- 3 Combines hard teeth and flexible body through Bi-Metal welding
- 4 Thicker blade offers added stability for a precise cut



EXPERT Hardwood 2-side clean T308BFP Jigsaw Blades

EXPERT

- Ideal for making tear-free accurate angle cuts in very thick materials such as kitchen counter tops.
- Best for shopfitters and carpenters: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2	13	5	50	C1b	3	10	537719	2 608 900 547
					P1h	25	1	549682	2 608 901 181

LONG LIFE CLEAN CUTTING LAMINATE

EXPERT 'Laminate Clean' Blades

ASSORTMENT: T 128 BHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Carbide strip provides rigidity and strength
- 3 Fine teeth cut thinner material with ease
- 4 Cuts clean on both sides with counter-directed teeth


**CARBIDE
TECHNOLOGY**


8

237

EXPERT Laminate Clean T128BHM Jigsaw Blades

EXPERT

- ▶ Ideal for cutting laminate floorboards to length during shop fitting or other commercial installations; cutting fibre reinforced vinyl flooring boards; cutting HPL (high pressure laminate) such as cladding for houses.
- ▶ Best for shopfitters: long lasting and quality finish.
- ▶ Lasts up to 50x longer than Bosch T101B blade in tough materials.
- ▶ Fits all T-shank jigsaws.


**CARBIDE
TECHNOLOGY**
**UP TO
50x
LONG LIFE**

PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
92	1.8	14	2	15	C1b	3	1	537665	2 608 900 542	

Jigsaw blades - Clean for Hard Wood

Clean cut

clean  HardWood

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
  							
T 101 AOF BIM, pointed teeth, ground teeth and taper ground Hardwood, laminated panels/HPL (1.5-15 mm), plywood, especially for curve cuts, no tears							
83	1.4	C1b	5	10	091848	2 608 634 233	
  							
T 101 AIF BIM, pointed teeth, ground teeth and taper ground Hardwood, laminates, laminated panels/HPL (2-30 mm), no tearing							
100	1.7	C1b	5	10	096355	2 608 634 897	
  							
T 101 BF BIM, ground teeth and taper ground Hardwood, laminates, laminated panels/HPL (3-30 mm)							
100	2.7	C1b	5	10	091855	2 608 634 234	
		PC1a	5	5	979610	2 608 636 974	
  							
T 101 BRF BIM, ground teeth and taper ground Hardwood, laminates, laminated panels (3-30 mm), kitchen worktops (<45 mm), clean surface							
100	2.5	C1b	5	10	091862	2 608 634 235	
  							
T 301 CDF BIM, ground teeth and taper ground Hardwood and softwood (4-65 mm), laminated panels/HPL							
117	3.0	C1b	5	10	264389	2 608 636 229	

Jigsaw blades - Speed for Hard Wood

Fast cut

speed  HardWood


  		T 144 DF 					
		BIM, side set, ground Hardwood and softwood (5-50 mm), all types of panels, including laminates					
100	4.0-5.2	C1b	5	10	009430	2 608 634 567	

Jigsaw blades - Speed for Hard Wood

Fast cut

speed  HardWood

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode		Part number
152	4.0	C1b	5	10	091947		2 608 634 243



T 344 DF



BIM, side set, ground
Thick hardwood and softwood (5-100 mm), all types of panels, including laminates


HIGH PRECISION TEAR-FREE CUTTING WOOD

EXPERT 'Wood 2-Side Clean' Blades

ASSORTMENT: T 308 B, T 308 BO, T 308 BP

EXPERT

- 1 Cuts tear-free on both sides with 2-Side Clean Geometry
- 2 Extra sharp teeth produced by precision grinding



EXPERT Wood 2-side clean T308B Jigsaw Blades

EXPERT



- Ideal for making tear-free straight cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- Best for joiners: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537740	2 608 900 550
					P1h	25	1	537764	2 608 900 552
					C0a	100	1	537771	2 608 900 553

EXPERT Wood 2-side clean T308BO Jigsaw Blades

EXPERT



- ▶ Ideal for making tear-free curved cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537788	2 608 900 554
					C1b	5	10	537795	2 608 900 555
					P1h	25	1	537801	2 608 900 556

EXPERT Wood 2-side clean T308BP Jigsaw Blades

EXPERT



- ▶ Ideal for making tear-free accurate angle cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537818	2 608 900 557
					C1b	5	10	537825	2 608 900 558

Jigsaw blades - Precision for Wood

Cuts at accurate angles

precision Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



T 144 DP



HCS, side set, ground

Softwood, chipboards, wood core plywood, fibre boards (5-50 mm), doors, kitchen worktops (<50 mm)


100	4.0	C1b	5	10	264181	2 608 633 A35
		PC1a	5	5	979498	2 608 665 052

Jigsaw blades - Precision for Wood

Cuts at accurate angles

precision 

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 344 DP  HCS, side set, ground Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards						
152	4.0	C1b	5	10	264198	2 608 633 A36



Jigsaw blades - Progressor for Wood

Universal, clean through thin and thick


progressor 

T 234 X



HCS, ground teeth and taper ground
Softwood (3-65 mm), chipboards, wood core plywood, fibre boards

117	2-3	PC1a	3	5	979580	2 608 665 061
-----	-----	------	---	---	--------	----------------------



Jigsaw blades - Clean for Wood

Clean cut


clean 

T 101 AO



HCS, pointed teeth, ground teeth and taper ground
Softwood, plywood, laminated panels (1.5-15 mm), especially for curve cuts

83	1.4	C1b	5	10	006798	2 608 630 031
		PC1a	5	5	979528	2 608 665 055



T 101 B



HCS, ground teeth and taper ground
Softwood, chipboard, wood core plywood, fibre boards (3-30 mm)

100	2.7	C1b	5	10	006781	2 608 630 030
		PC1a	5	5	979535	2 608 665 056
		C1a	100	1	067430	2 608 637 876




T 101 BR




HCS, ground teeth and taper ground
Softwood, chipboard, wood core plywood, fibre boards (3-30 mm), laminated panels, clean surface

100	2.5	C1b	5	10	012454	2 608 630 014
		PC1a	5	5	979542	2 608 665 057




Jigsaw blades - Clean for Wood


Clean cut

clean  Wood

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
					3 165 140...		
T 101 D							
							
HCS, ground teeth and taper ground							
Softwood, chipboards, wood core plywood, fibre boards (10-45 mm)							
100	4.0-5.2	C1b	5	10	006804	2 608 630 032	



T 101 D							
HCS, ground teeth and taper ground Softwood, chipboards, wood core plywood, fibre boards (10-45 mm)							
100	4.0-5.2	PC1a	5	5	979559	2 608 665 058	
		C1a	100	1	067447	2 608 637 877	




T 301 CD							
HCS, ground teeth and taper ground Softwood, chipboards, wood core plywood, fibre boards (10-65 mm)							
117	3.0	PC1a	5	5	979566	2 608 665 059	




Jigsaw blades - Speed for Wood


Fast cut

speed  Wood

T 144 D							
HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fibre boards							
100	4.0-5.2	C1b	5	10	006842	2 608 630 040	



T 244 D							
HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fibre boards, especially for curve cuts							
100	4.0-5.2	C1b	5	10	006859	2 608 630 058	
		PC1a	5	5	979504	2 608 665 053	



T 344 D							
HCS, side set, ground Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards							
152	4.0	PC1a	5	5	979511	2 608 665 054	



Jigsaw blades - Speed for Wood




Fast cut

speed  Wood

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
T 744 D  HCS, side set, ground Softwood/boards, thick construction timber, sandwich materials							
180	4.0	C1c	3	5	348591	2 608 663 314	

Jigsaw blades - Basic for Wood

Good and cost-effective

basic  Wood

T 119 BO 							
HCS, wavy set, milled Softwood (2-15 mm), plywood, chipboard, wood core plywood, fibre boards, especially for curve cuts							
83	2.0	C1b	5	10	006941	2 608 630 310	
		PC1a	5	5	979474	2 608 665 050	

T 119 B 							
HCS, wavy set, milled Softwood (2-15 mm), plywood, chipboards, wood core plywood, fibre boards							
92	1.9-2.3	C1b	5	10	006835	2 608 630 037	

T 111 C 							
HCS, side set, milled Softwood (4-50 mm), chipboard, wood core plywood, fibre boards, quick cut							
100	3.0	C1b	5	10	006811	2 608 630 033	

T 111 C 							
HCS, side set, milled Softwood (4-50 mm), chipboard, wood core plywood, fibre boards, quick cut							
100	3.0	PC1a	5	5	979481	2 608 665 051	

LONG LIFE CUTTING STAINLESS STEEL SHEET

EXPERT 'Stainless Steel' Blades

ASSORTMENT: T 118 AHM, T 118 EHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Carbide strip provides rigidity and strength



**CARBIDE
TECHNOLOGY**

8


245

EXPERT Stainless Steel T118AHM Jigsaw Blades

EXPERT



- Ideal for making straight cuts in stainless steel sheets, for example adjustment cuts in industrial fittings; mechanical engineering and machinery; and construction applications such as elevators and escalators.
- Best for metalworkers: long lasting and precise.
- Lasts up to 50x longer than Bosch T118G Jigsaw Blade in tough materials.
- Fits all T-shank jigsaws.



**CARBIDE
TECHNOLOGY** UP TO 50x LONG LIFE


PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
83	1.1	23	1.5	3	C1b	3	1	537856	2 608 900 561

Jigsaw blades - Basic for Inox

Good and cost-effective


basic 

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 118 EFS						
BIM, wavy set, milled Sawing in Inox / stainless steel						
83	1.4	C1b	5	10	371018	2 608 636 420
		PC1a	5	5	979641	2 608 636 977



Jigsaw blades - Progressor for Metal

Universal. Fast in thin and thick material.


PROGRESSOR **T 123 XF**

BIM, side set, milled
Thin to thick sheet metals (1.5-10 mm), pipes + profiles, including aluminium (diameter <30 mm)

100	1.2-2.6	C1b	5	10	128056	2 608 638 473
-----	---------	-----	---	----	--------	---------------


Jigsaw blades - Flexible for Metal

Breakproof and durable

flexible **T 118 EOF**


BIM, wavy set, milled
Thin sheet metals, perforated sheet metals (1.5-4 mm), especially for curve cuts

83	1.5	C1b	5	10	091893	2 608 634 237
----	-----	-----	---	----	--------	---------------

**T 118 AF**

BIM, wavy set, milled
Thin sheet metals, perforated sheet metals (1-3 mm)

92	1.1-1.5	C1b	5	10	007627	2 608 634 505
		PC1a	5	5	979634	2 608 636 976

**T 118 BF**

BIM, wavy set, milled
Medium-thick sheet metals, perforated sheet metals (2.5-6 mm)


92	1.9-2.3	C1b	5	10	007603	2 608 634 503
----	---------	-----	---	----	--------	---------------

Jigsaw blades - Flexible for Metal

Breakproof and durable

flexible 


PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

long
LIFE**T 318 AF**

BIM, wavy set, milled

Thin sheet metals, perforated sheet metals (1-3 mm), sandwich materials (<65 mm), pipes + open profiles, including aluminium (diameter <65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

132	1.1	C1b	5	10	091923	2 608 634 241
-----	-----	-----	---	----	--------	---------------

long
LIFE**T 318 BF**


BIM, side set, milled

Medium-thick sheet metals, perforated sheet metals (2.5-6 mm), sandwich materials (<65 mm), pipes + profiles, including aluminium (diameter <65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

132	1.8	C1b	5	10	091930	2 608 634 242
-----	-----	-----	---	----	--------	---------------

Jigsaw blades - Basic for Metal


Good and cost-effective

basic **T 118 G**

HSS, wavy set, milled

Very thin metal plate (0.5 - 1.5 mm)


92	0.7	C1b	5	10	007283	2 608 631 012
		PC1a	5	5	979658	2 608 668 643

**T 118 A**

HSS, wavy set, milled

Thin sheet metals (1-3 mm)


92	1.1-1.5	C1b	5	10	007290	2 608 631 013
		PC1a	5	5	979665	2 608 668 644

**T 118 B**

HSS, wavy set, milled

Medium-thick sheet metals (2.5-6 mm)

92	1.9-2.3	C1b	5	10	007306	2 608 631 014
		PC1a	5	5	979672	2 608 668 645

**T 318 A**

HSS, wavy set, milled

Thin sheet metals (1-3 mm), pipes + profiles, including aluminium (diameter <65 mm)


132	1.2	C1b	5	10	007375	2 608 631 319
-----	-----	-----	---	----	--------	---------------

Jigsaw blades - Basic for Metal

Good and cost-effective

basic  Metal


PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 318 B 						
HSS, wavy set, milled						
Medium-thick sheet metals (2.5-6 mm), pipes + profiles, including aluminium (diameter <65 mm), cutting at accurate angles						
132	2.0	C1b	5	10	007382	2 608 631 404




Jigsaw blades - Special for Alu

Aluminium and non-ferrous metal


T 127 D 						
HSS, side set, milled						
Thin to thick sheet metals (3-15 mm), pipes + profiles, (diameter <30 mm)						
100	-	C1b	2	10	639118	2 608 668 173



T 127 D 						
HSS, side set, milled						
Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm)						
100	3.0	C1b	5	10	007313	2 608 631 017
		PC1a	5	5	979689	2 608 668 646



T 227 D 						
HSS, side set, milled						
Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm), especially for curve cuts						
100	3.0	C1b	5	10	007320	2 608 631 030




T 227 D 						
HSS, side set, milled						
Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm), especially for curve cuts						
100	3.0	PC1a	5	5	979696	2 608 668 647

Jigsaw blades - Flexible for Metal-Sandwich

Breakproof and durable

flexible  Metal-Sandwich

T 718 BF 						
BIM, side set, milled						
Sandwich materials (<120 mm)						
180	2.0	C1b	3	5	309042	2 608 636 335



Jigsaw blades - Progressor for Wood and Metal

Universal, fast through thick and thin

PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...		Part number
T 345 XF								
BIM, side set, milled Construction timber with nails (<65 mm), wood materials, plastics, sheet metals, pipes/profiles, including aluminium (diameter 3-10 mm)								
132	2.4-5.0	PC1a	3	5	979627	2 608 636 975		

LONG LIFE CLEAN CUTTING SOLID SURFACE AND WPC

EXPERT 'Plastic Composites Clean' Blades

ASSORTMENT: T 301 CHM

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Very sharp Carbide teeth produced by cross-grinding
- 3 Carbide strip provides rigidity and strength


**CARBIDE
TECHNOLOGY**

EXPERT Plastic Composites Clean T301CHM Jigsaw Blades

EXPERT

- Ideal for straight cuts in solid surface panels, required for building solid surface kitchens and bathrooms; straight cuts in Wood-Plastic Composite (WPC) boards during patio installation.
- Best for kitchen fitters: long lasting and quality finish.
- Carbide Technology For Long-life performance.
- Fits all T-shank jigsaws.


**CARBIDE
TECHNOLOGY**
LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	3.3	8	6	65	C1b	3	1	537900	2 608 900 566

LONG LIFE CLEAN CUTTING CARBON FIBER

EXPERT 'Carbon Fiber Clean' Blades

ASSORTMENT: T 108 BHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Very sharp Carbide teeth produced by cross-grinding
- 3 Carbide strip provides rigidity and strength


CARBIDE
TECHNOLOGY

8

251

EXPERT Carbon Fiber Clean T108BHM Jigsaw Blades

EXPERT


- Ideal for making straight cuts into carbon fibre boards and profiles, such as trimming structural components in advanced modern vehicles; jigsaw cutting in the aerospace and boatbuilding industries.
- Best for boatbuilders: long lasting and quality finish.
- Carbide Technology For Long-life performance.
- Fits all T-shank jigsaws.


CARBIDE
TECHNOLOGY


PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
92	2.2	12	2	20	C1b	3	1	537894	2 608 900 565

Jigsaw blades - Clean for PC

cleanPC




PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 101 A						
HSS, ground teeth and taper ground Perspex, polycarbonate (2-20 mm)						
100	2.0	C1b	5	10	007276	2 608 631 010

EXPERT Fibre Plaster T341HM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight cuts in plasterboard, such as cut outs in drywall; and adjustment cuts when installing fiber cement boards.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Carbide Technology For Long-life performance.
- ▶ Fits all T-shank jigsaws.





PRODUCT PROPERTIES			ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
132	4.3	6	C1b	3	1	537887	2 608 900 564

Jigsaw blades - Special for Ceramics


Ceramic materials

special Ceramics

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
T 130 RF						
						
Carbide Technology, with grit of 30 Soft ceramic wall tiles, cast iron (5-15 mm), coarse cut						
83	C1b	3	1	035286	2 608 633 104	

**T 150 RF**

Carbide Technology, with grit of 50
Soft ceramic wall tiles, cast iron (5-10 mm), fine cut



83	C1b	3	1	035293	2 608 633 105		
----	-----	---	---	--------	---------------	--	--

Jigsaw blades - Special for Soft Material

Soft materials

special Soft-Material

**T 313 AW**

HCS, blade with serrated edge
Cardboard, polystyrene, carpet, leather, rubber (<100 mm)



152	C1b	3	5	045926	2 608 635 187		
-----	-----	---	---	--------	---------------	--	--


Jigsaw Blades for Hardwood

Jigsaw blades - Clean for Hard Wood

Clean cut

clean HardWood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
U 101 BF						
BIM, ground teeth and taper ground Hardwood and softwood, glass fibre reinforced plastics/epoxy (3-30 mm), laminated boards/HPL						
100	2.7	C1b	3	10	264457	2 608 636 236




Jigsaw Blades for Wood

Jigsaw blades - Clean for Wood


Clean cut

clean  Wood


PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
U 1 AO						
 HCS, pointed teeth, ground teeth and taper ground Softwood, plywood, laminated panels (1.5-15 mm), especially for curve cuts						
70	1.4	C1b	3	10	038553	2 608 637 724



U 101 B						
 HCS, ground teeth and taper ground Softwood, chipboard, wood core plywood, fibre boards (3-30 mm), plastics (3-30 mm)						
100	2.7	C1b	3	10	006996	2 608 630 565



U 101 D						
 HCS, ground teeth and taper ground Softwood (10-45 mm), chipboards, wood core plywood, fibre boards						
100	4.0-5.2	C1b	3	10	038546	2 608 637 723




Jigsaw blades - Speed for Wood

Fast cut

speed  Wood

U 144 D						
 HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fibre boards						
100	4.0-5.2	C1b	3	10	007023	2 608 630 568



Jigsaw blades - Basic for Wood

Good and cost-effective

basic  Wood

U 111 C						
 HCS, side set, milled Softwood (4-50 mm), chipboards, wood core plywood, fibre boards						
92	-	C1b	2	10	638920	2 608 667 411



Good and cost-effective


PRODUCT PROPERTIES			ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
U 118 A							

U 118 A


HSS, wavy set, milled
Thin sheet metals (1-3 mm)



80	1.1-1.5	C1b	3	10	007412	2 608 631 511
----	---------	-----	---	----	--------	---------------




EXPERT Wood 2-side clean Jigsaw Blade Sets

EXPERT

- ▶ Ideal for making tear-free cuts; T308BO for making tear-free curved cuts; T308BP for making tear-free accurate angle cuts. All cut solid wood up to 50 mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Set with T 308 B and T 308 BO for cleaner cuts.
- ▶ Fits all T-shank jigsaws.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Set contents	Material thickness [mm]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece jigsaw blade set							
EXPERT 'Wood 2-side clean' T 308 B EXPERT 'Wood 2-side clean' T 308 BO	50	117	PC1a	3	10	537832	2 608 900 559

EXPERT Hardwood 2-side clean Jigsaw Blade Sets

EXPERT

- ▶ Ideal for making tear-free cuts. T308BF for making tear-free straight cuts in plastic-coated board materials; T308BFP for making tear-free accurate angle cuts in very thick materials such as kitchen counter tops.
- ▶ Best for shopfitters and carpenters: precise and quality finish.
- ▶ Set with T 308 BF and T 308 BFP for cleaner cuts.
- ▶ Fits all T-shank jigsaws.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Set contents	Material thickness [mm]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece jigsaw blade set							
EXPERT 'Hardwood 2-side clean' T 308 BF EXPERT 'Hardwood 2-side clean' T 308 BFP	50	117	PC1a	3	10	537733	2 608 900 549

10-piece jigsaw blade sets (single lug shank)

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10-piece jigsaw blade set Basic for Wood						
T 119 BO Basic for Wood T 119 B Basic for Wood T 111 C Basic for Wood	P1k	10	1	579353		2 607 010 629



10-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		
10-piece jigsaw blade set Basic for Metal and Wood							
T 119 BO Basic for Wood		P1k	10	1	579360	2 607 010 630	
T 119 B Basic for Wood							
T 111 C Basic for Wood							
T 218 A Basic for Metal							
T 118 G Basic for Metal							
T 118 A Basic for Metal							
T 118 B Basic for Metal							

Anti-splinter guard for jigsaws

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Anti-splinter guard						
GST 14.4 V; GST 18.0 V; GST 75 BE; GST 80 Professional; EasySaw 18V-70; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 E; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE; UniversalSaw 18V-100						
		C1d	5	5	006651	2 607 010 079

Saw blades for the Bosch Foam Rubber Cutter GSG 300 Professional

Saw blade set for Bosch Foam Rubber Cutter GSG 300 Professional



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2-piece saw blade set						
	70	C0h	2	1	029858	2 607 018 013
	130	C0h	2	1	029827	2 607 018 010
	200	C0h	2	1	029834	2 607 018 011
	300	C0h	2	1	029841	2 607 018 012

Saw blade guides for Bosch Foam Rubber Cutter GSG 300 Professional



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Saw blade guide for saw blade 2 607 018 010						
		C0a	1	1	030540	2 608 135 020
Saw blade guide for saw blade 2 607 018 011						
		C0a	1	1	030557	2 608 135 021
Saw blade guide for saw blade 2 607 018 012						
		C0a	1	1	030564	2 608 135 022
Saw blade guide for saw blade 2 607 018 013						
		C0a	1	1	030571	2 608 135 023
Sole plate GSG 300 Professional						
		P1d	1	1	052153	2 608 000 908

RECIPROCATING SAW BLADES

Cut tough materials with ease.

The best your tool can get. Bosch Professional Accessories.



9

261



BLADES FOR METAL

For reciprocating saw.

				
	Thick Tough Metal	Medium-Thick Tough Metal	Thin Tough Metal	Vehicle Rescue
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	269	272	274	276
Available blade types	4	3	3	2
	 	 	 	 

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts High Strength Steel	✓	✓	✓	✓
Cuts Hardened Steel	✓	✓	✓	✓
Cuts Stainless Steel	✓	✓	✓	✓
Cuts Cement Cast Iron Pipes	-	-	-	-
Ideal for non-cement Cast Iron Pipes	✓	✓	-	-
Ideal for Rescue & Car Dismantling	-	-	-	✓
Ideal for regular strength 'mild' steel	-	-	-	-
Ideal for precise cuts in pipes & profiles	✓	✓	-	-
Ideal for thin and thick metal	-	-	-	-
Sufficient for non-ferrous metal	-	-	-	-

*Bosch EXPERT products vs. Bosch standard products

					
	Cement Cast Iron	Heavy for Metal	Progressor for Metal	Flexible for Metal	Basic for Metal
	EXPERT				
	278	280	282	282	283
	1	12	1	10	2
	 				
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	✓	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	✓	✓	✓	✓
	-	✓	-	-	-
	-	-	✓	-	-
	-	-	-	✓	✓

BLADES FOR MULTI-MATERIAL


For reciprocating saw.

				
	Wood with Metal Demolition	Window Demolition	Hard Nail Pallets	Wood with Metal
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	284	286	287	288
Available blade types	3	1	1	1
				

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts High Strength Steel Screws & Fasteners**	✓	✓	✓	✓
Cuts Hardened Steel Nails**	✓	✓	✓	✓
Cuts Stainless Steel Screws & Fasteners**	✓	✓	✓	✓
Cuts non-cement Cast Iron Pipes	✓	-	✓	-
Ideal for Demolition	✓	✓	-	-
Ideal for Pallet Repair	-	-	✓	-
Ideal for regular strength 'mild' steel**	-	-	-	-
Ideal for thin and thick material	-	-	-	-
Sufficient for non-ferrous metal**	-	-	-	-

* Bosch EXPERT products vs. Bosch standard products
 ** embedded in wood

				
	Multi Material	Heavy for Wood and Metal	Progressor for Wood and Metal	Flexible for Wood and Metal
	EXPERT			
	289	291	292	292
	3	7	1	7
	 			
	✓	-	-	-
	✓	-	-	-
	✓	-	-	-
	✓	-	-	-
	-	✓	-	-
	-	-	-	-
	-	✓	✓	✓
	-	-	✓	-
	-	-	✓	✓

BLADES FOR MINERAL MATERIAL

For reciprocating saw.

		
	Hollow Brick	Aerated Concrete
	EXPERT	EXPERT
Page number	294	296
Available blade types	3	3
	 	 

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts hollow brick blocks	✓	-
Cuts Aerated Concrete blocks	-	✓
Cuts Fiber Cement board	-	-
Cuts Concrete Backerboard	-	-
Cuts Drywall board	-	-
Cuts thick dense Fiber Insulation	-	-
Ideal for clean cuts in thin Fiber Insulation	-	-
Ideal for clean cuts in Soft Material	-	-
Ideal for frozen material	-	-

			
	Fiber Plaster	Special for Plaster	Special for Ice
	EXPERT		
	298	299	299
	1	2	1
	 		
	-	-	-
	-	-	-
	✓	-	-
	✓	-	-
	✓	✓	-
	-	-	-
	-	-	-
	-	-	-
	-	-	✓

BLADES FOR WOOD

For reciprocating saw.

				
	Tough Wood	Top for Wood	Progressor for Wood	Basic for Wood
	EXPERT			
Page number	300	301	302	302
Available blade types	2	3	1	3
				

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts Thick Tough Wood	✓	-	-	-
Cuts Thick Pressure Treated Lumber	✓	-	-	-
Cuts Thick Moist Wood	✓	-	-	-
Cuts Tough WPC Composites	✓	-	-	-
Sufficient for dry softwood	-	✓	✓	✓
Ideal for Wooden Roots and Soil Work	✓	-	-	-
Ideal for clean cuts in softwood	-	-	✓	-
Ideal for thin and thick material	-	-	✓	-
Ideal for firewood	✓	-	-	✓

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING THICK TOUGH METAL

EXPERT 'Thick Tough Metal' Blades

ASSORTMENT: S555CHC, S955CHC, S1155CHC, S1255CHC

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Extra coating makes Carbide even tougher



CARBIDE TECHNOLOGY
EXTRA

9

269

EXPERT Thick Tough Metal S555CHC Reciprocating Saw Blades

EXPERT



- Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- Best for utilities workers: long lasting and powerful.
- Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY
EXTRA

UP TO 100x
LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	100 x 25 x 1.25	CT	4	12	50	C1c	1	1	534541	2 608 900 364

EXPERT Thick Tough Metal S955CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	150 x 25 x 1.25	CT	4	12	100	C1c	1	1	534558	2 608 900 365
							C1c	3	1	534565	2 608 900 366
							P1h	10	1	534572	2 608 900 367

EXPERT Thick Tough Metal S1155CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	225 x 25 x 1.25	CT	4	12	175	C1c	1	1	534589	2 608 900 368
							C1c	3	1	534596	2 608 900 369
							P1h	10	1	534602	2 608 900 370

EXPERT Thick Tough Metal S1255CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
3	8	300 x 25 x 1.25	CT	4	12	250	C1c	1	1	534619	2 608 900 371	
							P1h	10	1	534626	2 608 900 372	

LONG LIFE CUTTING MEDIUM-THICK TOUGH METAL

EXPERT 'Medium-Thick Tough Metal' Blades

ASSORTMENT: S955HHM, S1155HHM, S1255HHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Wide body for precise, straight cuts
- 3 Fine teeth cut thinner material with ease



**CARBIDE
TECHNOLOGY**

EXPERT Medium-Thick Tough Metal S955HHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- Best for recycling and demolition workers: long lasting and powerful.
- Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.



**CARBIDE
TECHNOLOGY**

**UP TO
50x
LONG LIFE**

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	150 x 25 x 1	CT	3	8	100	C1c	1	1	534633	2 608 900 373

EXPERT Medium-Thick Tough Metal S1155HMM Reciprocating Saw Blades**EXPERT**

- Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- Best for recycling and demolition workers: long lasting and powerful.
- Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	225 x 25 x 1.1	CT	3	8	175	C1c	1	1	534640	2 608 900 374
							C1c	3	1	534657	2 608 900 375
							P1h	10	1	534664	2 608 900 376

EXPERT Medium-Thick Tough Metal S1255HMM Reciprocating Saw Blades**EXPERT**

- Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- Best for recycling and demolition workers: long lasting and powerful.
- Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	300 x 25 x 1.25	CT	3	8	250	C1c	1	1	534671	2 608 900 377


LONG LIFE CUTTING THIN TOUGH METAL

EXPERT 'Thin Tough Metal' Blades

ASSORTMENT: S522EHM, S922EHM, S1022EHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Extra-fine teeth cut very thin material with ease




CARBIDE TECHNOLOGY

EXPERT Thin Tough Metal S522EHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thin stainless steel sheet
- ▶ Best for kitchen fitters: long lasting and quality finish.
- ▶ Lasts up to 50x longer than Bosch S922EF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES						ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number
1.4	18	115 x 19 x 1	CT	1.5	4	C1c	1	1	534497	2 608 900 359	

EXPERT Thin Tough Metal S922EHM Reciprocating Saw Blades**EXPERT**

- Ideal for cutting thin stainless steel pipes and profiles.
- Best for kitchen fitters: long lasting and quality finish.
- Lasts up to 50x longer than Bosch S922EF blade in tough materials.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	150 x 19 x 1	CT	1.5	4	100	C1c	1	1	534503	2 608 900 360
							C1c	3	1	534510	2 608 900 361
							P1h	10	1	534527	2 608 900 362

EXPERT Thin Tough Metal S1022EHM Reciprocating Saw Blades**EXPERT**

- Ideal for cutting thin stainless steel pipes and profiles.
- Best for kitchen fitters: long lasting and quality finish.
- Lasts up to 50x longer than Bosch S922EF blade in tough materials.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	200 x 19 x 1	CT	1.5	4	150	C1c	1	1	534534	2 608 900 363

LONG LIFE CUTTING MODERN AUTOMOTIVE STEEL

EXPERT 'Vehicle Rescue' Blades

ASSORTMENT: S957CHM, S1157CHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 First tooth designed to allow plunge cut
- 4 Tapered tip reaches deeper into tight spaces



**CARBIDE
TECHNOLOGY**

EXPERT Vehicle Rescue S957CHM Reciprocating Saw Blades

EXPERT



- Ideal for rescue cuts into a vehicle at a road accident site. Designed for specific cuts common in modern rescue techniques; for example cutting a car's B column and window; or creating a 'third door'.
- Best for firefighters and rescue workers: long lasting and reliable.
- Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.



**CARBIDE
TECHNOLOGY**

**UP TO
50x
LONG LIFE**

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	150 x 20 x 1.35	CT	4	12	100	C1c	1	1	534688	2 608 900 378
							P1h	10	1	534695	2 608 900 379

EXPERT Vehicle Rescue S1157CHM Reciprocating Saw Blades

EXPERT



- Ideal for rescue cuts into a vehicle at a road accident site. Designed for specific cuts common in modern rescue techniques; for example cutting a car's B column and window; or creating a 'third door'.
- Best for firefighters and rescue workers: long lasting and reliable.
- Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
3	8	225 x 20 x 1.35	CT	4	12	175	C1c	1	1	534701	2 608 900 380	
							C1c	3	1	534718	2 608 900 381	
							P1h	10	1	534725	2 608 900 382	

LONG LIFE CUTTING CEMENT CAST IRON PIPES

EXPERT 'Cement Cast Iron' Blades

ASSORTMENT: S1750RD

EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Thick gauge blade offers extra robustness and stability



EXPERT Cement Cast Iron S1750RD Reciprocating Saw Blades

EXPERT



- Ideal for straight cut-offs to cement cast iron pipes such as ductus ZMA or ductus ZMU, during municipal water repair works; also cuts non-cement cast iron pipes.
- Best for utilities workers: long lasting and specialised.
- Diamond Technology for Long Life Cutting Cement Cast Iron Pipes.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GRIT 50	GRIT 50	250 x 19 x 1.25	DIA	2	6	200	C1c	1	1	534732	2 608 900 383

Reciprocating saw blades - Endurance for HeavyMetal - BIM

Long life in metal

endurance HeavyMetal

PRODUCT PROPERTIES							ORDERING INFORMATION			
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
							Part number			

**S 927 BEF**

BIM, Micro Edge Geometry, 2x2 Tooth Geometry with Full Contact Design

Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	150 x 25 x 1.1	BIM	2	6	100	C1c	5	5	507158	2 608 657 523 ⁱ
---------	-------	----------------	-----	---	---	-----	-----	---	---	--------	----------------------------

**S 1127 BEF**

BIM, Micro Edge Geometry, 2x2 Tooth Geometry with Full Contact Design

Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	225 x 25 x 1.1	BIM	2	6	175	C1c	5	5	507165	2 608 657 524 ⁱ
---------	-------	----------------	-----	---	---	-----	-----	---	---	--------	----------------------------

**S 930 CF**

BIM, Micro Edge Geometry, 2x2 Tooth Geometry

Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

2.5+3.2	8+10	150 x 22 x 1.6	BIM	4	12	100	C1c	5	5	507196	2 608 657 527
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	---------------

**S 936 CHF**

BIM, Micro Edge Geometry, 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.


2.5+3.2	8+10	150 x 25 x 1.1	BIM	4	12	100	C1c	5	5	507172	2 608 657 525 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------

**S 1136 CHF**

BIM, Micro Edge Geometry, 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<175 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	175	C1c	5	5	507189	2 608 657 526 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------

**S 1130 CF**

BIM, Micro Edge Geometry, 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut

2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	C1c	5	5	507202	2 608 657 528
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	---------------


ⁱ = 03.2025

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise

heavy for Metal

PRODUCT PROPERTIES							ORDERING INFORMATION			
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
							Part number			


S 926 BEF

BIM, 2x2 Tooth Geometry

Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	150 x 25 x 1.1	BIM	3	8	100	C1c	5	5	451888	2 608 657 394 ⁱ
---------	-------	----------------	-----	---	---	-----	-----	---	---	--------	----------------------------


S 1126 BEF

BIM, 2x2 Tooth Geometry

Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	225 x 25 x 1.1	BIM	3	8	175	C1c	5	5	451895	2 608 657 395 ⁱ
---------	-------	----------------	-----	---	---	-----	-----	---	---	--------	----------------------------


S 1226 BEF

BIM, 2x2 Tooth Geometry

Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<250 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	300 x 25 x 1.1	BIM	3	8	250	C1c	5	5	451901	2 608 657 396 ⁱ
---------	-------	----------------	-----	---	---	-----	-----	---	---	--------	----------------------------


S 926 CHF

BIM, 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	150 x 25 x 1.1	BIM	4	12	100	C1c	5	5	451918	2 608 657 397 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------


S 1126 CHF

BIM, 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<175 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	175	C1c	5	5	451925	2 608 657 398 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------


S 1226 CHF

BIM, 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<250 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	300 x 25 x 1.1	BIM	4	12	250	C1c	5	5	451932	2 608 657 406 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------




Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise

heavy for Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

**S 925 VF**

BIM, vario-pitched teeth

Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<100 mm). Ideal for demolition work in metal. Effortless, fine cut.


1.8-2.6	10-14	150 x 19 x 1.25	BIM	2.5	10	100	C1c	5	5	451949	2 608 657 407
---------	-------	-----------------	-----	-----	----	-----	-----	---	---	--------	---------------

**S 1025 VF**

BIM, vario-pitched teeth

Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<150 mm). Ideal for demolition work in metal. Effortless, fine cut

1.8-2.6	10-14	200 x 19 x 1.25	BIM	2.5	10	150	C1c	5	5	235570	2 608 656 265
---------	-------	-----------------	-----	-----	----	-----	-----	---	---	--------	---------------

**S 1125 VF**

BIM, vario-pitched teeth

Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<175 mm). Ideal for demolition work in metal. Effortless, fine cut.


1.8-2.6	10-14	225 x 19 x 1.25	BIM	2.5	10	175	C1c	5	5	451956	2 608 657 408
---------	-------	-----------------	-----	-----	----	-----	-----	---	---	--------	---------------

**S 1225 VF**

BIM, vario-pitched teeth

Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<250 mm). Ideal for demolition work in metal. Effortless, fine cut.


1.8-2.6	10-14	300 x 19 x 1.25	BIM	2.5	10	250	C1c	5	1	451963	2 608 657 409
---------	-------	-----------------	-----	-----	----	-----	-----	---	---	--------	---------------

**S 920 CF**

BIM, patented 2x2 Tooth Geometry

Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

2.5+3.2	8+10	150 x 22 x 1.6	BIM	4	12	100	C1c	5	5	019262	2 608 654 820 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------

**S 1120 CF**

BIM, patented 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut


2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	C1c	5	5	235471	2 608 656 255 ⁱ
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------------

Reciprocating saw blades - Progressor for Metal - BIM

Universal, fast

 progressor 

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number


S 123 XF

BIM, side set, milled

Thin to thick sheet metals (1-8 mm), thin to thick profiles (diameter <100 mm)

1.4-3.4	8-18	150 x 19 x 0.9	BIM	1	8	100	C1c	2	5	169554	2 608 654 401
---------	------	----------------	-----	---	---	-----	-----	---	---	--------	---------------


S 123 XF

BIM, side set, milled

Thin to thick sheet metals (1-8 mm), thin to thick profiles (diameter <100 mm)

1.4-3.4	8-18	150 x 19 x 0.9	BIM	1	8	100	C1c	5	5	169561	2 608 654 402
---------	------	----------------	-----	---	---	-----	-----	---	---	--------	---------------



Reciprocating saw blades - Flexible for Metal - BIM

flexible, break-resistant

 flexible 

S 522 AF

BIM, wavy set, milled

Especially optimised for use in compact saws.

Thin sheet metals (0.7-3 mm), effortless, fine cut


1	24	100 x 19 x 0.9	BIM	0.7	3	-	C1c	2	5	235594	2 608 656 267
							C1c	5	5	093460	2 608 656 010


S 922 AF

BIM, wavy set, milled

Thin sheet metals (0.7-2 mm), fine pipes/profiles (diameter <100 mm), effortless, fine cut

1.1	24	150 x 19 x 0.9	BIM	0.7	2	100	C1c	2	5	093385	2 608 656 036
							C1c	5	5	093491	2 608 656 013


S 1122 AF

BIM, wavy set, milled

Thin sheet metals (0.7-2 mm), fine pipes/profiles (diameter <175 mm), effortless, fine cut, flexible flush cut

1.1	24	225 x 19 x 0.9	BIM	0.7	2	175	C1c	5	5	093545	2 608 656 018
-----	----	----------------	-----	-----	---	-----	-----	---	---	--------	---------------


S 922 EF

BIM, side set, milled

Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <100 mm)

1.4	18	150 x 19 x 0.9	BIM	1.5	4	100	C1c	2	5	093408	2 608 656 038
							C1c	5	5	093514	2 608 656 015




Reciprocating saw blades - Flexible for Metal - BIM

flexible, break-resistant

flexible  Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number


long
LIFE
S 1122 EF

BIM, side set, milled

Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <175 mm), flexible flush cut

1.4	18	225 x 19 x 0.9	BIM	1.5	4	175	C1c	2	5	093446	2 608 656 042
							C1c	5	5	093569	2 608 656 020


long
LIFE
S 922 BF

BIM, side set, milled

Thick sheet metals (2.5-8 mm), solid pipes/profiles (diameter <100 mm), quick cut

2	14	150 x 19 x 0.9	BIM	2.5	8	100	C1c	2	5	093392	2 608 656 037
							C1c	5	5	093507	2 608 656 014


fast
CUT

long
LIFE
S 1122 BF

BIM, side set, milled

Thick sheet metals (2.5-8 mm), solid pipes/profiles (diameter <175 mm), flexible flush cut, quick cut

2	14	225 x 19 x 0.9	BIM	2.5	8	175	C1c	2	5	093439	2 608 656 041
							C1c	5	5	093552	2 608 656 019

Reciprocating saw blades - Basic for Metal - BIM

Good and cost-effective

basic  Metal**S 918 AF**

BIM, wavy set, milled

Thin sheet metals (1-3 mm), fine, closed pipes/profiles (diameter <100 mm)

1	24	150 x 16 x 0.9	BIM	1	3	100	C1c	2	5	235839	2 608 651 944
							C1c	5	5	016117	2 608 651 780

**S 918 BF**

BIM, side set, milled

Medium-thick sheet metals (2-8 mm), closed pipes/profiles (diameter <100 mm)

1.8	14	150 x 16 x 0.9	BIM	2	8	100	C1c	2	5	035354	2 608 651 821
							C1c	5	5	016124	2 608 651 781


LONG LIFE CUTTING METAL EMBEDDED WOOD

EXPERT 'Wood with Metal Demolition' Blades

ASSORTMENT: S967XHM, S1167XHM, S1267XHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Reinforced teeth withstand the extreme abuse of demolition work
- 3 Progressive tooth pitch to cut material of every thickness
- 4 Tapered tip reaches deeper into tight spaces
- 5 Thick gauge blade offers extra robustness and stability



**CARBIDE
TECHNOLOGY**

EXPERT Wood with Metal Demolition S967XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- ▶ Best for demolition workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch S1111DF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
3.5-5.0	5-7	150 x 25 x 1.25	CT	100	C1c	1	1	534862	2 608 900 396	
					P1h	10	1	534879	2 608 900 397	

EXPERT Wood with Metal Demolition S1167XHM Reciprocating Saw Blades

EXPERT



- Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- Best for demolition workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S1111DF blade in tough materials.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	225 x 25 x 1.25	CT	175	C1c	1	1	534886	2 608 900 398
					P1h	10	1	534909	2 608 900 400

EXPERT Wood with Metal Demolition S1267XHM Reciprocating Saw Blades

EXPERT



- Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- Best for demolition workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S1111DF blade in tough materials.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	300 x 25 x 1.25	CT	250	C1c	1	1	534916	2 608 900 401
					P1h	10	1	534923	2 608 900 402


LONG LIFE CUTTING WINDOW STOCKS OF ANY MATERIAL

EXPERT 'Window Demolition' Blades

ASSORTMENT: S956DHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Side set teeth to cut thicker materials effectively
- 4 First tooth designed to allow plunge cut



CARBIDE TECHNOLOGY

EXPERT Window Demolition S956DHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting out windows; can cut through a window fixing screw so window parts can be removed; can cut through composite window stocks of any kind; and it can also cut through doors and hinges.
- Best for window fitters: long lasting and powerful.
- Lasts up to 50x longer than Bosch S611DF blade in tough materials.
- Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4	6	150 x 25 x 1.25	CT	100	P1h	10	1	534763	2 608 900 386

LONG LIFE CUTTING HARD NAILS PALLETS

EXPERT 'Hard Nail Pallets' Blades

ASSORTMENT: S1122CHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Highly flexible body can be bent for flush cuts
- 3 Reverse tip prevents jamming and kickback
- 4 Reinforced shank transition for longer shank life



**CARBIDE
TECHNOLOGY**

9

287

EXPERT Hard Nail Pallets S1122CHM Reciprocating Saw Blades

EXPERT



- Ideal for pallet repair - replacing broken parts of a pallet.
- Best for pallet repair workers: long lasting and specialised.
- Lasts up to 50x longer than Bosch S1122HF blade in tough material.
- Fits all S-shank reciprocating saws.



**CARBIDE
TECHNOLOGY**

UP TO
50x
LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	225 x 19 x 1	CT	175	C1c	1	1	534770	2 608 900 387
					P1h	10	1	534787	2 608 900 388


LONG LIFE CURVE CUTTING WOOD WITH EMBEDDED METAL

EXPERT 'Wood with Metal' Blades

ASSORTMENT: S715LHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Narrow blade is perfect for curved cuts



CARBIDE TECHNOLOGY

EXPERT Wood with Metal S715LHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for curved cuts in wood with metal, such as those required for chimney pipe or ventilation pipe outlets through a roof; curved cuts in plaster board during renovation work.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch S611DF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5	5	190 x 12 x 1.5	CT	140	C1c	1	1	534749	2 608 900 384

LONG LIFE CUTTING TOUGH BUILDING MATERIALS

EXPERT 'Multi Material' Blades

ASSORTMENT: S956XHM, S1156XHM, S1256XHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Progressive tooth pitch to cut material of every thickness
- 3 Tapered tip reaches deeper into tight spaces
- 4 Thick gauge blade offers extra robustness and stability
- 5 Wide body for precise, straight cuts

**CARBIDE
TECHNOLOGY**

9

289

EXPERT Multi Material S956XHM Reciprocating Saw Blades**EXPERT**

- ▶ Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than Bosch S3456XF blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.

**CARBIDE
TECHNOLOGY** UP TO **50x** LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
3.0-4.0	6-8	150 x 25 x 1.25	CT	100	C1c	1	1	534794	2 608 900 389	
					P1h	10	1	534800	2 608 900 390	

EXPERT Multi Material S1156XHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S3456XF blade in tough materials.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	225 x 25 x 1.25	CT	175	C1c	1	1	534817	2 608 900 391
					C1c	3	1	534824	2 608 900 392
					P1h	10	1	534831	2 608 900 393

EXPERT Multi Material S1256XHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S3456XF blade in tough materials.
- Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	300 x 25 x 1.25	CT	250	C1c	1	1	534848	2 608 900 394
					P1h	10	1	534855	2 608 900 395

Reciprocating saw blades - Heavy for Wood and Metal - BIM

Heavy-duty work, sturdy, fast

heavy WoodMetal

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number


**S 611 DF**

BIM, side set, milled

Wood with nails/metal, chipboard (<100 mm), plastic profiles (<100 mm), glass fibre reinforced plastic/epoxy (<50 mm), window frames: wood + metal, especially for plunge cuts



4.3	6	150 x 19 x 1.25	BIM	100	C1c	5	5	235501	2 608 656 258
-----	---	-----------------	-----	-----	-----	---	---	--------	---------------


**S 711 DF**

BIM, side set, milled

Wood with nails/metal, chipboard (<100 mm), glass fibre reinforced plastic/epoxy (<50 mm), especially for curve cuts



4.3	6	150 x 12 x 1.25	BIM	100	C1c	2	5	235877	2 608 656 272
					C1c	5	5	235525	2 608 656 260


**S 1111 DF**

BIM, side set, milled

Wood with nails/metal, chipboard (<175 mm), plastic profiles (diameter <175 mm), glass fibre reinforced plastic/epoxy (<50 mm)



4.3	6	225 x 19 x 1.25	BIM	175	C1c	2	5	235884	2 608 656 273
					C1c	5	5	235532	2 608 656 261


**S 1411 DF**

BIM, side set, milled

Wood with nails/metal, chipboard (<250 mm), glass fibre reinforced plastic/epoxy (<60 mm)



4.3	6	300 x 19 x 1.25	BIM	250	C1c	2	5	036139	2 608 654 834
					C1c	5	5	016285	2 608 654 763
					P1h	25	1	515306	2 608 657 562


**S 610 VF**

BIM, special vario-pitched teeth for wood

Wood with nails/metal, wood, chipboard (<100 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<100 mm), for rescue/demolition work




3.2-5.1	5-8	150 x 22 x 1.6	BIM	100	C1c	5	5	543347	2 608 657 608
---------	-----	----------------	-----	-----	-----	---	---	--------	---------------

**S 1110 VF**

BIM, special vario-pitched teeth for wood

Wood with nails/metal, wood, chipboard (<175 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<175 mm), for rescue/demolition work



3.2-5.1	5-8	225 x 22 x 1.6	BIM	175	C1c	5	5	543354	2 608 657 610
---------	-----	----------------	-----	-----	-----	---	---	--------	---------------

Reciprocating saw blades - Heavy for Wood and Metal - BIM

Heavy-duty work, sturdy, fast

heavy WoodMetal

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 1210 VF									
BIM, special vario-pitched teeth for wood Wood with nails/metal, wood, chipboard (<250 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<250 mm), for rescue/demolition work									
3.2-5.1	5-8	300 x 22 x 1.6	BIM	250	C1c	5	5	543378	2 608 657 612



Reciprocating saw blades - Progressor for Wood and Metal - BIM


Universal, fast

PROGRESSOR WoodMetal

Wood with nails/metal, chipboard (<150 mm), sheet
S 3456 XF

BIM, side set, milled


2.2-4.6	6-12	200 x 19 x 1.25	BIM	150	C1c	2	5	169592	2 608 654 405
---------	------	-----------------	-----	-----	-----	---	---	--------	---------------


S 3456 XF

BIM, side set, milled

Wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)

2.2-4.6	6-12	200 x 19 x 1.25	BIM	150	C1c	5	5	169608	2 608 654 406
---------	------	-----------------	-----	-----	-----	---	---	--------	---------------



Reciprocating saw blades - Flexible for Wood and Metal - BIM

flexible, break-resistant

flexible WoodMetal

PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]		Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 922 HF												
BIM, side set, milled												
For pallet repair, wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-12 mm)												
2.5	10	150 x 19 x 0.9	BIM	-	-	100	C1c	2	5	093415	2 608 656 039	
							C1c	5	5	093521	2 608 656 016	




Reciprocating saw blades - Flexible for Wood and Metal - BIM

flexible, break-resistant

flexible WoodMetal

PRODUCT PROPERTIES							ORDERING INFORMATION			
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Part number



long
LIFE

S 1122 HF

BIM, side set, milled

For pallet repair, wood with nails/metal (<175 mm), sheet metals, pipes, aluminium profiles (3-12 mm), flexible flush cut



2.5	10	225 x 19 x 0.9	BIM	-	-	175	C1c	2	5	235853	2 608 656 270
							C1c	5	5	093576	2 608 656 021



long
LIFE

S 922 VF

BIM, vario-pitched teeth

Wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<100 mm)



1.8-2.6	10-14	150 x 19 x 0.9	BIM	3	10	100	C1c	2	5	093422	2 608 656 040
							C1c	5	5	093538	2 608 656 017



comfort
CUT

long
LIFE

S 1122 VF

BIM, vario-pitched teeth

Wood with nails/metal (<175 mm), sheet metals, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<175 mm), flexible flush cut



1.8-2.6	10-14	225 x 19 x 0.9	BIM	-	-	175	C1c	5	5	079365	2 608 654 981
---------	-------	-------------------	-----	---	---	-----	-----	---	---	--------	---------------



comfort
CUT

long
LIFE

S 1222 VF

BIM, vario-pitched teeth

Wood with nails/metal (<250 mm), sheet metals, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<250 mm), flexible flush cut



1.8-2.6	10-14	300 x 19 x 0.9	BIM	-	-	250	C1c	2	5	093453	2 608 656 043
							C1c	5	5	093583	2 608 656 022


LONG LIFE CUTTING HOLLOW BRICK

EXPERT 'Hollow Brick' Blades

ASSORTMENT: S1543HM, S1243HM, S2243HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Large gullet teeth chew through the toughest materials fast



**CARBIDE
TECHNOLOGY**

EXPERT Hollow Brick S1243HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- ▶ Best for builders: long lasting and powerful.
- ▶ Carbide Technology for Long Life Cutting Hollow Brick.
- ▶ Fits all S-shank reciprocating saws.



**CARBIDE
TECHNOLOGY**

LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	300 x 50 x 1.5	CT	250	C1c	1	1	535074	2 608 900 417

EXPERT Hollow Brick S1543HM Reciprocating Saw Blades

EXPERT

- Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Hollow Brick.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	240 x 23 x 1.5	CT	190	C1c	3	1	535050	2 608 900 415
					P1h	10	1	535067	2 608 900 416

EXPERT Hollow Brick S2243HM Reciprocating Saw Blades

EXPERT

- Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Hollow Brick.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	455 x 50 x 1.5	CT	405	C1c	1	1	535081	2 608 900 418


LONG LIFE CUTTING AERATED CONCRETE

EXPERT 'Aerated Concrete' Blades

ASSORTMENT: S1141HM, S1241HM, S2041HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

EXPERT Aerated Concrete S1141HM Reciprocating Saw Blades

EXPERT



- Ideal for precise straight cuts in aerated concrete, such as cutting a large format breeze block to fit into a wall; cutting aerated concrete blocks on a new building construction site; cutting other aerated concrete building materials.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Aerated Concrete.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8.5	3	225 x 19 x 1.25	CT	175	C1c	1	1	534985	2 608 900 408
					P1h	10	1	534992	2 608 900 409

EXPERT Aerated Concrete S1241HM Reciprocating Saw Blades

EXPERT



- Ideal for precise straight cuts in aerated concrete, such as cutting a large format breeze block to fit into a wall; cutting aerated concrete blocks on a new building construction site; cutting other aerated concrete building materials.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Aerated Concrete.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8.5	3	300 x 22 x 1.5	CT	250	C1c	1	1	535005	2 608 900 410
					C1c	3	1	535012	2 608 900 411
					P1h	10	1	535029	2 608 900 412

EXPERT Aerated Concrete S2041HM Reciprocating Saw Blades

EXPERT



- Ideal for precise straight cuts in aerated concrete, such as cutting a large format breeze block to fit into a wall; cutting aerated concrete blocks on a new building construction site; cutting other aerated concrete building materials.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Aerated Concrete.
- Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	400 x 22 x 1.5	CT	350	C1c	1	1	535036	2 608 900 413

LONG LIFE CUTTING FIBRE PLASTER MATERIAL

EXPERT 'Fiber Plaster' Blades

ASSORTMENT: S641HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Thick gauge blade offers extra robustness and stability




CARBIDE TECHNOLOGY

EXPERT Fiber Plaster S641HM Reciprocating Saw Blades

EXPERT



- Ideal for cut-outs in drywall, Gypsum fibreboard, concrete backer board or similar materials; working in drywall construction environments such as kitchen or bathroom renovation.
- Best for construction workers: long lasting and powerful.
- Lasts up to 50x longer than Bosch S628DF blade in tough materials.
- Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
4.3	6	150 x 19 x 1.25	CT	100	C1c	1	1	534978	2 608 900 407	

Reciprocating saw blades - Special for Plaster - BIM

Plasterboard

special  Plaster

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
								3 165 140...	
S 628 DF									
BIM, side set, milled									
Plasterboard, Gypsum fibreboard (<100 mm), especially for plunge cuts, tear-free cuts									
4.2	6	150 x 19 x 1.25	BIM	100	C1c	2	5	235891	2 608 656 274



Reciprocating saw blades - Special for Ice - Inox

Frozen materials

special  Ice

S 1211 K									
Stainless steel (Inox), side set, milled									
Frozen materials (<250 mm)									
8.5	3	300 x 19 x 1.25	HAS	250	C1c	5	5	017817	2 608 652 900




LONG LIFE CUTTING TOUGH WOOD

EXPERT 'Tough Wood' Blades

ASSORTMENT: S1142KHM, S1242KHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Thick gauge blade offers extra robustness and stability
- 4 Wide body for precise, straight cuts
- 5 Large gullet teeth chew through the toughest materials fast



**CARBIDE
TECHNOLOGY**

EXPERT Tough Wood S1142KHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough wood of any kind, such as: wet or pressure-treated lumber; dirty wood in an outdoor setting, such as cutting out roots; and thick planks.
- Best for gardeners and landscapers: long lasting and efficient.
- Lasts up to 50x longer than Bosch S1542K blade in tough materials.
- Fits all S-shank reciprocating saws.



**CARBIDE
TECHNOLOGY**

**UP TO
50x
LONG LIFE**

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8	3	225 x 25 x 1.25	CT	175	C1c	1	1	534930	2 608 900 403
					C1c	3	1	534947	2 608 900 404
					P1h	10	1	534954	2 608 900 405

EXPERT Tough Wood S1242KHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough wood of any kind, such as: wet or pressure-treated lumber; dirty wood in an outdoor setting, such as cutting out roots; and thick planks.
- ▶ Best for gardeners and landscapers: long lasting and efficient.
- ▶ Lasts up to 50x longer than Bosch S1542K blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8	3	300 x 25 x 1.25	CT	250	C1c	1	1	534961	2 608 900 406

Reciprocating saw blades - Top for Wood - HCS

Sharp, fast, efficient

top Wood

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




S 644 D



HCS, side set, ground

Construction wood (<100 mm), wooden wall (<100 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<100 mm), especially for plunge cuts

4	6	150 x 19 x 1.25	HCS	100	C1c	2	5	007689	2 608 650 614
					C1c	5	5	016025	2 608 650 673




S 1531 L



HCS, side set, ground

Coarse wood, free of nails (<190 mm), pruning green wood (diameter <190 mm), firewood (diameter <190 mm)

5	5	240 x 19 x 1.5	HCS	190	C1c	2	5	007672	2 608 650 613
					C1c	5	5	016056	2 608 650 676




S 1542 K



HCS, side set, ground

Firewood, damp wood (diameter <190 mm)

8.5	3	240 x 19 x 1.5	HCS	190	C1c	2	5	016773	2 608 650 681
-----	---	----------------	-----	-----	-----	---	---	--------	---------------



HCS, side set, ground



Firewood, damp wood (diameter <190 mm)

S 1542 K

8.5	3	240 x 19 x 1.5	HCS	190	C1c	5	5	016087	2 608 650 682
-----	---	----------------	-----	-----	-----	---	---	--------	---------------

Reciprocating saw blades - Progressor for Wood - HCS

Universal use, including plywood and plastic

 progressor 

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number


S 2345 X



HCS, side set, ground

Construction wood (<150 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<150 mm), wooden wall (<150 mm). Effortless, fine cut.

2.4-4.0	6-10	200 x 19 x 1.25	HCS	150	C1c	2	5	169578	2 608 654 403
					C1c	5	5	169585	2 608 654 404

Reciprocating saw blades - Basic for Wood - HCS

Good and cost-effective

 basic 

S 617 K


HCS, side set, ground

Coarse wood, free of nails (<100 mm), pruning green wood (diameter <100 mm), especially for curve cuts/plunge cuts

8.5	3	150 x 19 x 1.25	HCS	100	C1c	2	5	007702	2 608 650 616
-----	---	-----------------	-----	-----	-----	---	---	--------	---------------


S 1111 K


HCS, side set, ground

Coarse wood, free of nails (<175 mm), firewood (diameter <175 mm)

8.5	3	225 x 19 x 1.25	HCS	175	C1c	2	5	007719	2 608 650 617
					C1c	5	5	016070	2 608 650 678


S 1617 K


HCS, side set, ground

Coarse wood, free of nails (<250 mm), pruning green wood (diameter <250 mm)

8.5	3	300 x 19 x 1.25	HCS	250	C1c	5	5	016278	2 608 650 679
-----	---	-----------------	-----	-----	-----	---	---	--------	---------------

Reciprocating Saw Blade Sets

Reciprocating saw blades Tough Box Sets

PRODUCT PROPERTIES		ORDERING INFORMATION											
Set contents		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number							
15-piece reciprocating saw blade set Wood and Metal Basic													
S 918 AF Basic for Metal		P1k	15	1	846479	2 607 010 901							
S 918 BF Basic for Metal													
S 617 K Basic for Wood													
20-piece reciprocating saw blade set Wood and Metal													
S 922 EF Flexible for Metal		P1k	20	1	846486	2 607 010 902							
S 922 BF Flexible for Metal													
S 922 HF Flexible for Wood and Metal													
S 644 D Top for Wood													

Reciprocating saw blades Blister Sets

	6-piece reciprocating saw blade set Demolition						
	S 925 VF Heavy for Metal	PC1b	6	1	846530	2 607 010 907 ⁱ	
	S 610 VF Heavy for Wood and Metal						
	S 1110 VF Heavy for Wood and Metal						
	S 1125 VF Heavy for Metal	PC1b	12	1	846547	2 607 010 908 ⁱ	
	S 1120 CF Heavy for Metal						

ⁱ = 03.2025

Saw blades for Bosch Multisaw PFZ 500 E



M-shank

Saw blades - Top for Wood for Bosch Multisaw PFZ 500 E

Sharp, fast, efficient

top Wood


PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

M 1131 L

HCS, side set, ground, very sharp teeth
Coarse wood, firewood, green wood, branches, gardening work



5	5	235 x 36 x 0.9	HCS	150	C1c	1	1	451611	2 608 650 414
---	---	----------------	-----	-----	-----	---	---	--------	---------------




M 1142 H

HCS, ground
Especially optimised for clean cuts in wood, construction timber, panels and plastics.



2.3	11	235 x 36 x 0.9	HCS	150	C1c	1	1	413428	2 608 650 065
-----	----	----------------	-----	-----	-----	---	---	--------	---------------



Saw blades - Progressor for Wood and Metal for Bosch Multisaw PFZ 500 E

universal, fast

PROGRESSOR Wood & Metal

PRODUCT PROPERTIES				ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

M 3456 XF

BIM, side set, milled
Wood with nails/metal, wooden boards/chipboards (10-150 mm), sheet metals, pipes, profiles (5-18 mm), plastics: Pipes, profiles (diameter 10-150 mm)



2.2-4.6	6-12	235 x 36 x 0.9	150	C1c	1	1	413435	2 608 656 931
---------	------	----------------	-----	-----	---	---	--------	---------------



Saw blades - Flexible for Metal for Bosch Multisaw PFZ 500 E flexible, break-resistant

flexible  Metal



PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
M 1122 EF									
BIM, side set, milled Sheet metals (1.5-10 mm), profiles/pipes closed and open (<150 mm)									
1.4	18	235 x 36 x 0.9	BIM	150	C1c	1	1	413442	2 608 656 932

Saw blade set for Bosch Multisaw PFZ 500 E



PRODUCT PROPERTIES				ORDERING INFORMATION						
				Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
3-piece saw blade set										
M 1142 H Top for Wood				C1c	3	1	413459	2 608 656 934		
M 3456 XF Progressor for Wood and Metal										
M 1122 EF Flexible for Metal										

Accessories for the Bosch Band Saws

Band saw blade for GCB 18 V-LI, GCB 18V-63 Professional



PRODUCT PROPERTIES			ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Total length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
CB 281418 BIM band saw blade							
GCB 18.0 V-LI; GCB 18V-63 Professional							
1.4-1.8	14-18	733	C2a	2	1	644907	2 608 649 000
CB 2824 BIM band saw blade							
GCB 18.0 V-LI; GCB 18V-63 Professional							
1.1	24	733	C2a	2	1	644914	2 608 649 001



HOLE SAWS


Cut holes through every material.

The best your tool can get. Bosch Professional Accessories.



HOLE SAWS FOR POWER CHANGE PLUS SYSTEM

The complete range.

					
	Tough Material	Construction Material	Sheet Metal Carbide	Progressor for Wood and Metal	Special for Sheet Metal
	EXPERT	EXPERT	EXPERT		
Page number	310	316	323	321	325
Carbide Technology	✓	✓	✓	-	-
Diameter mm	20 - 152	19 - 159	20 - 68	14 - 210	16 - 152
Max. cutting depth mm	60	60	5	44	20
Compatible pilot drill types	HSS-G / HSS-Co / Carbide	HSS-G / Carbide	HSS-Co	HSS-G / HSS-Co	HSS-Co
Pilot drill length mm	105	105	55	85	65
					


MATERIALS

Wood	✓	✓	-	✓	-
Metal	✓	-	✓	✓	✓
Plastic	✓	✓	-	✓	-
Others	✓	✓	-	✓	-

*Bosch EXPERT products vs. Bosch standard products

ACCESSORIES FOR POWER CHANGE HOLESAWS

Power Change Plus: the Bosch Quick Change system.

					
	Tough Material	Construction Material	Sheet Metal Carbide	Progressor for Wood and Metal	Special for Sheet Metal
	EXPERT	EXPERT	EXPERT		
Page number	310	316	323	321	325
Pilot drill length mm	105	105	55	85	65
					

POWER CHANGE PLUS ADAPTERS

8.7mm 2 608 594 264	✓	✓	✓	✓	✓
11mm 2 608 594 265	✓	✓	✓	✓	✓
SDS Plus 2 608 594 266	✓	✓	✓	✓	✓

PILOT DRILL BIT

Wood/Plastic	2 608 900 528	2 608 900 528	–	2 608 594 254	–
Metal	2 608 900 530	–	2 608 900 503	2 608 594 255	2 608 594 257
Brick	2 608 900 529	2 608 900 529	–	–	–
Soft Tile	2 608 900 529	2 608 900 529	–	–	–
Tile	–	–	–	–	–

LONG LIFE CUTTING HOLES IN MULTI MATERIAL

EXPERT Tough Material Hole Saws

ASSORTMENT: Ø 20 – 152 mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Individually ground teeth made from fine, hard Carbide
- 3 Special slot design for better view and plug ejection



CARBIDE TECHNOLOGY

EXPERT Tough Material Hole Saws

EXPERT



- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switches, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than Bosch 2608580419 Hole Saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES

ORDERING INFORMATION

Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
20	60	PC1b	1	1	535654	2 608 900 419
22	60	PC1b	1	1	535661	2 608 900 420
25	60	PC1b	1	1	535678	2 608 900 421

EXPERT Tough Material Hole Saws

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	60	PC1b	1	1	535685	2 608 900 422
35	60	PC1b	1	1	535692	2 608 900 423
38	60	PC1b	1	1	535708	2 608 900 424
44	60	PC1b	1	1	535722	2 608 900 426
51	60	PC1b	1	1	535739	2 608 900 427
54	60	PC1b	1	1	535746	2 608 900 428
60	60	PC1b	1	1	535753	2 608 900 429
64	60	PC1b	1	1	535760	2 608 900 430
70	60	PC1b	1	1	535807	2 608 900 434
76	60	PC1b	1	1	535821	2 608 900 436

EXPERT Tough Material Hole Saw Starter Kits

EXPERT



- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Long Life Hole Saw and Super Fast Arbor.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x adapter nut 14-30 mm, 1 x adapter nut 32-210 mm						
68	60	PC1b	1	1	535968	2 608 900 450

EXPERT Tough Material Hole Saw Sets

EXPERT


- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than Bosch 2608580408 Hole Saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
9-piece Universal Set Tough Material						
6 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x pilot drill bit Carbide 105 mm						
22	60	M0a	6	1	535920	2 608 900 446
25						
35						
40						
51						
68						
14-piece Universal Set Tough Material						
11 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x pilot drill bit Carbide 105 mm						
20	60	M0a	11	1	535937	2 608 900 447
22						
25						
32						
35						
40						
44						
51						
60						
64						
76						
20	60	M0a	11	1	535944	2 608 900 448
22						
25						
32						
35						
40						
44						
51						
60						
68						
76						

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, HSS-G Drill 7.1 **EXPERT**

- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
7.15	105	PC1b	2	1	536736	2 608 900 527	

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, TCT-Drill 8.5 x **EXPERT**

- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
8.5	105	PC1b	2	1	536729	2 608 900 526	

PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm

EXPERT Power Change Plus Pilot Drill Bit, HSS-G 7.15 x 105 mm

EXPERT




- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pilot drill Plus HSS-G for steel, plastic, wood and drywall							
7.15	105	PC1b	1	5	536743	2 608 900 528	

EXPERT Power Change Plus Pilot Drill Bit, TCT 8.5 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pilot drill Plus TCT for brick and tiles							
8.5	105	PC1b	1	5	536750	2 608 900 529	

Pilot drill Plus TCT
for brick and tiles

8.5 105 PC1b 1 5 536750 2 608 900 529

EXPERT Power Change Plus Pilot Drill Bit, HSS-Co 7.15 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES

ORDERING INFORMATION

Pilot drill Plus HSS-Co
for steel, stainless steel and FRP

Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
PC1b	1	5	536767	2 608 900 530

LONG LIFE CUTTING HOLES IN BRICK AND PARTICLE BOARD

EXPERT Construction Material Hole Saws

ASSORTMENT: Ø 19 – 159 mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Individually ground teeth made from fine, hard Carbide
- 3 Efficient chip extraction through large slots



CARBIDE TECHNOLOGY

EXPERT Construction Material Hole Saws

EXPERT



- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switches, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than Bosch 2609256D05 Hole Saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

CARBIDE TECHNOLOGY UP TO 50x LONG LIFE

PRODUCT PROPERTIES

ORDERING INFORMATION

Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
19	60	PC1b	1	1	535975	2 608 900 451
20	60	PC1b	1	1	535982	2 608 900 452

EXPERT Construction Material Hole Saws

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
22	60	PC1b	1	1	535999	2 608 900 453
25	60	PC1b	1	1	536002	2 608 900 454
30	60	PC1b	1	1	536019	2 608 900 455
32	60	PC1b	1	1	536026	2 608 900 456
35	60	PC1b	1	1	536033	2 608 900 457
38	60	PC1b	1	1	536040	2 608 900 458
40	60	PC1b	1	1	536057	2 608 900 459
41	60	PC1b	1	1	536064	2 608 900 460
44	60	PC1b	1	1	536071	2 608 900 461
51	60	PC1b	1	1	536095	2 608 900 463
54	60	PC1b	1	1	536101	2 608 900 464
57	60	PC1b	1	1	536118	2 608 900 465
60	60	PC1b	1	1	536125	2 608 900 466
65	60	PC1b	1	1	536149	2 608 900 468
67	60	PC1b	1	1	536156	2 608 900 469
68	60	PC1b	1	1	536163	2 608 900 470
70	60	PC1b	1	1	536170	2 608 900 471
73	60	PC1b	1	1	536187	2 608 900 472
76	60	PC1b	1	1	536194	2 608 900 473
79	60	PC1b	1	1	536200	2 608 900 474
80	60	PC1b	1	1	536217	2 608 900 475
86	60	PC1b	1	1	536231	2 608 900 477
98	60	PC1b	1	1	536255	2 608 900 479
102	60	PC1b	1	1	536262	2 608 900 480
105	60	PC1b	1	1	536279	2 608 900 481
140	60	C1a	1	1	536323	2 608 900 486

EXPERT Construction Material Hole Saw Sets

EXPERT



- ▶ Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Lasts up to 50x longer than Bosch 2609256D05 Hole Saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
20	60	P1k	6	1	536361	2 608 900 490
25						
32						
38						
51						
64						

10-piece Universal Set Construction Material

6 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-Co 105 mm, 1 x pilot drill bit Carbide 105mm, 1 x spade bit 150x8 mm

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, HSS-G Drill 7.1 **EXPERT**



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
7.15	105	PC1b	2	1	536736	2 608 900 527	

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, TCT-Drill 8.5 x **EXPERT**



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.




PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
8.5	105	PC1b	2	1	536729	2 608 900 526	

PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm

EXPERT Power Change Plus Pilot Drill Bit, HSS-G 7.15 x 105 mm**EXPERT**

- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbor.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pilot drill Plus HSS-G for steel, plastic, wood and drywall							
7.15	105	PC1b	1	5	536743	2 608 900 528	

EXPERT Power Change Plus Pilot Drill Bit, TCT 8.5 x 105 mm**EXPERT**

- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbor.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pilot drill Plus TCT for brick and tiles							
8.5	105	PC1b	1	5	536750	2 608 900 529	

EXPERT Power Change Plus Pilot Drill Bit, HSS-Co 7.15 x 105 mm

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.




PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus HSS-Co for steel, stainless steel and FRP		PC1b	1	5	536767	2 608 900 530

Empty Holesaw Carrying Case

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Empty holesaw carrying case for compiling your own individual set For PC holesaws with a cutting depth < 65 mm						
Working length mm	60	P2k	1	1	704670	2 608 580 884



Progressor for Wood and Metal holesaws



► The cutting quality depends on the correct speed and the coolant used (see operating instructions).


PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
BIM Progressor Hole Saw offers 2x longer lifetime than predecessor						
14	44	PC1b	1	1	949644	2 608 594 195
16	44	PC1b	1	1	949651	2 608 594 196
17	44	PC1b	1	1	949668	2 608 594 197
19	44	PC1b	1	1	949675	2 608 594 198
20	44	PC1b	1	1	949682	2 608 594 199
21	44	PC1b	1	1	949699	2 608 594 200
22	44	PC1b	1	1	949705	2 608 594 201
24	44	PC1b	1	1	949712	2 608 594 202
25	44	PC1b	1	1	949729	2 608 594 203
27	44	PC1b	1	1	949736	2 608 594 204
29	44	PC1b	1	1	949743	2 608 594 205
30	44	PC1b	1	1	949750	2 608 594 206
32	44	PC1b	1	1	949767	2 608 594 207
33	44	PC1b	1	1	949774	2 608 594 208
35	44	PC1b	1	1	949781	2 608 594 209
37	44	PC1b	1	1	949798	2 608 594 210
38	44	PC1b	1	1	949804	2 608 594 211
40	44	PC1b	1	1	949811	2 608 594 212
41	44	PC1b	1	1	949828	2 608 594 213
43	44	PC1b	1	1	949835	2 608 594 214
44	44	PC1b	1	1	949842	2 608 594 215
46	44	PC1b	1	1	949859	2 608 594 216
48	44	PC1b	1	1	949866	2 608 594 217
51	44	PC1b	1	1	949873	2 608 594 218
52	44	PC1b	1	1	949880	2 608 594 219
54	44	PC1b	1	1	949897	2 608 594 220
56	44	PC1b	1	1	949903	2 608 594 221
57	44	PC1b	1	1	949910	2 608 594 222
59	44	PC1b	1	1	949927	2 608 594 223
60	44	PC1b	1	1	949934	2 608 594 224
64	44	PC1b	1	1	949941	2 608 594 225
65	44	PC1b	1	1	949958	2 608 594 226
67	44	PC1b	1	1	949965	2 608 594 227
68	44	PC1b	1	1	949972	2 608 594 228
70	44	PC1b	1	1	949989	2 608 594 229
73	44	PC1b	1	1	949996	2 608 594 230
76	44	PC1b	1	1	950008	2 608 594 231
79	44	PC1b	1	1	950015	2 608 594 232
83	44	PC1b	1	1	950022	2 608 594 233
86	44	PC1b	1	1	950039	2 608 594 234
89	44	PC1b	1	1	950046	2 608 594 235
92	44	PC1b	1	1	950053	2 608 594 236
98	44	PC1b	1	1	950077	2 608 594 238
102	44	PC1b	1	1	950084	2 608 594 239
105	44	PC1b	1	1	950091	2 608 594 240
108	44	PC1b	1	1	950107	2 608 594 241
111	44	PC1b	1	1	950114	2 608 594 242
114	44	PC1b	1	1	950121	2 608 594 243
121	44	C1b	1	1	950138	2 608 594 244
127	44	C1b	1	1	950145	2 608 594 245
140	44	C1b	1	1	950169	2 608 594 247
152	44	C1b	1	1	950176	2 608 594 248



Progressor for Wood and Metal holesaws

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
BIM Progressor Hole Saw offers 2x longer lifetime than predecessor							
95	44	PC1b	1	1	950060	2 608 594 237	

Progressor for Wood and Metal holesaw sets



9-piece Sanitary-Set Progressor for Wood&Metal

6 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit

38	44	P1k	6	1	949583	2 608 594 189	
51							
64							
20							
25							
32							



14-piece Universal-Set Progressor for Wood&Metal

11 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit

20	44	P1k	11	1	949613	2 608 594 192	
22							
25							
32							
35							
40							
44							
51							
60							
64							
76							



Progressor for Wood and Metal holesaw accessories

- ▶ Power Change adapter for fast and safe attachment and release of the pilot drill bit and holesaw in one click
- ▶ For quick core removal: Unlock, tilt and press out

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...			Part number
PC Plus mandrel 3/8" 8.7 mm incl. HSS-G drill bit 7.15x85mm								
7.15	85	PC1a	2	1	950220	2 608 594 253		



LONG LIFE CUTTING HOLES IN STAINLESS STEEL

EXPERT Sheet Metal Hole Saws

ASSORTMENT: Ø 20 – 68 mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Individually ground teeth made from fine, hard Carbide
- 3 Made from one piece of metal for ultimate stability



CARBIDE TECHNOLOGY

EXPERT Sheet Metal Hole Saws for Power Change Plus Systems

EXPERT



- ▶ Ideal for cutting neat holes up to 5 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; and holes for sockets, light switches and junction boxes.
- ▶ Best for metalworkers: long lasting and precise.
- ▶ Lasts up to 50x longer than Bosch 2608580408 Hole Saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

CARBIDE TECHNOLOGY UP TO 50x LONG LIFE


10 323

PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
20	5	PC1a	1	1	536378	2 608 900 491	
21	5	PC1a	1	1	536385	2 608 900 492	
22	5	PC1a	1	1	536392	2 608 900 493	
25	5	PC1a	1	1	536408	2 608 900 494	

Product Properties			Ordering Information				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number
27	5	PC1a	1	1	536415	2 608 900 495	
30	5	PC1a	1	1	536422	2 608 900 496	
32	5	PC1a	1	1	536439	2 608 900 497	
35	5	PC1a	1	1	536446	2 608 900 498	
40	5	PC1a	1	1	536453	2 608 900 499	
51	5	PC1a	1	1	536460	2 608 900 500	
68	5	PC1a	1	1	536477	2 608 900 501	

EXPERT

- ▶ Ideal for cutting neat holes up to 5 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; and holes for sockets, light switch, junction boxes.
- ▶ Best for metalworkers: long lasting and precise.
- ▶ Lasts up to 50x longer than Bosch 2608580408 Hole Saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



Product Properties		Ordering Information				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
6-piece Set Sheet Metal						
3 x hole saws, incl. 1 x Power Change Plus Hex 11 mm, 2 x pilot drill bit HSS-Co with ejection spring						
22	5	P1k	3	1	536484	2 608 900 502
25						
32						

EXPERT Power Change Plus Sheet Metal Pilot Drill Bits

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill bit HSS-Co for metal and stainless steel						
6	55	PC1b	1	5	536491	2 608 900 503

Special for Sheet Metal holesaws

 special for **SheetMetal**


- The cutting quality depends on the correct speed and the coolant used (see operating instructions).
- The diameters 16-22 mm are without ejection spring



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
17	20	PC1b	1	1	376006	2 608 584 779
65	20	PC1b	1	1	376228	2 608 584 801
86	20	PC1b	1	1	376303	2 608 584 809



Special for Sheet Metal holesaw sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
22 29 35 44 51 64	20	P2k	9	1	704649	2 608 580 881

9-piece electrician set, Sheet Metal holesaws
6 holesaws, 1 Power Change adapter, 2 HSS pilot drill bits

Special for Sheet Metal holesaw accessories



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7.15	65	PC1a	2	1	950251	2 608 594 256

PC Plus mandrel 3/8" 8.7 mm incl. HSS-Co drill bit 7.15x65mm


HIGH SPEED CHANGING HOLE SAWS AND DRILL BITS

Expert Power Change Plus

ASSORTMENT: Takes a full range of hole saws

EXPERT

- 1 Enjoy high efficiency with one of Bosch's Quick Change systems
- 2 One-click system, no need for extra tools
- 3 Reinforced shank transition for longer shank life
- 4 Designed for fast and easy plug removal
- 5 Takes a full range of hole saws



EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, HSS-G Drill 7.1

EXPERT




- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



10 327

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
7.15	105	PC1b	2	1	536736	2 608 900 527

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, TCT-Drill 8.5 x **EXPERT**



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than Bosch 2609390034 Adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm							
8.5	105	PC1b	2	1	536729	2 608 900 526	

EXPERT Power Change Plus Pilot Drill Bit, HSS-G 7.15 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
					4 059 952...		
Pilot drill Plus HSS-G for steel, plastic, wood and drywall							
7.15	105	PC1b	1	5	536743	2 608 900 528	

Pilot drill Plus HSS-G for steel, plastic, wood and drywall


7.15	105	PC1b	1	5	536743	2 608 900 528	
------	-----	------	---	---	--------	---------------	--

EXPERT Power Change Plus Pilot Drill Bit, TCT 8.5 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pilot drill Plus TCT for brick and tiles		8.5	105	PC1b	1	5	536750 2 608 900 529

EXPERT Power Change Plus Pilot Drill Bit, HSS-Co 7.15 x 105 mm

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Quick Change System for more efficiency.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Pilot drill Plus HSS-Co for steel, stainless steel and FRP		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
		PC1b	1	5	536767	2 608 900 530	

EXPERT Power Change Plus Sheet Metal Pilot Drill Bits

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill bit HSS-Co for metal and stainless steel		PC1b	1	5	536491	2 608 900 503

Extension bars

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11 mm hex extension for adapter with width across flats 5/16"/8 mm hex shank.						
305		C1d	1	1	469494	2 608 580 094
9.5 mm hex extension for adapter with key width 3/8"/9.5 mm hex shank						
305		PC1b	1	5	262699	2 608 584 681
11 mm hex extension for adapter with width across flats 7/16"/11 mm hex shank						
305		C1d	1	1	087827	2 609 390 038

Power Change Plus adapter (blue)

- ▶ Power Change adapter for fast and safe attachment and release of the pilot drill bit and holesaw in one click
- ▶ For quick core removal: Unlock, tilt and press out
- ▶ Increased robustness and precision from predecessor



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...			Part number
PC Plus mandrel 3/8" 8.7 mm incl. HSS-Co drill bit 7.15x65mm								
7.15	65	PC1a	2	1	950251	2 608 594 256		



PC Plus mandrel 3/8" 8.7 mm incl. HSS-G drill bit 7.15x85mm							
7.15	85	PC1a	2	1	950220	2 608 594 253	



HSS-Co pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point							
7.15	120	PC1d	1	5	414609	2 608 584 843	



HSS-Co pilot drill bit for holesaws with cutting capacity <46 mm with 1/4" hex shank, 135° point angle and split point							
7.15	80	PC1d	1	5	279925	2 608 584 677	



HSS-Co pilot drill bit with 1/4" hex shank, 135° point angle and split point							
7.15	65	PC1d	1	5	365550	2 608 584 750	



HSS-G pilot drill bit for holesaws with cutting capacity <46 mm with 1/4" hex shank, 135° point angle and split point							
7.15	80	PC1a	1	5	279918	2 608 584 676	



Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips							
7.15	120	PC1d	1	1	375924	2 608 584 777	

Transition adapter nuts for holesaws



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	
6-piece extension adapter set for standard holesaws from competitors (for example, Starrett, Baco, Lenox etc.) with 2 adapters for diameter 14-30 mm (1/2"-20UNF thread), 4 adapters for diameter 32-210 mm (5/8"-18UNF thread)					
	PC1c	6	1	262705	2 608 584 682

Tool-free quick change adapter for threaded hole saws

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
	HSS-G pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point					
	7.15	104	PC1b	1	1	716161
	HSS-Co pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point					
	7.15	120	PC1d	1	5	414609
	Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips					
	7.15	120	PC1d	1	1	375924


Standard adapter for threaded holesaws

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Hex adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 295) Width across flats 1/4" (6.35 mm), for diameter 32 mm, 1 1/4" - diameter 76 mm, 3" (in metal up to 40 mm diameter)					
		PC1b	1	1	698245	2 609 390 587
	Hex adapter with 1/2"-20UNF thread and HSS-G pilot drill bit (2 608 596 295) Width across flats 9.52 mm, for diameter 14 mm, 9/16" - diameter 30 mm, 1 3/16"					
		PC1b	1	1	698252	2 609 390 588
	Hexagon adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 119) Width across flats 11 mm, for diameter 32 mm, 1 1/4" - diameter 210 mm, 8 9/32"					
		PC1b	1	1	087780	2 609 390 034

Pilot drill bits for standard adapter


PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	HSS-G pilot drill bit for hexagon socket adapter, width across flats 11 mm					
	102	PC1a	1	5	045186	2 608 596 119
	HSS-G pilot drill bit for SDS plus and hexagon adapter, width across flats 6.35 (1/4") and 9.52 mm					
	81	PC1a	1	5	103480	2 608 596 295

HSS bi-metal holesaws with 8% Cobalt for standard adapters



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
86	44	C1a	1	1	429634	2 608 584 850
92	44	C1a	1	1	087698	2 608 584 129
111	44	C1a	1	1	429658	2 608 584 852
114	44	C1a	1	1	087735	2 608 584 133
121	44	C1a	1	1	087742	2 608 584 134
127	44	C1a	1	1	096614	2 608 584 136
140	44	C1a	1	1	096621	2 608 584 137
152	44	C1a	1	1	096638	2 608 584 138

Arbored Hole Saws and Holesaw Sets



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Cutting depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
8-piece hole cutter set Coarse cut teeth and rapid drilling rate. Shank firmly bound to the body. This ensures sturdiness and optimum true running.							
25	27	C1a	8	1	004442	1 609 200 243	
32							
38							
44							
51							
57							
63							
68							



MULTITOOL ACCESSORIES

Cut, grind, and scrape effectively.

The best your tool can get. Bosch Professional Accessories.



STARLOCK ACCESSORIES FOR CUTTING WOOD

Multitool woodworking.



AIZ 32 EPC



PAIZ 32 EPC



MAIZ 32 EPC

Page number	352	352	352
System	Starlock	StarlockPlus	StarlockMax
Dimension mm	32 x 50	32 x 60	32 x 80
Blade material	HCS	HCS	HCS

MATERIALS

Tear-free cuts	✓	✓	✓
Softwood	✓	✓	✓
Hardwood	-	-	-
Plywood	-	-	-
Chipboard	-	-	-
Laminate, wood plastic composites	-	-	-
Parquet	-	-	-



AIZ 32 BSPB



AII 65 BSPB




ACZ 85 EC

353	353	353
Starlock	Starlock	Starlock
32 × 50	65 × 40	Ø 85
BIM	BIM	HCS
✓	✓	✓
✓	✓	✓
✓	✓	-
✓	✓	-
✓	✓	-
✓	✓	-
✓	✓	-

STARLOCK ACCESSORIES FOR WOOD AND METAL

Don't stop for nails.



Page number	354	354	354	354	355
System	Starlock	Starlock	Starlock	StarlockPlus	StarlockMax
Dimension mm	10 × 25	20 × 30	32 × 50	32 × 60	32 × 80
Blade material	BIM	BIM	BIM	BIM	BIM

MATERIALS

Tear free Cut	-	-	✓	✓	✓
Wood working materials, non abrasive	✓	✓	✓	✓	✓
Wood working materials, abrasive	✓	✓	✓	✓	✓
Plasterboard	✓	✓	✓	✓	✓
Sandwich materials	✓	✓	✓	✓	✓
Non ferrous metal profile	✓	✓	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓	✓	✓
Non hardened nails and screws	✓	✓	✓	✓	✓

				
AII 65 APB	PAII 65 APB	MAII 52 APB	ACZ 85 EB	ACZ 100 BB
355	355	356	356	356
Starlock	StarlockPlus	StarlockMax	Starlock	Starlock
65 × 40	65 × 55	52 × 75	Ø 85	Ø 100
BIM	BIM	BIM	BIM	BIM
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓

STARLOCK ACCESSORIES FOR METAL CUTTING

Multitool metalworking.

				
	AIZ 20 AIT	AIZ 32 AIT	PAIZ 32 AIT	
	EXPERT	EXPERT	EXPERT	
Page number	357	358	358	
System	Starlock	Starlock	StarlockPlus	
Blade Name				
Dimension mm	20 × 40	32 × 40	32 × 55	
Blade material	Coated Carbide	Coated Carbide	Coated Carbide	
				

MATERIALS

Non ferrous metal profile	✓	✓	✓	
Non ferrous sheet metals up to 1mm	✓	✓	✓	
Non hardened nails and screws	✓	✓	✓	
Hardened nails & screws	✓	✓	✓	
Stainless steel profile	✓	✓	✓	
Stainless steel sheets up to 1mm	–	–	–	

				
	MAII 32 AIT	AIZ 45 AIT	PAIZ 45 AIT	AIZ 32 AB
	EXPERT	EXPERT	EXPERT	
	359	359	360	360
	StarlockMax	Starlock	StarlockPlus	Starlock
	32 × 70	45 × 35	45 × 50	32 × 50
	Coated Carbide	Coated Carbide	Coated Carbide	BIM
	 	 	 	
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	-
	✓	✓	✓	-
	-	-	-	-

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

One blade for all.

				
	AIZ 32 APIT	PAIZ 32 APIT	PAII 52 APT	
	EXPERT	EXPERT	EXPERT	
Page number	361	362	362	
System	Starlock	StarlockPlus	StarlockPlus	
Blade Name				
Dimension mm	32 × 40	32 × 55	52 × 50	
Blade material	Coated Carbide	Coated Carbide	Coated Carbide	
				

MATERIALS

Tear free Cut	✓	✓	✓	
Wood working materials, non abrasive	✓	✓	✓	
Wood working materials, abrasive	✓	✓	✓	
Plasterboard	✓	✓	✓	
Sandwich materials	✓	✓	✓	
Non ferrous metal profile	✓	✓	✓	
Non ferrous sheet metals up to 1mm	✓	✓	✓	
Non hardened nails and screws	✓	✓	✓	
Hardened nails & screws	✓	✓	✓	
Stainless steel profile	✓	✓	✓	
Stainless steel sheets up to 1mm	✓	✓	✓	
Fiber reinforced composites (e.g. Epoxy)	✓	✓	✓	
Cement bonded fibre boards	✓	✓	✓	
Gypsum	–	–	–	

*Bosch EXPERT products vs. Bosch standard products

				
	MALI 32 APIT	ACZ 105 ET	ACZ 85 EIB	AVZ 93 G
	EXPERT	EXPERT		
	363	364	365	374
	StarlockMax	Starlock	Starlock	Starlock
	32 × 70	Ø 105	Ø 85	Ø 93
	Coated Carbide	Carbide	Coated BIM	
				
	✓	✓	✓	-
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	-
	✓	-	✓	-
	✓	✓	✓	-
	✓	-	✓	-
	✓	✓	✓	-
	✓	✓	-	-
	✓	✓	-	-
	✓	-	-	-
	✓	✓	-	✓
	✓	✓	-	-
	-	-	-	✓

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

One blade for every material.



ACZ 100 SWB



ATZ 52 SC



ATZ 52 SFC



ASZ 32 SC

Page number	366	366	366	367
System	Starlock	Starlock	Starlock	Starlock
Dimension mm	Ø 100	52 × 27	52 × 40	24 × 11
Blade material	BIM	HCS	HCS	HCS

MATERIALS

Soft floor materials (carpet, bitumen, linoleum)	✓	-	-	✓
Artificial turf	-	-	-	✓
Insulation materials	✓	-	-	✓
Soft joint material	-	-	-	-
Putty materials	-	-	-	-
Soft carpet residues/ adhesive	✓	-	✓	-
Hard carpet residues/ adhesives	-	✓	-	-
Mortar/tile adhesive	-	✓	-	-
Paint / varnish	-	-	✓	-

			
AIZ 28 SC	MAII 32 SC	MAII 32 SLC	MATI 66 SC
367	367	368	368
Starlock	StarlockMax	StarlockMax	StarlockMax
28 × 45	32 × 55	32 × 70	65 × 30
HCS	HCS	HCS	HCS
-	-	-	✓
-	-	-	-
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

Multitool sanding plates.

				
	AVZ 32 RT4	AVZ 32 RT10	AVZ 90 RT2	AVZ 90 RT4
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	373	374	369	370
System	Starlock	Starlock	Starlock	Starlock
Blade Name				
Dimension mm	32 × 53	32 × 53	Ø 90	Ø 90
Blade material	Carbide Grit 40	Carbide Grit 100	Carbide Grit 20	Carbide Grit 40
				

MATERIALS

Fiber reinforced composites (e.g. Epoxy)	✓	–	✓	✓
Cement bonded fibre boards	✓	–	✓	✓
Gypsum	✓	✓	–	✓
Soft carpet residues/adhesive	✓	–	–	–
Hard carpet residues/adhesives	✓	–	✓	✓
Mortar/tile adhesive	✓	–	✓	✓
Aerated concrete and soft bricks	–	–	✓	–
Paint / varnish	✓	–	–	✓
Clean wood	✓	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

					
	AVZ 90 RT6	AVZ 90 RT10	MAVZ 116 RT2	MAVZ 116 RT4	MAVZ 116 RT10
	EXPERT	EXPERT	EXPERT	EXPERT	EXPERT
	370	371	371	372	372
	Starlock	Starlock	StarlockMax	StarlockMax	StarlockMax
	Ø 90	Ø 90	Ø 116	Ø 116	Ø 116
	Carbide Grit 60	Carbide Grit 100	Carbide Grit 20	Carbide Grit 40	Carbide Grit 100
					

	✓	-	✓	✓	-
	✓	-	✓	✓	-
	✓	-	-	✓	-
	-	-	-	-	-
	-	-	✓	✓	-
	-	-	✓	✓	-
	-	-	✓	-	-
	✓	-	-	✓	-
	✓	✓	✓	✓	✓

STARLOCK ACCESSORIES FOR MULTI-CUTTER TOOL GROUT AND ABRASIVES

Remove tiles with your multitool.

			
	ACZ 85 RD4	ACZ 85 RT3	ACZ 70 RT5
	EXPERT		
Page number	376	377	377
System	Starlock	Starlock	Starlock
Blade Name			
Dimension mm	Ø 85	Ø 85	Ø 70
Blade material	Diamond	Carbide Grit	Carbide Grit
	 		

MATERIALS

Plasterboard	✓	✓	✓
Fiber reinforced composites (e.g. Epoxy)	✓	✓	✓
Cement bonded fibre boards	✓	✓	✓
Mortar/tile adhesive	-	-	-
Thin grout (< 1.6mm)	-	-	✓
Standard grout (2-3mm)	✓	✓	-
Soft tile	✓	-	-
Aerated concrete and soft bricks	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

				
	AVZ 70 RT4	MATI 68 RD4	MATI 68 RSD4	MATI 68 MT4
	EXPERT	EXPERT	EXPERT	
	378	379	380	380
	Starlock	StarlockMax	StarlockMax	StarlockMax
	Ø 70	68 x 30	68 x 10	68 x 30
	Carbide Grit	Diamond	Diamond	Melted Carbide
		 	 	
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	-	-	-
	-	-	✓	-
	✓	✓	-	✓
	-	✓	✓	-
	-	✓	✓	✓

Starlock HCS plunge cut saw blade AIZ 32 EPC Wood




- ▶ **AIZ 32 EPC**
- ▶ Starlock HCS plunge cut saw blade Wood
- ▶ Plunge cutting in softwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	50	PC1d	1	1	978910	2 608 664 904
		PC1a	5	1	484930	2 608 661 626

StarlockPlus HCS plunge cut saw blade PAIZ 32 EPC Wood




- ▶ **PAIZ 32 EPC**
- ▶ StarlockPlus HCS plunge cut saw blade Wood
- ▶ Deep 60 mm plunge cut in softwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	60	PC1a	1	1	833356	2 608 662 561

StarlockMax HCS plunge cut saw blade MAIZ 32 EPC Wood




- ▶ **MAIZ 32 EPC**
- ▶ StarlockMax HCS plunge cut saw blade Wood
- ▶ Fast and deep plunge cuts in wood (e.g. window frames)
- ▶ Fast and deep plunge cuts in wooden beams
- ▶ Subsequently making recesses for tenons and connections (ideal with Expert depth stop)



32	80	PC1a	1	1	833080	2 608 662 568
----	----	------	---	---	--------	---------------

Starlock BIM plunge cut saw blade AIZ 32 BSPB Hard Wood




- ▶ **AIZ 32 BSPB**
- ▶ Starlock BIM plunge cut saw blade Hard Wood
- ▶ Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	50	PC1d	1	1	978927	2 608 664 905
		PC1a	5	1	484978	2 608 661 630

Starlock BIM plunge cut saw blade AII 65 BSPB Hard Wood




- ▶ **AII 65 BSPB**
- ▶ Starlock BIM plunge cut saw blade Hard Wood
- ▶ Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length



Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
65	40	PC1d	1	1	978941	2 608 664 907

Starlock HCS segment saw blade ACZ 85 EC Wood




- ▶ **ACZ 85 EC**
- ▶ Starlock HCS segment saw blade Wood, with depressed centre
- ▶ Plunge cutting in solid wood, e.g. for installing a ventilation grille
- ▶ Flush cutting wood (e.g. a protruding tenon on a wood joint)
- ▶ Cutting a plastic pipe (PVC) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85		PC1d	1	1	979023	2 608 664 915

Starlock BIM plunge cut saw blade AIZ 10 AB Wood and Metal




- ▶ **AIZ 10 AB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Filigree adjustment work on non-ferrous profiles
- ▶ Filigree adjustment work in wood (e.g. subsequently sawing recesses for locks and fittings)
- ▶ Plunge cuts in plasterboard



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	20	PC1d	1	1	978989	2 608 664 911

Starlock BIM plunge cut saw blade AIZ 20 AB Wood and Metal




- ▶ **AIZ 20 AB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting a copper pipe
- ▶ Plunge cuts in plasterboard



20	30	PC1d	1	1	978996	2 608 664 912
		PC1a	5	1	484954	2 608 661 628

Starlock BIM plunge cut saw blade AIZ 32 APB Wood and Metal




- ▶ **AIZ 32 APB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Plunge cut in wood, abrasive wooden materials, plastics
- ▶ Cutting non-ferrous pipes and profiles with smaller dimensions
- ▶ Cutting non-hardened nails, screws and steel profiles with smaller dimensions



32	50	PC1d	1	1	978958	2 608 664 908
		PC1a	5	1	484961	2 608 661 629

StarlockPlus BIM plunge cut saw blade PAIZ 32 APB Wood and Metal




- ▶ **PAIZ 32 APB**
- ▶ StarlockPlus BIM plunge cut saw blade Wood and Metal
- ▶ Deep 60 mm plunge cut in wood, abrasive wooden materials, plastics
- ▶ Cutting non-ferrous pipes and profiles with smaller dimensions
- ▶ Cutting non-hardened nails, screws and steel profiles with smaller dimensions



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	60	PC1d	1	1	979146	2 608 664 927

StarlockMax BIM plunge cut saw blade MAIZ 32 APB Wood and Metal




- ▶ **MAIZ 32 APB**
- ▶ StarlockMax BIM plunge cut saw blade Wood and Metal
- ▶ Fast and deep plunge cuts in wood and nails
- ▶ Fast and deep plunge cuts in wooden beams
- ▶ Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	80	PC1d	1	1	979177	2 608 664 930

Starlock BIM plunge cut saw blade AII 65 APB Wood and Metal




- ▶ **AII 65 APB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Cutting wood with nails
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Plunge cuts in laminated panels (e.g. recesses for a shelf board)




PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
65	40	PC1d	1	1	978972	2 608 664 910
		PC1a	5	1	666008	2 608 661 907

StarlockPlus BIM plunge cut saw blade PAII 65 APB Wood and Metal




- ▶ **PAII 65 APB**
- ▶ StarlockPlus BIM plunge cut saw blade Wood and Metal
- ▶ Cutting wood with nails
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Plunge cuts in laminated panels (e.g. recesses for a shelf board)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
65	50	PC1d	1	1	979153	2 608 664 928

StarlockMax BIM plunge cut saw blade MAII 52 APB Wood and Metal



- ▶ **MAII 52 APB**
- ▶ StarlockMax BIM plunge cut saw blade Wood and Metal
- ▶ Deep and wide plunge cuts in wood containing nails (e.g. window frames with metal components)
- ▶ Deep and wide plunge cuts in wooden beams containing nails
- ▶ Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
52	70	PC1a	1	1	833134	2 608 662 574

Starlock BIM segment saw blade ACZ 85 EB Wood and Metal



- ▶ **ACZ 85 EB**
- ▶ Starlock BIM segment saw blade Wood and Metal, with depressed centre
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Cutting out laminate/parquet (e.g. for installing a partition wall)
- ▶ Cutting smaller mouldings to length (e.g. aluminium floor cover strips)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85		PC1d	1	1	979030	2 608 664 916

Starlock BIM segment saw blade ACZ 100 BB Wood and Metal



- ▶ **ACZ 100 BB**
- ▶ Starlock BIM segment saw blade Wood and Metal, with depressed centre
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Cutting out laminate/parquet (e.g. for installing a partition wall)
- ▶ Cutting smaller mouldings to length (e.g. aluminium floor cover strips)



100	PC1a	1	1	492379	2 608 661 633
-----	------	---	---	--------	---------------

LONG LIFE CUTTING HARD METAL

EXPERT MetalMax Blades

ASSORTMENT: Width: 20-45mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Extra coating makes carbide tougher!
- 3 Less skidding on screws due to flat edge design



EXPERT MetalMax AIZ 20 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with outstanding performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES				ORDERING INFORMATION			
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
20	40	PC1d	1	1	530642	2 608 900 012	
		PC1d	5	1	530659	2 608 900 013	

EXPERT MetalMax AIZ 32 AIT Plunge Saw Blades

EXPERT



- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with outstanding performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
32	40	PC1d	1	1	530666	2 608 900 014	
		PC1d	5	1	530673	2 608 900 015	
		P1h	10	1	530680	2 608 900 016	
		C0a	1	25	530697	2 608 900 017	

EXPERT MetalMax PAIZ 32 AIT Plunge Saw Blades

EXPERT



- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with outstanding performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
32	50	P1h	10	1	530727	2 608 900 020	

EXPERT MetalMax MAII 32 AIT Plunge Saw Blades

EXPERT



- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with outstanding performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
32	70	P1h	10	1	530758	2 608 900 023	

EXPERT MetalMax AIZ 45 AIT Plunge Saw Blades

EXPERT



- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with outstanding performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
45	40	PC1d	1	1	530703	2 608 900 018	

EXPERT MetalMax PAIZ 45 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with outstanding performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
45	50	PC1d	1	1	530734	2 608 900 021

Starlock BIM plunge cut saw blade AIZ 32 AB Metal



- **AIZ 32 AB**
- Starlock BIM plunge cut saw blade Metal
- Flush cutting soft nails
- Flush cutting a copper pipe
- Cuts in plasterboard

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	50	PC1d	1	1	979009	2 608 664 913
		PC1a	5	1	666015	2 608 661 908



LONG LIFE CUTTING SHEET METAL AND ABRASIVE MATERIALS

EXPERT MultiMax Blades

ASSORTMENT: Width: 32mm, 52mm

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Extra coating makes carbide tougher!
- 3 Curved-Tec blade for controlled and clean plunge cuts
- 4 Thin carbide blade for faster sawing



CARBIDE TECHNOLOGY
EXTRA

EXPERT MultiMax AIZ 32 APIT Plunge Saw Blades

EXPERT



- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.


CARBIDE TECHNOLOGY
EXTRA

UP TO 50x
LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION			
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
32	40	PC1d	1	1	530765	2 608 900 024	
		PC1d	5	1	530772	2 608 900 025	
		P1h	10	1	530789	2 608 900 026	
		C0a	1	25	530796	2 608 900 027	

EXPERT MultiMax PAIZ 32 APIT Plunge Saw Blades

EXPERT




- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
32	50	PC1d	1	1	530802	2 608 900 028	
		P1h	10	1	530819	2 608 900 029	

EXPERT MultiMax PAII 52 APIT Plunge Saw Blades

EXPERT



- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.


PRODUCT PROPERTIES		ORDERING INFORMATION					
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
52	50	PC1d	1	1	530826	2 608 900 030	

EXPERT MultiMax MAII 32 APIT Plunge Saw Blades

EXPERT



- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES				ORDERING INFORMATION				
		Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
		32	70	PC1d	1	1	530833	2 608 900 031
				P1h	10	1	530840	2 608 900 032

LONG LIFE CUTTING ABRASIVE AND COMPOSITE MATERIALS

EXPERT MultiMaterial Segment Blades

ASSORTMENT: Ø105mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts




CARBIDE TECHNOLOGY

EXPERT MultiMaterial ACZ 105 ET Segment Saw Blades

EXPERT



- Ideal for precision cutting in a wide variety of materials, including laminates and composites; can cut solid surface materials; makes good plunge cuts and survives striking brick.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than Bosch ACZ 85 EB blade.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY

UP TO 50x LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION	
Diameter [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
105	P1h	5	1	896122	2 608 664 207	

Starlock BIM-TiN segment saw blade ACZ 85 EIB Multi Material



- ▶ ACZ 85 EIB
- ▶ Starlock BIM-TiN segment saw blade Multi Material, with depressed centre
- ▶ Plunge cutting in plasterboard or cement-bonded fibre boards (e.g. for installing a ventilator)
- ▶ Cutting smaller mouldings to length (e.g. aluminium floor cover strips)
- ▶ Cutting recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard in a boat)

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	85	PC1d	1	1	979047	2 608 664 917




Starlock BIM serrated segment blade ACZ 100 SWB Multi Material



- ▶ **ACZ 100 SWB**
- ▶ Starlock BIM serrated segment blade
- ▶ Flush cutting to length of protruding insulation material, especially polystyrene
- ▶ Cutting insulation panels to size (e.g. Flumroc floor panel/sound insulation panel)
- ▶ Cutting soft materials (e.g. cardboard, carpet, rubber, leather...)

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
		100	PC1a	1	1	546737
						2 608 661 693



Starlock HCS scraper ATZ 52 SC, rigid Multi Material




- ▶ **ATZ 52 SC**
- ▶ Starlock HCS scraper, rigid
- ▶ Removing mortar or tile adhesive (e.g. when replacing damaged tiles)
- ▶ Removing mortar and concrete residues
- ▶ Removing hard, brittle carpet adhesive residues

	52	PC1a	1	1	492492	2 608 661 646
--	----	------	---	---	--------	---------------



Starlock HCS scraper ATZ 52 SFC, flexible Multi Material



- ▶ **ATZ 52 SFC**
- ▶ Starlock HCS scraper, flexible
- ▶ Removing soft carpet adhesive residues
- ▶ Removing paint residues

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
		PC1d	1	1	979108	2 608 664 923



Starlock HCS multi blade ASZ 32 SC




- ▶ **ASZ 32 SC**
- ▶ Starlock HCS multi blade
- ▶ Cutting flexible abrasive materials (e.g. roofing felt, bitumen shingles)
- ▶ Cutting soft materials (e.g. carpet, cardboard, PVC floor)
- ▶ Cutting artificial turf



PRODUCT PROPERTIES		ORDERING INFORMATION				
Cutting width [mm]	Cut length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
24	11	PC1d	1	1	979122	2 608 664 925

Starlock HCS universal joint cutter AIZ 28 SC Multi Material



- ▶ **AIZ 28 SC**
- ▶ Starlock HCS universal joint cutter
- ▶ Cutting soft expansion joints
- ▶ Cutting window putty (sealing compound)
- ▶ Cutting insulation materials (e.g. Flumroc rockwool)



28	40	PC1d	1	1	979115	2 608 664 924
		COa	1	25	665995	2 608 661 906

Starlock MaxHCS universal joint cutter MAII 32 SC Multi Material




- ▶ **MAII 32 SC**
- ▶ StarlockMax HCS universal joint cutter
- ▶ Cutting expansion joints (e.g. silicone)
- ▶ Cutting out window putty (sealing compound)
- ▶ Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	55	PC1a	1	1	833172	2 608 662 583

StarlockMax HCS universal joint cutter MAII 32 SLC



- ▶ MAII 32 SLC
- ▶ StarlockMax HCS long universal joint cutter
- ▶ Deep 70 mm cutting of expansion joints (e.g. silicone)
- ▶ Deep cutting of window putty (sealing compound)
- ▶ Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	70	PC1a	1	1	833158	2 608 662 575

Starlock Max HCS segment blade MATI 66 SC



- ▶ MATI 66 SC
- ▶ StarlockMax HCS segment blade
- ▶ Fast cutting of window putty (e.g. cutting out insulating glass panes laid in a putty bed)
- ▶ Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)
- ▶ Cuts in corners of soft materials



66	30	PC1a	1	1	833233	2 608 662 579
----	----	------	---	---	--------	---------------


LONG LIFE SANDING MULTI MATERIAL

EXPERT Sanding Plates

ASSORTMENT: #20 - #100

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Easy cleaning to maintain best performance
- 3 Delta shape reaches corners while sanding efficiently
- 4 Sands the narrowest gaps with this extra-thin blade



CARBIDE
TECHNOLOGY

EXPERT AVZ 90 RT2 Sanding Plates

EXPERT



- Ideal for coarse sanding to remove all kinds of material, including tile mortar; glue residue left on flooring by carpets; and for rough shaping of wood.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.


CARBIDE
TECHNOLOGY



11 369

PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
90	20	PC1a	1	1	530970	2 608 900 045	
		C0a	10	1	530987	2 608 900 046	


EXPERT AVZ 90 RT4 Sanding Plates

EXPERT

- ▶ Ideal for coarse sanding to remove mortar; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
90	40	PC1a	1	1	530994	2 608 900 047


EXPERT AVZ 90 RT6 Sanding Plates

EXPERT

- ▶ Ideal for coarse sanding to prepare surfaces for re-painting; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
90	60	PC1a	1	1	531014	2 608 900 049


EXPERT AVZ 90 RT10 Sanding Plates

EXPERT

- Ideal for medium grain sanding to smooth surfaces for re-painting. Created for clean surfaces, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
90	100	PC1a	1	1	530956	2 608 900 043

EXPERT MAVZ 116 RT2 Sanding Plates


EXPERT

- Ideal for coarse sanding to remove all kinds of material, including tile mortar; glue residue left on flooring by carpets; and for rough shaping of wood.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
116	20	PC1a	1	1	531045	2 608 900 052

EXPERT MAVZ 116 RT4 Sanding Plates

EXPERT




- ▶ Ideal for coarse sanding to remove mortar; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
116	40	PC1a	1	1	531052	2 608 900 053

EXPERT MAVZ 116 RT10 Sanding Plates

EXPERT



- ▶ Ideal for medium grain sanding to smooth surfaces for re-painting. Created for clean surfaces, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
116	100	PC1a	1	1	531038	2 608 900 051

LONG LIFE SANDING TIGHT GAPS

EXPERT Sanding Fingers

ASSORTMENT: #40; #100

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Easy cleaning to maintain best performance
- 3 Reaches every corner with a pointed tip
- 4 Sands the narrowest gaps with this extra-thin blade



CARBIDE TECHNOLOGY

EXPERT AVZ 32 RT4 Sanding Fingers

EXPERT



- Ideal for sanding in tight gaps and hard-to-access niches, such as between the gaps in patio decking. The RT4 has grit size 40 for removing old paint or varnish.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY LONG LIFE


PRODUCT PROPERTIES

ORDERING INFORMATION

Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	50	PC1d	1	1	530925	2 608 900 040

EXPERT AVZ 32 RT10 Sanding Fingers

EXPERT



- ▶ Ideal for sanding in tight gaps and hard-to-access niches, such as between the gaps in patio decking. The RT10 has grit size 100 for preparing clean wood surfaces prior to re-painting or varnishing.
- ▶ Multitool versatility with maximum performance.
- ▶ Long-Lasting Sanding with Carbide Technology.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	50	PC1d	1	1	530918	2 608 900 039

Starlock sanding plate



- ▶ AVZ 93 G
- ▶ Sanding plate with micro hook-and-loop-type fastening system
- ▶ Quick, easy sanding sheet change

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
93		PC1d	1	1	979139	2 608 664 926



Dust extraction

- ▶ **Appropriate for** Bosch Starlock (GOP 12V-28 Professional; PMF 220 CE; PMF 250 CES), Bosch StarlockPlus (GOP 30-28; GOP 40-30; GOP 18V-28 Professional; PMF 350 CES) and Bosch StarlockMax (GOP 55-36 Professional) machines
- ▶ **Appropriate for** Bosch GOP 300 SCE; GOP 14,4 V-EC; GOP 18 V-EC Professional

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
		P1d	1	1	851626	2 608 000 636


for extracting sanding dust in combination with the Starlock sanding plate AVZ 93 G

GOP 12V-28 (0 601 8B5 0..); GOP 18V-28 (0 601 8B6 0..); GOP 30-28 (0 601 237 0..); GOP 40-30 (0 601 231 0..); GOP 55-36 (0 601 231 1..); GOP 300 SCE (0 601 230 5..) Professional



F355 sanding sheets optimised for multi-cutters, Best for Coatings and Composites, 93 mm, 6 holes

- best for **Coatings+Composites**
- Suitable for sanding hard materials, varnish and plastic
 - Appropriate for sanding plate AVZ 93 G



PRODUCT PROPERTIES		ORDERING INFORMATION				
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5						
93x93	600	C1a	5	5	160179	2 608 605 199
93x93	1200	C1a	5	5	159180	2 608 605 200

LONG LIFE IN GROUT AND SOFT TILE

EXPERT Grout Segment Blades

ASSORTMENT: Ø85mm


EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Pointed segment saw blade for precise work right into corners



EXPERT ACZ 85 RD4 Grout Segment Blades

EXPERT



- ▶ Ideal for cutting out grout from between tiles; removes even hard cement mortar; can also make small adjustment cuts to soft tiles.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 10x longer than Bosch ACZ 85 MT4 laser-melted carbide blade.
- ▶ Starlock mount for optimum power transfer and convenient blade change within 3 seconds.




PRODUCT PROPERTIES

ORDERING INFORMATION

Diameter [mm]	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	2	PC1d	1	1	530864	2 608 900 034
		P1h	10	1	530871	2 608 900 035

Starlock Carbide-RIFF segment saw blade ACZ 85 RT3 Grout and Abrasive




- ▶ **ACZ 85 RT3**
- ▶ Starlock Carbide-RIFF segment saw blade
- ▶ Routing joints on wall and floor tiles
- ▶ Routing smaller cutouts in soft wall tiles
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	2.5	PC1d	1	1	979061	2 608 664 919



Starlock Carbide-RIFF thin-kerf segment saw blade ACZ 70 RT5 Grout and Abrasive



- ▶ **ACZ 70 RT5**
- ▶ Starlock Carbide-RIFF thin-kerf segment saw blade
- ▶ Routing extra-thin (1.6mm / 1/16") joints on wall tiles
- ▶ Routing recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard)
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes

70	1.6	PC1a	1	1	546720	2 608 661 692
----	-----	------	---	---	--------	---------------




MULTI-USE IN TILING

EXPERT 3 max Multi-Use Blades

ASSORTMENT: Ø70mm

EXPERT

- 1 Save time and money with a Multi-Function Accessory
- 2 Reaches every corner with a pointed tip
- 3 Cuts out grout with a carbide grit edge
- 4 Sanding plate for grinding mortar off surfaces

**CARBIDE
TECHNOLOGY**

EXPERT 3 max AVZ 70 RT4 Grouting Plates

EXPERT

- Ideal for removing damaged tiles: the 3 max can cut out mortar joints - including corner pieces - and also sand off the mortar behind the old tile after it has been removed.
- Multitool versatility with maximum performance.
- 3 Applications with 1 Blade.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.

**3
IN
1**

PRODUCT PROPERTIES

ORDERING INFORMATION

Diameter [mm]	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
70	2.5	PC1d	1	1	530932	2 608 900 041
		P1h	10	1	530949	2 608 900 042

LONG LIFE IN GROUT AND SOFT TILE

EXPERT Grout Corner Blades

ASSORTMENT: Grout width: 2.2mm / 1.6mm


EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Pointed segment saw blade for precise work right into corners
- 3 Flat mount eliminates wobbling for controlled and precise cut



EXPERT MATI 68 RD4 Corner Blades

EXPERT




- Ideal for cutting out grout from between tiles; removes even hard mortar and reaches into corners where floor and wall tiling meet; or around fittings such as handles; can also make small adjustment cuts to soft tiles.
- Multitool versatility with maximum performance.
- Lasts up to 10x longer than Bosch ACZ 85 MT4 laser-melted carbide blade.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.2	68	30	PC1a	1	1	530888	2 608 900 036
			P1h	10	1	530895	2 608 900 037

EXPERT MATI 68 RSD4 Corner Blades


EXPERT



- ▶ Ideal for cutting out grout from between tiles; removes even hard mortar and reaches into corners where floor and wall tiling meet; or around fittings such as handles; can also make small adjustment cuts to soft tiles.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 10x longer than Bosch ACZ 85 MT4 laser-melted carbide blade.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.6	68	10	PC1a	1	1	530901	2 608 900 038

StarlockMax Carbide-RIFF segment saw blade MATI 68 RT3 Grout and Abrasive




- ▶ MATI 68 RT3
- ▶ StarlockMax Carbide-RIFF segment saw blade
- ▶ Routing joints which are hard to reach and close to edges (e.g. in corners)
- ▶ Routing deep joints on wall and floor tiles
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2.2	68	30	PC1a	1	1	833196	2 608 662 577



StarlockMax Carbide-RIFF segment saw blade MATI 68 MT4 Grout and Abrasive



- ▶ MATI 68 MT4
- ▶ StarlockMax Carbide-RIFF segment saw blade
- ▶ Routing joints which are hard to reach and close to edges (e.g. in corners)
- ▶ Routing deep joints on wall and floor tiles
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes

Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 833295	Part number
2.1	68	30	PC1a	1	1	833295	2 608 662 582



Starlock Sets



4-piece tile set

Versatile Starlock set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles)

PRODUCT PROPERTIES	ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Carbide RIFF segment saw blade ACZ 85 RT3 (1x) Carbide RIFF sanding plate AVZ 78 RT2 (1x) HCS scraper ATZ 52 SC (1x) BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)	PC1a	4	1	555210	2 608 661 695	



4-piece floor/installation set

Versatile Starlock set for floor/installation work (e.g. cutting a door frame to length on the floor, cutting out laminate/parquet, plunge cuts in laminated panels or wood, cutting recesses in furniture components)

HCS plunge-cutting saw blade Wood AIZ 32 EPC (1x) BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (1x) BIM segment saw blade Wood and Metal ACZ 85 EB (1x) HCS scraper ATZ 52 SC (1x)	PC1a	4	1	555227	2 608 661 696	
---	------	---	---	--------	---------------	--



13-piece universal set

Basic applications combined in a single Starlock set (sawing, sanding and scraping)

Suitable for wood and metal

BIM segment saw blade Wood and Metal ACZ 85 EB (1x) BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x) HCS scraper ATZ 52 SFC (1x) Wood and Paint sanding sheet (10x)	PC1a	4	1	555203	2 608 661 694	
---	------	---	---	--------	---------------	--



3-piece tile set

Versatile Starlock tile set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles)

BIM plunge-cutting saw blade Metal AIZ 20 AB (1x) HCS scraper ATZ 52 SC (1x) HM-RIFF segment saw blade ACZ 85 MT4 (1x)	PC1a	3	10	779647	2 608 662 342	
---	------	---	----	--------	---------------	--



3-piece universal set

Basic applications combined in a single Starlock set (sawing wood & metal)

Suitable for wood and metal

BIM plunge-cutting saw blade Metal AIZ 20 AB (1x) HCS plunge-cutting saw blade Wood AIZ 24 EC (1x) HCS segment saw blade Wood ACZ 85 EC (1x)	PC1a	3	10	779654	2 608 662 343	
---	------	---	----	--------	---------------	--

Depth stops



► **Appropriate for** Bosch GOP 300 SCE Professional, GOP 12V-28, GOP 18V-28, GOP 30 V-28, GOP 55-36, GOP 14,4V/18V-Li, PMF 190 E, PMF 250 CES (multi-cutter with collar)

PRODUCT PROPERTIES		ORDERING INFORMATION			
		Packaging type	Pack quantity	Minimum order quantity	Barcode
					3 165 140...
					Part number



Expert depth stop					
Continuously variable adjustment					
For precise cutting depths in combination with segment and plunge-cutting saw blades (e.g. for precise plunge cuts in construction woods)					
	PC1a	1	1	727303	2 608 000 590

WOOD SANDING

Discover accessories for more efficient sanding.

The best your tool can get. Bosch Professional Accessories.



DISCS FOR RANDOM ORBITAL SANDERS, WALL AND CEILING SANDERS

Discs to change the world.

			
	M480	C470	N880
	EXPERT	EXPERT	EXPERT
Page number	385	387	393
Grit range	80 – 400	40 – 400	80 – 800
Grit type	Aluminium oxide	Aluminium oxide	Alox / Silicon carbide
Backing material	Net, knitted fabric	C-Paper	3D Fibre fleece
Diameter mm	115 – 225	115 – 225	125 – 150
	 	 	 

MATERIALS

Softwood / hardwood	✓	✓	–
Resinous wood	✓	✓	–
Plywood	✓	✓	–
Paint / varnish	✓	✓	–
Filler	✓	✓	–
Plaster	✓	✓	✓
Solid surface materials (Corian, Varicor)	✓	✓	–
Glass fibre reinforced plastics (GRP)	✓	–	–
Perspex	✓	–	–
Stone / glass	–	–	–
Stainless steel (inox)	–	–	✓
Mild steel (metal)	–	–	✓
Sheet metal	–	–	✓
Aluminium	–	–	✓

*Bosch EXPERT products vs. Bosch standard products


NO DUST SANDING WOOD, PAINT AND DRYWALL

EXPERT M480 Sanding Nets

ASSORTMENT: Grit 80 – 400

EXPERT


- 1** Most efficient dust removal with Bosch Particle Control
- 2** Dust is sucked through Open Net Structure



PARTICLE CONTROL

EXPERT M480 Sanding Nets for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5							
125	100	open net	C1a	5	5	540108	2 608 900 672
125	150	open net	C1a	5	5	540122	2 608 900 674
125	220	open net	C1a	5	5	540146	2 608 900 676
125	320	open net	C1a	5	5	540160	2 608 900 678
125	400	open net	C1a	5	5	540177	2 608 900 679
150	100	open net	C1a	5	5	540283	2 608 900 690

EXPERT M480 Sanding Nets for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
150	150	open net	C1a	5	5	540306	2 608 900 692
150	180	open net	C1a	5	5	540313	2 608 900 693
150	220	open net	C1a	5	5	540320	2 608 900 694
150	240	open net	C1a	5	5	540337	2 608 900 695
150	320	open net	C1a	5	5	540344	2 608 900 696
150	400	open net	C1a	5	5	540351	2 608 900 697
Pack of 50							
125	80	open net	C0a	50	1	540184	2 608 900 680
125	100	open net	C0a	50	1	540191	2 608 900 681
125	120	open net	C0a	50	1	540207	2 608 900 682
125	150	open net	C0a	50	1	540214	2 608 900 683
125	180	open net	C0a	50	1	540221	2 608 900 684
125	220	open net	C0a	50	1	540238	2 608 900 685
125	240	open net	C0a	50	1	540245	2 608 900 686
125	320	open net	C0a	50	1	540252	2 608 900 687
125	400	open net	C0a	50	1	540269	2 608 900 688
150	80	open net	C0a	50	1	540368	2 608 900 698
150	100	open net	C0a	50	1	540375	2 608 900 699
150	120	open net	C0a	50	1	540382	2 608 900 700
150	150	open net	C0a	50	1	540399	2 608 900 701
150	180	open net	C0a	50	1	540405	2 608 900 702
150	220	open net	C0a	50	1	540412	2 608 900 703
150	240	open net	C0a	50	1	540429	2 608 900 704
150	320	open net	C0a	50	1	540436	2 608 900 705
150	400	open net	C0a	50	1	540443	2 608 900 706

EXPERT M480 Sanding Nets for Drywall Sanders

EXPERT



- Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust reduction than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 25							
225	80	open net	C0a	25	1	540450	2 608 900 707
225	100	open net	C0a	25	1	540467	2 608 900 708
225	120	open net	C0a	25	1	540474	2 608 900 709
225	150	open net	C0a	25	1	540481	2 608 900 710
225	180	open net	C0a	25	1	540498	2 608 900 711
225	220	open net	C0a	25	1	540504	2 608 900 712
225	240	open net	C0a	25	1	540511	2 608 900 713
225	320	open net	C0a	25	1	540528	2 608 900 714
225	400	open net	C0a	25	1	540535	2 608 900 715

FAST SANDING OF PAINT AND WOOD

EXPERT C470 Sandpaper

ASSORTMENT: Grit 40 – 400**EXPERT**

- 1** Exceptional abrasion with Bosch Surface Structure
- 2** Grain distribution optimised for high speed sanding
- 3** Grain alignment during production ensures aggressive cut

**EXPERT C470 Sandpapers with multihole for Random Orbital Sanders****EXPERT**

- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...			
								Part number	
Pack of 5									
125	40	Multi hole system	C1a	5	5	544304	2 608 901 092		
125	60	Multi hole system	C1a	5	5	544311	2 608 901 093		
125	80	Multi hole system	C1a	5	5	544328	2 608 901 094		
125	100	Multi hole system	C1a	5	5	544335	2 608 901 095		
125	120	Multi hole system	C1a	5	5	544342	2 608 901 096		
125	180	Multi hole system	C1a	5	5	544359	2 608 901 097		



EXPERT C470 Sandpapers with multihole for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		
								Part number
125	240	Multi hole system	C1a	5	5	544366	2 608 901 098	
125	320	Multi hole system	C1a	5	5	544373	2 608 901 099	
125	400	Multi hole system	C1a	5	5	544380	2 608 901 100	
150	40	Multi hole system	C1a	5	5	544403	2 608 901 102	
150	60	Multi hole system	C1a	5	5	544410	2 608 901 103	
150	80	Multi hole system	C1a	5	5	544427	2 608 901 104	
150	100	Multi hole system	C1a	5	5	544434	2 608 901 105	
150	120	Multi hole system	C1a	5	5	544441	2 608 901 106	
150	180	Multi hole system	C1a	5	5	544458	2 608 901 107	
150	240	Multi hole system	C1a	5	5	544465	2 608 901 108	
150	320	Multi hole system	C1a	5	5	544472	2 608 901 109	
150	400	Multi hole system	C1a	5	5	544489	2 608 901 110	
Pack of 50								
125	40	Multi hole system	C0a	50	1	544625	2 608 901 124	
125	60	Multi hole system	C0a	50	1	544632	2 608 901 125	
125	80	Multi hole system	C0a	50	1	544649	2 608 901 126	
125	100	Multi hole system	C0a	50	1	544656	2 608 901 127	
125	120	Multi hole system	C0a	50	1	544663	2 608 901 128	
125	150	Multi hole system	C0a	50	1	544670	2 608 901 129	
125	180	Multi hole system	C0a	50	1	544687	2 608 901 130	
125	220	Multi hole system	C0a	50	1	544694	2 608 901 131	
125	240	Multi hole system	C0a	50	1	544700	2 608 901 132	
125	320	Multi hole system	C0a	50	1	544717	2 608 901 133	
125	400	Multi hole system	C0a	50	1	544724	2 608 901 134	
150	40	Multi hole system	C0a	50	1	544731	2 608 901 135	
150	60	Multi hole system	C0a	50	1	544748	2 608 901 136	
150	80	Multi hole system	C0a	50	1	544755	2 608 901 137	
150	100	Multi hole system	C0a	50	1	544762	2 608 901 138	
150	120	Multi hole system	C0a	50	1	544779	2 608 901 139	
150	150	Multi hole system	C0a	50	1	544786	2 608 901 140	
150	180	Multi hole system	C0a	50	1	544793	2 608 901 141	
150	220	Multi hole system	C0a	50	1	544809	2 608 901 142	
150	240	Multi hole system	C0a	50	1	544816	2 608 901 143	
150	320	Multi hole system	C0a	50	1	544823	2 608 901 144	
150	400	Multi hole system	C0a	50	1	544830	2 608 901 145	

EXPERT C470 Sandpapers with 8 holes for Random Orbital Sanders

EXPERT





- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		
							Part number	
Pack of 5								
115	40	8 holes	C1a	5	5	541327	2 608 900 794	
115	60	8 holes	C1a	5	5	541334	2 608 900 795	

EXPERT C470 Sandpapers with 8 holes for Random Orbital Sanders**EXPERT**

PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...			
								Part number	
115	80	8 holes	C1a	5	5	541341	2 608 900 796		
115	120	8 holes	C1a	5	5	541358	2 608 900 797		
115	180	8 holes	C1a	5	5	541365	2 608 900 798		
115	240	8 holes	C1a	5	5	541372	2 608 900 799		
115	320	8 holes	C1a	5	5	541389	2 608 900 800		
115	400	8 holes	C1a	5	5	541396	2 608 900 801		
125	40	8 holes	C1a	5	5	541419	2 608 900 803		
125	60	8 holes	C1a	5	5	541426	2 608 900 804		
125	80	8 holes	C1a	5	5	541433	2 608 900 805		
125	100	8 holes	C1a	5	5	541440	2 608 900 806		
125	120	8 holes	C1a	5	5	541457	2 608 900 807		
125	180	8 holes	C1a	5	5	541464	2 608 900 808		
125	240	8 holes	C1a	5	5	541471	2 608 900 809		
125	320	8 holes	C1a	5	5	541488	2 608 900 810		
125	400	8 holes	C1a	5	5	541495	2 608 900 811		
Pack of 50									
125	40	8 holes	C0a	50	1	542461	2 608 900 908		
125	60	8 holes	C0a	50	1	542478	2 608 900 909		
125	80	8 holes	C0a	50	1	542485	2 608 900 910		
125	100	8 holes	C0a	50	1	542492	2 608 900 911		
125	120	8 holes	C0a	50	1	542508	2 608 900 912		
125	150	8 holes	C0a	50	1	544588	2 608 901 120		
125	180	8 holes	C0a	50	1	542515	2 608 900 913		
125	220	8 holes	C0a	50	1	544595	2 608 901 121		
125	240	8 holes	C0a	50	1	542522	2 608 900 914		
125	320	8 holes	C0a	50	1	542539	2 608 900 915		
125	400	8 holes	C0a	50	1	542546	2 608 900 916		

EXPERT C470 Sandpapers with 6 holes for Random Orbital Sanders**EXPERT**

- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952..			
							Part number		
Pack of 5									
150	40	6 holes	C1a	5	5	541518	2 608 900 813		
150	60	6 holes	C1a	5	5	541525	2 608 900 814		
150	80	6 holes	C1a	5	5	541532	2 608 900 815		
150	100	6 holes	C1a	5	5	541549	2 608 900 816		
150	120	6 holes	C1a	5	5	541556	2 608 900 817		
150	180	6 holes	C1a	5	5	541563	2 608 900 818		
150	240	6 holes	C1a	5	5	541570	2 608 900 819		
150	320	6 holes	C1a	5	5	541587	2 608 900 820		
150	400	6 holes	C1a	5	5	541594	2 608 900 821		
Pack of 50									



EXPERT C470 Sandpapers with 6 holes for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
150	40	6 holes	C0a	50	1	542553	2 608 900 917	
150	60	6 holes	C0a	50	1	542560	2 608 900 918	
150	80	6 holes	C0a	50	1	542577	2 608 900 919	
150	100	6 holes	C0a	50	1	542584	2 608 900 920	
150	120	6 holes	C0a	50	1	542591	2 608 900 921	
150	150	6 holes	C0a	50	1	544601	2 608 901 122	
150	180	6 holes	C0a	50	1	542607	2 608 900 922	
150	220	6 holes	C0a	50	1	544618	2 608 901 123	
150	240	6 holes	C0a	50	1	542614	2 608 900 923	
150	320	6 holes	C0a	50	1	542621	2 608 900 924	
150	400	6 holes	C0a	50	1	542638	2 608 900 925	

EXPERT C470 Sandpaper Sets with 8 holes for Random Orbital Sanders



EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.





PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 6								
115	2x60 2x120 2x240	8 holes	C1a	6	5	541402	2 608 900 802	
125	2x60 2x120 2x240	8 holes	C1a	6	5	541501	2 608 900 812	

EXPERT C470 Sandpaper Sets with 6 holes for Random Orbital Sanders**EXPERT**UP TO
2x

- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 6	150	2x60 2x120 2x240	6 holes	C1a	6	5	541600	2 608 900 822

EXPERT C470 Sandpaper Sets with multihole for Random Orbital Sanders**EXPERT**UP TO
2x

- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.


PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 6	125	2x60 2x120 2x240	Multi hole system	C1a	6	5	544397	2 608 901 101
	150	2x60 2x120 2x240	Multi hole system	C1a	6	5	544496	2 608 901 111

LONG LIFE FINISHING METAL

EXPERT N880 Fleece Discs

ASSORTMENT: Grit 80 - 800**EXPERT**

- 1** Strong, flexible bonding with Bosch Surface Structure
- 2** Consistent cut and finish with cross-laying technology
- 3** 3D structure allows grit through the fleece

**EXPERT N880 Fleece Discs for Random Orbital Sanders****EXPERT**

- ▶ Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- ▶ Best for metalworkers: Long Lasting Quality.
- ▶ Lasts up to 3x longer than Bosch J475 coated hand sanding sheet.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Grade	Product colour	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Coarse A	brown	125	C0a	1	20	572109	2 608 901 241	
Medium	black	125	C0a	1	20	572116	2 608 901 242	
Medium A	maroon	125	C0a	1	20	572123	2 608 901 243	
Very fine A	red	125	C0a	1	20	572130	2 608 901 244	
Very fine GP	green	125	C0a	1	20	572154	2 608 901 246	
Ultra fine S	grey	125	C0a	1	20	572147	2 608 901 245	

EXPERT N880 Fleece Discs for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Grade	Product colour	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Cleaning	white	125	C0a	1	20	572093	2 608 901 240	
Coarse A	brown	150	C0a	1	20	572178	2 608 901 248	
Medium	black	150	C0a	1	20	572185	2 608 901 249	
Medium A	maroon	150	C0a	1	20	572192	2 608 901 250	
Very fine A	red	150	C0a	1	20	572208	2 608 901 251	
Very fine GP	green	150	C0a	1	20	572222	2 608 901 253	
Ultra fine S	grey	150	C0a	1	20	572215	2 608 901 252	
Cleaning	white	150	C0a	1	20	572161	2 608 901 247	

Polishing sponges for random orbital sanders



- **Suitable for** polishing slightly dirty, scratched or pre-polished surfaces
- For use with polish or for working in surface sealing agents on curved and even surfaces
- Finishing of bright colours after using lambskin
- **Appropriate for** all conventional brands of machines

PRODUCT PROPERTIES		ORDERING INFORMATION				
Working diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
130		C1d	1	1	014854	2 608 613 005
Soft Foam Disc						
170		P1d	1	1	632409	2 608 612 024



Lambswool bonnets for random orbital sanders



- **Suitable for** polishing old varnish and after surface sanding
- **Appropriate for** all conventional brands of machines

Lambswool bonnet						
130		C1a	1	1	014786	2 608 610 001
160		C1a	2	1	018746	3 608 610 000



SHEETS FOR DELTA SANDERS, MULTI TOOLS AND MULTI SANDERS

Make corner sanding easy.


				
	M480	C470	F355	C430
	EXPERT	EXPERT		
Page number	396	398	402	400
Grit range	80 – 400	40 – 400	60 – 1 200	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Silicon carbide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	F-Paper	C-Paper
Dimension mm	93 x 93 / 100 x 150 / 102 x 62, 93	93 x 93 / 100 x 150 / 102 x 62, 93	93 x 93	32 x 90 / 100 x 150 / 100 x 170 / 102 x 62, 93
	 	 		

MATERIALS

Softwood / hardwood	✓	✓	-	✓
Resinous wood	✓	✓	-	✓
Plywood	✓	✓	-	✓
Paint / varnish	✓	✓	✓	✓
Filler	✓	✓	✓	-
Plaster	✓	✓	✓	-
Solid surface materials (Corian, Varicor)	✓	✓	-	-
Glass fibre reinforced plastics (GRP)	✓	-	✓	-
Perspex	✓	-	✓	-
Stone / glass	-	-	✓	-

EXPERT M480 Sanding Nets for Delta Sanders

EXPERT




- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5								
	93x93	80	open net	C1a	5	5	540542	2 608 900 716
	93x93	100	open net	C1a	5	5	540559	2 608 900 717
	93x93	120	open net	C1a	5	5	540566	2 608 900 718
	93x93	150	open net	C1a	5	5	540573	2 608 900 719
	93x93	180	open net	C1a	5	5	540580	2 608 900 720
	93x93	220	open net	C1a	5	5	540597	2 608 900 721
	93x93	240	open net	C1a	5	5	540603	2 608 900 722
	93x93	320	open net	C1a	5	5	540610	2 608 900 723
	93x93	400	open net	C1a	5	5	540627	2 608 900 724

EXPERT M480 Sanding Net Sets for Delta Sanders

EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6								
	93x93	2x80 2x120 2x180	open net	C1a	6	5	568607	2 608 901 204

EXPERT M480 Sanding Nets for Multi Sanders

EXPERT


- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES				ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...			Part number	
Pack of 10										
100x150	80	open net	C1a	10	5	540634	2 608 900	725		
100x150	100	open net	C1a	10	5	540641	2 608 900	726		
100x150	120	open net	C1a	10	5	540658	2 608 900	727		
100x150	150	open net	C1a	10	5	540665	2 608 900	728		
100x150	180	open net	C1a	10	5	540672	2 608 900	729		
100x150	220	open net	C1a	10	5	540689	2 608 900	730		
100x150	240	open net	C1a	10	5	540696	2 608 900	731		
100x150	320	open net	C1a	10	5	540702	2 608 900	732		
100x150	400	open net	C1a	10	5	540719	2 608 900	733		

EXPERT M480 Sanding Net Sets for Multi Sanders


EXPERT


- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		
							Part number	
Pack of 10								
100x150	4x80 3x120 3x180	open net	C1a	10	5	568645	2 608 901 208	

EXPERT C470 Sandpapers for Delta Sanders

EXPERT




- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number
Pack of 5								
93x93	40	6 holes	C1a	5	5	541617	2 608 900 823	
93x93	60	6 holes	C1a	5	5	541624	2 608 900 824	
93x93	80	6 holes	C1a	5	5	541631	2 608 900 825	
93x93	100	6 holes	C1a	5	5	541648	2 608 900 826	
93x93	120	6 holes	C1a	5	5	541655	2 608 900 827	
93x93	180	6 holes	C1a	5	5	541662	2 608 900 828	
93x93	240	6 holes	C1a	5	5	541679	2 608 900 829	
93x93	320	6 holes	C1a	5	5	541686	2 608 900 830	
93x93	400	6 holes	C1a	5	5	541693	2 608 900 831	
Pack of 50								
93x93	40	6 holes	C0a	50	1	542645	2 608 900 926	
93x93	60	6 holes	C0a	50	1	542652	2 608 900 927	
93x93	80	6 holes	C0a	50	1	542669	2 608 900 928	
93x93	100	6 holes	C0a	50	1	542676	2 608 900 929	
93x93	120	6 holes	C0a	50	1	542683	2 608 900 930	
93x93	180	6 holes	C0a	50	1	542690	2 608 900 931	
93x93	240	6 holes	C0a	50	1	542706	2 608 900 932	
93x93	320	6 holes	C0a	50	1	542713	2 608 900 933	
93x93	400	6 holes	C0a	50	1	542720	2 608 900 934	

EXPERT C470 Sandpaper Sets for Delta Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number
Pack of 6								
93x93	60 120 240	6 holes	C1a	6	5	541709	2 608 900 832	

EXPERT C470 Sandpapers with 7 holes for Multi Sanders

EXPERT


- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10								
100x150	60	7 holes	C1a	10	5	544533	2 608 901 115	
100x150	120	7 holes	C1a	10	5	544557	2 608 901 117	
100x150	180	7 holes	C1a	10	5	544564	2 608 901 118	
100x150	320	7 holes	C1a	10	5	545042	2 608 901 166	
100x150	400	7 holes	C1a	10	5	545059	2 608 901 167	

EXPERT C470 Sandpapers with 11 holes for Multi Sanders

EXPERT


- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number
Pack of 10								
102x62	40	11 holes	C1a	10	5	542249	2 608 900 886	
102x62	80	11 holes	C1a	10	5	542256	2 608 900 887	
102x62	120	11 holes	C1a	10	1	542263	2 608 900 888	
102x62	180	11 holes	C1a	10	5	542270	2 608 900 889	

C470 and C430 sanding sheets for multi-sanders, Best for Wood and Paint, Expert for Wood and Paint, 102x62, 93 mm, 11 holes


best  **Wood+Paint**

► C470 Best for Wood and Paint **suitable for** sanding wood, paint, varnish, roughcast (2x K40, 2x K80, 4x K120, 2x K180)

expert  **Wood+Paint**

► C430 Expert for Wood and Paint **suitable for** sanding all types of wood, wooden materials and paint (3x K40, 6x K80, 3x K120, 3x K180)

► **Appropriate for** multi-sanders from Bosch, Skil




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 25							
102x62, 93	2x40 2x80 2x180 3x40 3x120 3x180 4x120 6x80	11 holes	C1c	25	1	327695	2 608 607 417

C430 sanding sheets for delta sanders, Expert for Wood and Paint, 32 mm

expert  **Wood+Paint**

► **Suitable for** sanding all types of wood, wooden materials and paint

► **Appropriate for** delta sanders from Bosch, Skil





PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
32x88	60	no holes	C1a	5	5	159852	2 608 605 167
32x88	240	no holes	C1a	5	5	159883	2 608 605 170

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 102x62, 93 mm, 11 holes

expert  **Wood+Paint**

► **Suitable for** sanding all types of wood, wooden materials and paint



► **Appropriate for** multi-sanders from Bosch, Skil



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
102x62, 93	40	11 holes	C1a	10	1	323284	2 608 607 407
102x62, 93	80	11 holes	C1a	10	1	323291	2 608 607 408
102x62, 93	120	11 holes	C1a	10	1	323307	2 608 607 409
102x62, 93	180	11 holes	C1a	10	1	323314	2 608 607 410

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 100x170 mm



expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
▶ Appropriate for multi-sanders from Black+Decker



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Pack of 5								
100x170	40	8 holes	C1a	5	5	160001	2 608 605 182	
100x170	60	8 holes	C1a	5	5	160018	2 608 605 183	
100x170	80	8 holes	C1a	5	5	160025	2 608 605 184	
100x170	120	8 holes	C1a	5	5	160032	2 608 605 185	
100x170	180	8 holes	C1a	5	5	170611	2 608 605 577	
100x170	240	8 holes	C1a	5	5	170628	2 608 605 578	
Pack of 6								
100x170	60 120 240	8 holes	C1a	6	5	160049	2 608 605 186	

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 93 x 135 mm


expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
▶ Appropriate for multi-sanders from Bosch, Black+Decker



Pack of 5								
95X135	40	4 holes	C1a	5	5	337076	2 608 607 428	
95X135	80	4 holes	C1a	5	5	337083	2 608 607 429	
95X135	180	4 holes	C1a	5	5	337106	2 608 607 431	
Pack of 5								
95X135	120	4 holes	C1a	5	5	337090	2 608 607 430	
Pack of 6								
95X135	80 120 180	4 holes	C1a	6	5	337113	2 608 607 432	

SHEETS FOR ORBITAL SANDERS

Perfect for large surfaces.

		
	M480	C470
	EXPERT	EXPERT
Page number	404	405
Grit range	80 – 400	40 – 400
Grit type	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper
Dimension mm	80 x 133 / 93 x 186 / 115 x 230	80 x 133 / 93 x 186 / 93 x 230 / 115 x 107 / 115 x 140 / 115 x 230 / 115 x 280
	 	 

MATERIALS

Softwood / hardwood	✓	✓
Resinous wood	✓	✓
Plywood	✓	✓
Paint / varnish	✓	✓
Filler	✓	✓
Plaster	✓	✓
Solid surface materials (Corian, Varicor)	✓	✓
Glass fibre reinforced plastics (GRP)	✓	-
Perspex	✓	-


*Bosch EXPERT products vs. Bosch standard products

EXPERT M480 Sanding Nets for Orbital Sanders


EXPERT



- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.





PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		
								Part number
Pack of 10								
80x133	80	open net	C1a	10	5	540726	2 608 900 734	
80x133	100	open net	C1a	10	5	540733	2 608 900 735	
80x133	120	open net	C1a	10	5	540740	2 608 900 736	
80x133	150	open net	C1a	10	5	540757	2 608 900 737	
80x133	180	open net	C1a	10	5	540764	2 608 900 738	
80x133	220	open net	C1a	10	5	540771	2 608 900 739	
80x133	240	open net	C1a	10	5	540788	2 608 900 740	
80x133	320	open net	C1a	10	5	540795	2 608 900 741	
80x133	400	open net	C1a	10	5	540801	2 608 900 742	
93x186	80	open net	C1a	10	5	540818	2 608 900 743	
93x186	100	open net	C1a	10	5	540825	2 608 900 744	
93x186	120	open net	C1a	10	5	540832	2 608 900 745	
93x186	150	open net	C1a	10	5	540849	2 608 900 746	
93x186	180	open net	C1a	10	5	540856	2 608 900 747	
93x186	220	open net	C1a	10	5	540863	2 608 900 748	
93x186	240	open net	C1a	10	5	540870	2 608 900 749	
93x186	320	open net	C1a	10	5	540887	2 608 900 750	
93x186	400	open net	C1a	10	5	540894	2 608 900 751	
115x230	80	open net	C1a	10	5	540993	2 608 900 761	
115x230	100	open net	C1a	10	5	541006	2 608 900 762	
115x230	120	open net	C1a	10	5	541013	2 608 900 763	
115x230	150	open net	C1a	10	5	541020	2 608 900 764	
115x230	180	open net	C1a	10	5	541037	2 608 900 765	
115x230	220	open net	C1a	10	5	541044	2 608 900 766	
115x230	240	open net	C1a	10	5	541051	2 608 900 767	
115x230	320	open net	C1a	10	5	541068	2 608 900 768	
115x230	400	open net	C1a	10	5	541075	2 608 900 769	
Pack of 50								
93x186	80	open net	C0a	50	1	540900	2 608 900 752	
93x186	100	open net	C0a	50	1	540917	2 608 900 753	
93x186	120	open net	C0a	50	1	540924	2 608 900 754	
93x186	150	open net	C0a	50	1	540931	2 608 900 755	
93x186	180	open net	C0a	50	1	540948	2 608 900 756	
93x186	220	open net	C0a	50	1	540955	2 608 900 757	
93x186	240	open net	C0a	50	1	540962	2 608 900 758	
93x186	320	open net	C0a	50	1	540979	2 608 900 759	
93x186	400	open net	C0a	50	1	540986	2 608 900 760	
115x230	80	open net	C0a	50	1	541082	2 608 900 770	
115x230	100	open net	C0a	50	1	541099	2 608 900 771	
115x230	120	open net	C0a	50	1	541105	2 608 900 772	
115x230	220	open net	C0a	50	1	541112	2 608 900 773	
115x230	320	open net	C0a	50	1	541129	2 608 900 774	
115x230	400	open net	C0a	50	1	541136	2 608 900 775	

EXPERT M480 Sanding Net Sets for Orbital Sanders**EXPERT**

- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	80x133	4x80 3x120 3x180	open net	C1a	10	5	568614	2 608 901 205
	93x186	4x80 3x120 3x180	open net	C1a	10	5	568621	2 608 901 206
	115x230	4x80 3x120 3x180	open net	C1a	10	5	568638	2 608 901 207


EXPERT C470 Sandpapers with 6 holes for Orbital Sanders**EXPERT**

- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	115x107	40	6 holes	C1a	10	5	542287	2 608 900 890
	115x107	60	6 holes	C1a	10	5	542294	2 608 900 891
	115x107	80	6 holes	C1a	10	5	542300	2 608 900 892
	115x107	120	6 holes	C1a	10	5	542317	2 608 900 893
	115x107	180	6 holes	C1a	10	5	542324	2 608 900 894
	115x107	240	6 holes	C1a	10	5	542331	2 608 900 895

EXPERT C470 Sandpaper Sets with 6 holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10	115x140	2x40 2x60 2x80 2x120 2x180	6 holes	C1a	10	5	544519	2 608 901 113

EXPERT C470 Sandpapers with 8 holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10	80x133	40	8 holes	C1a	10	5	542157	2 608 900 877
	80x133	60	8 holes	C1a	10	5	542164	2 608 900 878
	80x133	80	8 holes	C1a	10	5	542171	2 608 900 879
	80x133	100	8 holes	C1a	10	5	542188	2 608 900 880
	80x133	120	8 holes	C1a	10	5	542195	2 608 900 881
	80x133	180	8 holes	C1a	10	5	542201	2 608 900 882
	80x133	240	8 holes	C1a	10	5	542218	2 608 900 883
	80x133	320	8 holes	C1a	10	5	542225	2 608 900 884
	80x133	400	8 holes	C1a	10	5	542232	2 608 900 885
	93x186	40	8 holes	C1a	10	5	541914	2 608 900 853
	93x186	60	8 holes	C1a	10	5	541921	2 608 900 854
	93x186	80	8 holes	C1a	10	5	541938	2 608 900 855
	93x186	100	8 holes	C1a	10	5	542126	2 608 900 874
	93x186	120	8 holes	C1a	10	5	541945	2 608 900 856
	93x186	180	8 holes	C1a	10	5	541952	2 608 900 857
	93x186	240	8 holes	C1a	10	5	541969	2 608 900 858
	93x186	320	8 holes	C1a	10	5	542089	2 608 900 870
	93x186	400	8 holes	C1a	10	5	541976	2 608 900 859
	93x230	40	8 holes	C1a	10	5	541716	2 608 900 833

EXPERT C470 Sandpapers with 8 holes for Orbital Sanders
EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
93x230	60	8 holes	C1a	10	5	541723	2 608 900 834	
93x230	80	8 holes	C1a	10	5	541730	2 608 900 835	
93x230	100	8 holes	C1a	10	5	542096	2 608 900 871	
93x230	120	8 holes	C1a	10	5	541747	2 608 900 836	
93x230	180	8 holes	C1a	10	5	541754	2 608 900 837	
93x230	240	8 holes	C1a	10	5	541761	2 608 900 838	
93x230	320	8 holes	C1a	10	5	542102	2 608 900 872	
93x230	400	8 holes	C1a	10	5	541778	2 608 900 839	
Pack of 50								
93x186	40	8 holes	C0a	50	1	542737	2 608 900 935	
93x186	60	8 holes	C0a	50	1	542744	2 608 900 936	
93x186	80	8 holes	C0a	50	1	542751	2 608 900 937	
93x186	100	8 holes	C0a	50	1	542768	2 608 900 938	
93x186	120	8 holes	C0a	50	1	542775	2 608 900 939	
93x186	180	8 holes	C0a	50	1	542782	2 608 900 940	
93x186	400	8 holes	C0a	50	1	542799	2 608 900 941	

EXPERT C470 Sandpaper Sets with 8 holes for Orbital Sanders
EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
Pack of 10								
93x230	3x60 4x80 3x120	8 holes	C1a	10	5	544502	2 608 901 112	

EXPERT C470 Sandpapers with 14 holes for Orbital Sanders

EXPERT




- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.




PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	115x230	40	14 holes	C1a	10	5	541983	2 608 900 860
	115x230	60	14 holes	C1a	10	5	541990	2 608 900 861
	115x230	80	14 holes	C1a	10	5	542003	2 608 900 862
	115x230	100	14 holes	C1a	10	5	542133	2 608 900 875
	115x230	120	14 holes	C1a	10	5	542010	2 608 900 863
	115x230	180	14 holes	C1a	10	5	542027	2 608 900 864
	115x230	240	14 holes	C1a	10	5	542034	2 608 900 865
	115x230	320	14 holes	C1a	10	5	542065	2 608 900 868
	115x230	400	14 holes	C1a	10	5	542041	2 608 900 866
	115x280	40	14 holes	C1a	10	5	541846	2 608 900 846
	115x280	60	14 holes	C1a	10	5	541853	2 608 900 847
	115x280	80	14 holes	C1a	10	5	541860	2 608 900 848
	115x280	100	14 holes	C1a	10	5	542140	2 608 900 876
	115x280	120	14 holes	C1a	10	5	541877	2 608 900 849
	115x280	180	14 holes	C1a	10	5	541884	2 608 900 850
	115x280	240	14 holes	C1a	10	5	541891	2 608 900 851
	115x280	320	14 holes	C1a	10	5	542072	2 608 900 869
	115x280	400	14 holes	C1a	10	5	541907	2 608 900 852
Pack of 50								
	115x230	40	14 holes	C0a	50	1	542805	2 608 900 942
	115x230	60	14 holes	C0a	50	1	542812	2 608 900 943
	115x230	80	14 holes	C0a	50	1	542829	2 608 900 944
	115x230	100	14 holes	C0a	50	1	542836	2 608 900 945
	115x230	120	14 holes	C0a	50	1	542843	2 608 900 946
	115x230	180	14 holes	C0a	50	1	542850	2 608 900 947
	115x230	240	14 holes	C0a	50	1	542867	2 608 900 948
	115x230	320	14 holes	C0a	50	1	542874	2 608 900 949
	115x230	400	14 holes	C0a	50	1	542881	2 608 900 950

EXPERT C470 Sandpapers with no holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Clamp it on.



PRODUCT PROPERTIES				ORDERING INFORMATION					
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number
Pack of 10	93x230	40	no holes	C1a	10	5	541785		2 608 900 840
	93x230	60	no holes	C1a	10	5	541792		2 608 900 841
	93x230	80	no holes	C1a	10	5	541808		2 608 900 842
	93x230	100	no holes	C1a	10	5	542119		2 608 900 873
	93x230	120	no holes	C1a	10	5	541815		2 608 900 843
	93x230	180	no holes	C1a	10	5	541822		2 608 900 844
	93x230	240	no holes	C1a	10	5	541839		2 608 900 845
	93x230	320	no holes	C1a	10	5	542058		2 608 900 867

REMOVAL WITHOUT LIMITS

Belts for belt sanders.



X440

Page number	412
Grit range	40 – 220
Grit type	Aluminium oxide
Backing material	X-Cloth
Dimension mm	13 x 457 / 60 – 100 x 400 – 620

MATERIALS

Softwood / hardwood	✓
Resinous wood	✓
Plywood	✓
Paint / varnish	✓
Filler	✓
Plaster	✓
Solid surface materials (Corian, Varicor)	✓
Glass fibre reinforced plastics (GRP)	✓
Perspex	✓

HIGH PERFORMANCE METAL SANDING

Belts for belt sanders.

		
	N470	Y580
	EXPERT	
Page number	415	416
Grit range	Coarse, Medium, Fine	40 – 180
Grit type	Aluminium Oxide	Zirconia
Backing material	Cloth backing	Y-/X-Cloth
Dimension mm	13 x 457 / 40 x 760 / 100 x 285	13 x 457 / 40 x 760 / 100 x 285
		

MATERIALS


Stainless steel (inox)	✓	✓
Mild steel (metal)	✓	✓
Sheet metal	✓	-
Plasterboard	✓	-
Aluminium	✓	-

*Bosch EXPERT products vs. Bosch standard products

Sanding Belts for Belt Sanders

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

best  **Wood+Paint** ▶ Suitable for sanding all types of wood, hardwood, chipboard, construction boards and paint



PRODUCT PROPERTIES			ORDERING INFORMATION			
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...

Pack of 3 Bosch; Makita; Peugeot; Skil; Stayer						
75	457	40	C1e	3	2	163682
75	457	60	C1e	3	4	163699
75	457	80	C1e	3	4	163705
75	457	100	C1e	3	4	163712
75	457	120	C1e	3	4	163729

Pack of 3 Bosch; Makita; Peugeot; Skil; Stayer						
75	457	150	C1e	3	4	163736

Pack of 3 Bosch; AEG; DeWalt; Festool; Holz-Her; Makita; Skil						
75	533	40	C1e	3	2	164054
75	533	60	C1e	3	4	164061
75	533	80	C1e	3	4	164078
75	533	100	C1e	3	4	164085
75	533	120	C1e	3	4	247955
75	533	150	C1e	3	4	164092

Pack of 3 Hitachi; Makita; Ryobi						
75	610	40	C1e	3	2	164252
75	610	60	C1e	3	4	164269
75	610	80	C1e	3	4	164276
75	610	100	C1e	3	4	164283
75	610	120	C1e	3	4	164290
75	610	150	C1e	3	4	164306
75	610	60 80 100	C1e	3	4	164313

Pack of 3 AEG; Atlas Copco; DeWalt; Elu; Festool; Ryobi						
100	560	40	C1e	3	2	164498
100	560	60	C1e	3	4	164504
100	560	80	C1e	3	4	164511
100	560	120	C1e	3	4	164535

Pack of 3 Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma						
100	610	40	C1e	3	2	164658
100	610	60	C1e	3	4	164665
100	610	100	C1e	3	4	164689
100	610	120	C1e	3	4	247993
100	610	150	C1e	3	4	164696




X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

PRODUCT PROPERTIES			ORDERING INFORMATION					
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		
Pack of 3								
Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma								
100	610	80	C1e	3	4	164672	2 608 606 131	
Pack of 3								
GVS 350 AE Professional								
40	305	60 80 120	C1e	3	4	165471	2 608 606 211	

Sanding Belts for Power Files

X440 Sanding Belts for Power Files, Best for Wood and Paint

best for **Wood+Paint** ▶ Suitable for sanding all types of wood and paint



PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13	457	40	C1k	3	4	165396	2 608 606 203
13	457	120	C1k	3	4	165419	2 608 606 205

HIGH SPEED METAL FINISHING

EXPERT N470 Sanding Belts

ASSORTMENT: fine / medium / coarse

EXPERT

- 1 Exceptional abrasion with Bosch Surface Structure
- 2 Rapid stock removal by high performance grits
- 3 3D structure allows grit through the fleece



EXPERT N470 Sanding Belts for Belt Sanders

EXPERT



- ▶ Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- ▶ Best for metalworkers: fast and efficient.
- ▶ Up to 4x faster than Bosch C420 Belt.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
40	760	Coarse	P0f	10	1	572239	2 608 901 254	
40	760	Medium	P0f	10	1	572246	2 608 901 255	
40	760	Fine	P0f	10	1	572253	2 608 901 256	

EXPERT N470 Sanding Sleeves for Burnishing Machines

EXPERT




- Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- Best for metalworkers: fast and efficient.
- Up to 4x faster than Bosch C420 Belt.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grit	Diameter mm	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100 x 290	Coarse	100	290	P0f	10	1	572260	2 608 901 257
100 x 290	Medium	100	290	P0f	10	1	572277	2 608 901 258
100 x 290	Fine	100	290	P0f	10	1	572284	2 608 901 259

Y580 sanding sleeves for burnishing machines, Best for Inox

best for **Inox**

- Suitable for sanding stainless steel (inox)
- Hardly any discolouration thanks to cooling additives
- With zirconia - for a high material removal rate
- Appropriate for expansion rollers



PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions mm	Grit		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100 x 285	40		C0a	5	1	807623	2 608 608 Z79
100 x 285	60		C0a	5	1	807630	2 608 608 Z80
100 x 285	80		C0a	5	1	807647	2 608 608 Z81
100 x 285	120		C0a	5	1	807654	2 608 608 Z82
100 x 285	180		C0a	5	1	807661	2 608 608 Z83




Flap Sanding Wheels for Burnishing Machines

- Suitable for producing different surface textures




PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Height mm	Mount mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Flap sanding wheel								
100	100	19	40	C0a	1	1	732796	2 608 000 596
100	100	19	60	C0a	1	1	732802	2 608 000 597
100	100	19	80	C0a	1	1	732819	2 608 000 598



Flap Sanding Wheels for Burnishing Machines

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Height mm	Mount mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		
100	100	19	120	C0a	1	1	732826	2 608 000 599	
100	100	19	180	C0a	1	1	732833	2 608 000 600	
100	100	19	240	C0a	1	1	732840	2 608 000 601	



Flap sanding wheel with fleece

100	100	19	Coarse	C0a	1	1	732857	2 608 000 602	
100	100	19	Fine	C0a	1	1	732871	2 608 000 604	
100	100	19	Medium	C0a	1	1	732864	2 608 000 603	
100	100	19	Very fine	C0a	1	1	732888	2 608 000 605	





Fleece sanding wheel

100	100	19	Coarse	C0a	1	1	732901	2 608 000 607	
100	100	19	Medium	C0a	1	1	732918	2 608 000 608	
100	100	19	Very fine	C0a	1	1	732925	2 608 000 609	

SHEETS AND ROLLS FOR HAND SANDING AND ORBITAL SANDERS

Because manual sanding is everywhere.

			
	M480	C470	Foams
	EXPERT	EXPERT	EXPERT
Page number	421	421	425
Grit range	80 – 400	40 – 400	Medium – super fine
Grit type	Aluminium oxide	Aluminium oxide	–
Backing material	Net, knitted fabric	C-Paper	PU
Dimension mm	93 x 5 000 / 115 x 5 000	230 x 280 / 93 x 5 000 / 115 x 5 000 / 93 x 50 000 / 115 x 50 000	69 x 97 x 26 / 98 x 120 x 13
	 	 	 

MATERIALS

Softwood / hardwood	✓	✓	✓
Resinous wood	✓	✓	✓
Plywood	✓	✓	✓
Paint / varnish	✓	✓	✓
Filler	✓	✓	✓
Plaster	✓	✓	✓
Solid surface materials (Corian, Varicor)	✓	✓	–
Glass fibre reinforced plastics (GRP)	✓	–	–
Perspex	✓	–	–

*Bosch EXPERT products vs. Bosch standard products

SHEETS AND ROLLS FOR HAND SANDING AND ORBITAL SANDERS

The manual option.



	N880
	EXPERT
Page number	423
Grit range	Coarse – ultra Fine
Grit type	Aluminium oxide / Silicon carbide
Backing material	Nonwoven
Dimension mm	Ø 125 / Ø 150 / 152 x 229 / 100 x 10 000 / 115 x 10 000 / 150 x 10 000
	 

MATERIALS

Stainless steel (inox)	✓
Mild steel (metal)	✓
Sheet metal	✓
Plasterboard	✓
Aluminium	✓


*Bosch EXPERT products vs. Bosch standard products

EXPERT C470 Sandpapers for Handsanding

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Clamp it on.



PRODUCT PROPERTIES				ORDERING INFORMATION				
		Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1								
		230x280	40	P0f	1	25	542959	2 608 900 957
		230x280	60	P0f	1	50	542966	2 608 900 958
		230x280	80	P0f	1	50	542973	2 608 900 959
		230x280	100	P0f	1	50	542980	2 608 900 960
		230x280	120	P0f	1	50	542997	2 608 900 961
		230x280	150	P0f	1	50	543000	2 608 900 962
		230x280	180	P0f	1	50	543017	2 608 900 963
		230x280	220	P0f	1	50	543024	2 608 900 964
		230x280	240	P0f	1	50	543031	2 608 900 965
		230x280	320	P0f	1	50	543048	2 608 900 966
		230x280	400	P0f	1	50	543055	2 608 900 967


EXPERT M480 Sanding Net Rolls

EXPERT


- ▶ Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust reduction than Bosch C420 Sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
5 m								
93	5	80	P1f	1	1	541143	2 608 900 776	
93	5	100	P1f	1	1	541150	2 608 900 777	
93	5	120	P1f	1	1	541167	2 608 900 778	
93	5	150	P1f	1	1	541174	2 608 900 779	
93	5	180	P1f	1	1	541181	2 608 900 780	
93	5	220	P1f	1	1	541198	2 608 900 781	
93	5	240	P1f	1	1	541204	2 608 900 782	
93	5	320	P1f	1	1	541211	2 608 900 783	
93	5	400	P1f	1	1	541228	2 608 900 784	
115	5	80	P1f	1	1	541235	2 608 900 785	
115	5	100	P1f	1	1	541242	2 608 900 786	
115	5	120	P1f	1	1	541259	2 608 900 787	
115	5	150	P1f	1	1	541266	2 608 900 788	
115	5	180	P1f	1	1	541273	2 608 900 789	
115	5	220	P1f	1	1	541280	2 608 900 790	
115	5	240	P1f	1	1	541297	2 608 900 791	
115	5	320	P1f	1	1	541303	2 608 900 792	
115	5	400	P1f	1	1	541310	2 608 900 793	

EXPERT C470 Sandpaper Rolls for Handsanding

EXPERT


- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than Bosch C420 Sandpaper.
- ▶ Clamp it on.

PRODUCT PROPERTIES				ORDERING INFORMATION					
5 m	Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number
	93	5	40	P1f	1	1	542409	2 608 900 902	
	93	5	60	P1f	1	1	542416	2 608 900 903	
	93	5	80	P1f	1	1	542423	2 608 900 904	
	93	5	120	P1f	1	1	542430	2 608 900 905	
	93	5	180	P1f	1	1	542447	2 608 900 906	
	93	5	240	P1f	1	1	542454	2 608 900 907	
	115	5	40	P1f	1	1	542348	2 608 900 896	
	115	5	60	P1f	1	1	542355	2 608 900 897	

EXPERT C470 Sandpaper Rolls for Handsanding

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
115	5	80	P1f	1	1	542362	2 608 900 898	
115	5	120	P1f	1	1	542379	2 608 900 899	
115	5	180	P1f	1	1	542386	2 608 900 900	
115	5	240	P1f	1	1	542393	2 608 900 901	
50 m								
93	50	40	P0f	1	1	543062	2 608 900 968	
93	50	60	P0f	1	1	543079	2 608 900 969	
93	50	80	P0f	1	1	543086	2 608 900 970	
93	50	100	P0f	1	1	543093	2 608 900 971	
93	50	120	P0f	1	1	543109	2 608 900 972	
93	50	180	P0f	1	1	543116	2 608 900 973	
93	50	240	P0f	1	1	543123	2 608 900 974	
93	50	320	P0f	1	1	543130	2 608 900 975	
93	50	400	P0f	1	1	543147	2 608 900 976	
115	50	40	P0f	1	1	543154	2 608 900 977	
115	50	60	P0f	1	1	543161	2 608 900 978	
115	50	80	P0f	1	1	543178	2 608 900 979	
115	50	100	P0f	1	1	543185	2 608 900 980	
115	50	120	P0f	1	1	543192	2 608 900 981	
115	50	180	P0f	1	1	543208	2 608 900 982	
115	50	240	P0f	1	1	543215	2 608 900 983	
115	50	320	P0f	1	1	543222	2 608 900 984	
115	50	400	P0f	1	1	543239	2 608 900 985	

EXPERT N880 Fleece Pads for Handsanding
EXPERT


- ▶ Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- ▶ Best for metalworkers: Long Lasting Quality.
- ▶ Lasts up to 3x longer than Bosch J475 coated hand sanding sheet.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
152 x 229	Cleaning	white	C0a	1	20	571805	2 608 901 211	
152 x 229	Coarse A	brown	C0a	1	20	571812	2 608 901 212	
152 x 229	Extra cut S	black	C0a	1	20	571799	2 608 901 210	
152 x 229	Medium A	maroon	C0a	1	20	571836	2 608 901 214	
152 x 229	Medium S	black	C0a	1	20	571829	2 608 901 213	
152 x 229	Ultra fine S	grey	C0a	1	20	571850	2 608 901 216	
152 x 229	Very fine A	red	C0a	1	20	571843	2 608 901 215	
152 x 229	Very fine GP	green	C0a	1	20	571867	2 608 901 217	
115 x 140	Coarse A	brown	C1b	2	1	571874	2 608 901 218	
115 x 140	Medium S	black	C1b	2	10	571881	2 608 901 219	
115 x 140	Very fine A	red	C1b	2	10	571898	2 608 901 220	
115 x 140	Very fine GP	green	C1b	2	1	571904	2 608 901 221	

EXPERT N880 Fleece Rolls for Handsanding
EXPERT


- ▶ Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- ▶ Best for metalworkers: Long Lasting Quality.
- ▶ Lasts up to 3x longer than Bosch J475 coated hand sanding sheet.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Roll width mm	Roll length m	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	10	Coarse A	brown	P0f	1	1	571911	2 608 901 222
100	10	Medium S	black	P0f	1	1	571928	2 608 901 223
100	10	Very fine A	red	P0f	1	1	571935	2 608 901 224
100	10	Very fine GP	green	P0f	1	1	571942	2 608 901 225
115	10	Cleaning	white	P0f	1	1	571959	2 608 901 226
115	10	Coarse A	brown	P0f	1	1	571966	2 608 901 227
115	10	Medium A	maroon	P0f	1	1	571980	2 608 901 229
115	10	Medium S	black	P0f	1	1	571973	2 608 901 228
115	10	Ultra fine S	grey	P0f	1	1	572000	2 608 901 231
115	10	Very fine A	red	P0f	1	1	571997	2 608 901 230
115	10	Very fine GP	green	P0f	1	1	572017	2 608 901 232
150	10	Cleaning	white	P0f	1	1	572024	2 608 901 233
150	10	Coarse A	brown	P0f	1	1	572031	2 608 901 234

EXPERT N880 Fleece Rolls for Handsanding

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Roll width mm	Roll length m	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
150	10	Medium A	maroon	P0f	1	1	572055	2 608 901 236
150	10	Medium S	black	P0f	1	1	572048	2 608 901 235
150	10	Ultra fine S	grey	P0f	1	1	572079	2 608 901 238
150	10	Very fine A	red	P0f	1	1	572062	2 608 901 237
150	10	Very fine GP	green	P0f	1	1	572086	2 608 901 239


LONG LIFE SANDING WOOD AND PAINT

EXPERT Sanding Foams

ASSORTMENT: Medium / Fine / Superfine


EXPERT

- 1 Strong, flexible bonding with Bosch Surface Structure
- 2 Tear Resistant foam is strong and durable
- 3 Sponge moulds to shapes for even pressure on surface



EXPERT S470 Combi Blocks

EXPERT



- Ideal for general sanding, for example to remove old paint from window frames; thin edge is ideal for sanding surface next to glass of walls; rounded edge can follow the shape of routed edges on wooden tables.
- EXPERT Abrasives - the very best for all trades.
- Lasts up to 5x longer than Bosch C420 Sandpaper.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grade	Product colour		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
69 x 97 x 26	Medium / Fine / Superfine	orange / yellow / green		C1b	3	5	545127	2 608 901 174
69 x 97 x 26	Fine	yellow		C0a	1	50	545066	2 608 901 168

EXPERT S471 Standard Blocks

EXPERT




- ▶ Ideal for flat sanding, for example to remove old paint from window frames; square edges and firm pad helps to give shape, for example by sanding away sharp edges.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Lasts up to 5x longer than Bosch C420 Sandpaper.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
69 x 97 x 26	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545134	2 608 901 175	
69 x 97 x 26	Medium	orange	C0a	1	20	545158	2 608 901 177	
69 x 97 x 26	Fine	yellow	C0a	1	20	545165	2 608 901 178	
69 x 97 x 26	Super fine	green	C0a	1	20	545172	2 608 901 179	
69 x 97 x 26	Medium	orange	C0a	1	50	545073	2 608 901 169	
69 x 97 x 26	Fine	yellow	C0a	1	50	545080	2 608 901 170	
69 x 97 x 26	Super fine	green	C0a	1	50	545189	2 608 901 180	

EXPERT S473 Standard Pads

EXPERT



- ▶ Ideal for sanding curved surfaces, even tight curves such as the legs of a table or of a chair. This broad, thin pad is very flexible and can grab around cylindrical surfaces for easy, even sanding; form-following sanding of furniture to remove old paint or finish natural wood.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Lasts up to 5x longer than Bosch C420 Sandpaper.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
98 x 120 x 13	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545141	2 608 901 176	
98 x 120 x 13	Medium	orange	C0a	1	50	545097	2 608 901 171	
98 x 120 x 13	Fine	yellow	C0a	1	50	545103	2 608 901 172	
98 x 120 x 13	Super fine	green	C0a	1	50	545110	2 608 901 173	

METAL SANDING

Sand metal effectively.

The best your tool can get. Bosch Professional Accessories.



FIBRE AND FLAP DISCS FOR ANGLE GRINDERS

Get the quality finish.

				
	N477	R782	R781	R780
	EXPERT	EXPERT	EXPERT	
Page number	442	430	433	436
Grit range	Extra coarse - very fine	36+ - 120+	36+ - 80+	36 - 120
Grit type	Aluminium oxide	Ceramic aluminium oxide	Ceramic aluminium oxide	Ceramic aluminium oxide
Backing material	3D Fibre fleece	Fibre	Fibre	Fibre
Diameter mm	100 - 125	115 - 180	115 - 180	115 - 180
X-LOCK	✓	✓	✓	✓
M14	✓	✓	✓	✓
				

MATERIALS

Stainless steel (inox)	✓	✓	-	✓
Mild steel (metal)	✓	✓	✓	✓
Sheet metal	✓	✓	✓	✓
Construction wood	✓	-	✓	-
Aluminium	✓	✓	-	✓


*Bosch EXPERT products vs. Bosch standard products



R574



R444



X581



X551

437	437	439	441
24 - 120	24 - 120	40 - 80	40 - 120
Zirconia	Aluminium oxide	Zirconia	Zirconia
Fibre	Fibre	X-Cloth	X-Cloth
115 - 230	100 - 230	115 - 125	115 - 180
✓	✓	-	-
✓	✓	✓	✓
-	-	✓	✓
✓	✓	✓	✓
✓	✓	-	✓
✓	✓	-	✓
✓	✓	-	✓


HIGH SPEED GRINDING STAINLESS STEEL

EXPERT R782 Prisma Discs X-LOCK

ASSORTMENT: Grit: 36+ - 120+

EXPERT

- 1 Fast stock removal with Bosch Prisma Ceramic technology
- 2 Stays faster for longer due to self-sharpening effect
- 3 Cooling top coat lets you grind faster without overheating
- 4 Cambered design ensures disc stays flat for outstanding performance



EXPERT R782 Prisma Ceramic X-LOCK Fibre Discs

EXPERT



- Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than Bosch R444 Fibre Disc.
- Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



**PRISMA
TECHNOLOGY**

UP TO
4x
SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	36	●	P0b	25	1	538433	2 608 621 820
115	22.23	60	●	P0b	25	1	538440	2 608 621 821
115	22.23	80	●	P0b	25	1	538457	2 608 621 822
115	22.23	120	●	P0b	25	1	538464	2 608 621 823
125	22.23	36	●	P0b	25	1	538471	2 608 621 824

EXPERT R782 Prisma Ceramic X-LOCK Fibre Discs**EXPERT**

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	60	●	P0b	25	1	538488	2 608 621 825
125	22.23	80	●	P0b	25	1	538495	2 608 621 826

EXPERT R782 Prisma Ceramic Fibre Discs**EXPERT**

- ▶ Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ With 16 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	36	P0b	25	1	538396	2 608 621 816
100	16	60	P0b	25	1	538402	2 608 621 817
100	16	80	P0b	25	1	538419	2 608 621 818
100	16	120	P0b	25	1	538426	2 608 621 819

EXPERT R782 Prisma Ceramic Fibre Discs**EXPERT**

- ▶ Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	36	P0b	25	1	538518	2 608 621 828
180	22.23	60	P0b	25	1	538525	2 608 621 829
180	22.23	80	P0b	25	1	538532	2 608 621 830

EXPERT R782 Prisma Ceramic Fibre Discs

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	120	P0b	25	1	538549	2 608 621 831


HIGH SPEED GRINDING METAL

EXPERT R781 Prisma Discs X-LOCK

ASSORTMENT: Grit: 36+ - 80+

EXPERT

- 1 Fast stock removal with Bosch Prisma Ceramic technology
- 2 Stays faster for longer due to self-sharpening effect
- 3 Cooling top coat lets you grind faster without overheating
- 4 Cambered design ensures disc stays flat for outstanding performance



EXPERT R781 Prisma Ceramic X-LOCK Fibre Discs

EXPERT


- ▶ Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	36	●	P1b	5	5	537047	2 608 621 779
115	22.23	60	●	P1b	5	5	537054	2 608 621 780
115	22.23	80	●	P1b	5	5	537061	2 608 621 781
125	22.23	36	●	P1b	5	5	537078	2 608 621 782
125	22.23	60	●	P1b	5	5	537085	2 608 621 783

EXPERT R781 Prisma Ceramic X-LOCK Fibre Discs

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	80	●	P1b	5	5	537092	2 608 621 784
115	22.23	36	●	P0b	25	1	537160	2 608 621 791
115	22.23	60	●	P0b	25	1	537177	2 608 621 792
115	22.23	80	●	P0b	25	1	537184	2 608 621 793
125	22.23	36	●	P0b	25	1	537191	2 608 621 794
125	22.23	60	●	P0b	25	1	537207	2 608 621 795
125	22.23	80	●	P0b	25	1	537214	2 608 621 796

EXPERT R781 Prisma Ceramic Fibre Discs

EXPERT

- ▶ Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ With 16 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	36	P0b	25	1	537139	2 608 621 788
100	16	60	P0b	25	1	537146	2 608 621 789
100	16	80	P0b	25	1	537153	2 608 621 790

EXPERT R781 Prisma Ceramic Fibre Discs

EXPERT




- ▶ Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than Bosch R444 Fibre Disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
180	22.23	36	P0b	25	1	537221	2 608 621 797	
180	22.23	60	P0b	25	1	537238	2 608 621 798	
180	22.23	80	P0b	25	1	537245	2 608 621 799	

2-STEP SYSTEM SOLUTION

1. Step: R780 Ceramic Fibre Disc.



HIGH PERFORMANCE

High Stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain

STABLE GRINDING


Process because of thick and vulcanized backing

REDUCED DISCOLOURATION

Thanks to top size coating, it is perfect for Inox as well as mild steel applications

X-LOCK Fibre sanding discs, R780, Best for Metal + Inox - EN 13743

best Metal+Inox



- ▶ Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK fibre discs also fit on standard angle grinders
- ▶ High stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain
- ▶ **Stable grinding** process because of thick and vulcanised backing
- ▶ **Reduced discolouration** thanks to top size coating, it is perfect for Inox, mild steel, cast iron, non-ferrous metals and aluminium

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	36	P0f	1	50	960274	2 608 619 183
125	22.23	50	P0f	1	50	960281	2 608 619 184
125	22.23	60	P0f	1	50	960298	2 608 619 185
125	22.23	80	P0f	1	50	960304	2 608 619 186
125	22.23	100	P0f	1	50	960311	2 608 619 187
125	22.23	120	P0f	1	50	960328	2 608 619 188



X-LOCK Fibre sanding discs R444, Expert for Metal - EN 13743expert  **Metal**

X-LOCK	✓
M14/ø 22,23	✓



- ▶ Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK fibre discs also fit on standard angle grinders.
- ▶ **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, paint, metal, stone
- ▶ Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
- ▶ Sanding discs for clamping on a rubber backing pad

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	24	P0f	1	50	960151	2 608 619 171
125	22.23	36	P0f	1	50	960168	2 608 619 172
125	22.23	60	P0f	1	50	960175	2 608 619 173
125	22.23	80	P0f	1	50	960182	2 608 619 174
125	22.23	100	P0f	1	50	960199	2 608 619 175
125	22.23	120	P0f	1	50	960205	2 608 619 176

**X-LOCK Fibre sanding discs, R574, Best for Metal - EN 13743**best  **Metal**

X-LOCK	✓
M14/ø 22,23	✓



- ▶ Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK fibre discs also fit on standard angle grinders.
- ▶ **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting on steel, cast iron, sheet steel and stainless steel
- ▶ Fibre sanding disc with zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, 0.80 or 0.84 mm vulcanised fibre
- ▶ High material removal rate and long lifetime
- ▶ Sanding discs for clamping on a rubber backing pad

125	22.23	24	P0f	1	50	960038	2 608 619 159
125	22.23	36	P0f	1	50	960045	2 608 619 160
125	22.23	60	P0f	1	50	960052	2 608 619 161
125	22.23	80	P0f	1	50	960069	2 608 619 162
125	22.23	100	P0f	1	50	960076	2 608 619 163
125	22.23	120	P0f	1	50	960083	2 608 619 164

**Fibre sanding discs R444, Expert for Metal - EN 13743**expert  **Metal**

- ▶ **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, paint, metal, stone
- ▶ Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
- ▶ Sanding discs for clamping on a rubber backing pad

100	16	24	U0	1	50	185158	2 608 606 916
100	16	36	U0	1	50	247856	2 608 607 248
100	16	60	U0	1	50	185172	2 608 606 918
100	16	80	U0	1	50	185189	2 608 606 919
100	16	100	U0	1	50	185196	2 608 606 920
100	16	120	U0	1	50	185202	2 608 606 921
115	22.23	24	U0	1	50	162845	2 608 605 464
115	22.23	36	U0	1	50	247863	2 608 607 249
115	22.23	60	U0	1	50	162869	2 608 605 466



Fibre sanding discs R444, Expert for Metal - EN 13743

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	80	U0	1	50	162876	2 608 605 467
115	22.23	120	U0	1	50	162890	2 608 605 469
125	22.23	24	U0	1	50	162944	2 608 605 474
125	22.23	36	U0	1	50	247870	2 608 607 250
125	22.23	60	U0	1	50	162968	2 608 605 476
125	22.23	80	U0	1	50	162975	2 608 605 477
125	22.23	120	U0	1	50	162999	2 608 605 479
180	22.23	24	U0	1	50	163040	2 608 605 484
180	22.23	36	U0	1	50	247887	2 608 607 251
180	22.23	60	U0	1	50	163064	2 608 605 486
180	22.23	80	U0	1	50	163071	2 608 605 487

X581 flap discs, Best for Inox, angled version - EN 13743

best **Inox**




- ▶ Particularly suitable for working on stainless steel (inox)
- ▶ Powerful thanks to high-performance zirconia, fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- ▶ Very high material removal rate and very long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version - for surface sanding and working on welded seams at a work angle of 15-25°




PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	590846	2 608 608 263
115	22.23	60	U0	1	10	590853	2 608 608 264
115	22.23	80	U0	1	10	590860	2 608 608 265
125	22.23	40	U0	1	10	528788	2 608 607 638
125	22.23	60	U0	1	10	528795	2 608 607 639
125	22.23	80	U0	1	10	528801	2 608 607 640

X-LOCK X571 flap discs, Best for Metal, angled version - EN 13743

best **Metal**



- ▶ Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK Flap discs also fit on standard angle grinders.
- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of plastic
- ▶ Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	40	U0	1	10	523880	2 608 621 767
125	22.23	60	U0	1	10	523897	2 608 621 768
125	22.23	80	U0	1	10	523903	2 608 621 769
125	22.23	120	U0	1	10	523910	2 608 621 770

X-LOCK X571 flap discs, Best for Metal, straight version - EN 13743

best  **Metal**

X-LOCK	✓
M14/Ø 22,23	✓



- Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK Flap discs also fit on standard angle grinders.
- Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- Consistently high material removal rate and long lifetime
- Flap disc on carrier plate made of glass fibre
- Straight version - for surface sanding and working on welded seams at a work angle of 5-15°

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	40	U0	1	10	960533	2 608 619 209
125	22.23	60	U0	1	10	960540	2 608 619 210
125	22.23	80	U0	1	10	960557	2 608 619 211
125	22.23	120	U0	1	10	960564	2 608 619 212



X-LOCK cleaning disc N377, Best for Metal, 50 m/s



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
optimum speed 5,500 rpm							
115	22.23	black	U0	1	5	538556	2 608 621 832



optimum speed 5,000 rpm							
125	22.23	black	U0	1	5	538563	2 608 621 833



X551 flap discs, Expert for Metal, angled version - EN 13743expert  **Metal**

- ▶ Particularly suitable for metalworking
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ The low-cost alternative as an ideal solution
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	180177	2 608 606 752
115	22.23	60	U0	1	10	180184	2 608 606 753
115	22.23	80	U0	1	10	180191	2 608 606 754
115	22.23	120	U0	1	10	270847	2 608 607 346
125	22.23	40	U0	1	10	179812	2 608 606 716
125	22.23	60	U0	1	10	179829	2 608 606 717
125	22.23	80	U0	1	10	179836	2 608 606 718
125	22.23	120	U0	1	10	270854	2 608 607 347


HIGH SPEED METAL FINISHING

EXPERT N477 Surface Conditioning Material Discs

ASSORTMENT: very fine - extra coarse

EXPERT

- 1 Exceptional abrasion with Bosch Surface Structure
- 2 Rapid stock removal by high performance grits
- 3 3D structure allows grit through the fleece



EXPERT N477 SCM Discs for Angle Grinders

EXPERT

- Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- Best for metalworkers: fast and efficient.
- Up to 4x faster than Bosch R444 Disc.
- Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
115	22	Coarse	C0a	1	25	572345	2 608 901 265	
115	22	Extra coarse	C0a	1	25	572338	2 608 901 264	
115	22	Medium	C0a	1	25	572352	2 608 901 266	
115	22	Very fine	C0a	1	25	572369	2 608 901 267	
125	22	Coarse	C0a	1	25	572383	2 608 901 269	

EXPERT N477 SCM Discs for Angle Grinders
EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
125	22	Extra coarse	C0a	1	25	572376	2 608 901 268	
125	22	Medium	C0a	1	25	572390	2 608 901 270	
125	22	Very fine	C0a	1	25	572406	2 608 901 271	

EXPERT N477 SCM Discs for Angle Grinders
EXPERT


- ▶ Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- ▶ Best for metalworkers: fast and efficient.
- ▶ Up to 4x faster than Bosch R444 Disc.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
100	16	Coarse	C0a	1	25	572307	2 608 901 261	
100	16	Extra coarse	C0a	1	25	572291	2 608 901 260	
100	16	Medium	C0a	1	25	572314	2 608 901 262	
100	16	Very fine	C0a	1	25	572321	2 608 901 263	

Sandpapers for Angle Grinders and Drills

EXPERT C470 Sandpapers with no holes for Angle Grinders and Drills

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode	4 059 952...	Part number	
Pack of 50									
125	40	no holes	C0a	50	1	542898	2 608 900 951		
125	60	no holes	C0a	50	1	542904	2 608 900 952		
125	80	no holes	C0a	50	1	542911	2 608 900 953		
125	100	no holes	C0a	50	1	544922	2 608 901 154		
125	120	no holes	C0a	50	1	542928	2 608 900 954		
125	180	no holes	C0a	50	1	542935	2 608 900 955		
125	240	no holes	C0a	50	1	542942	2 608 900 956		
125	320	no holes	C0a	50	1	544939	2 608 901 155		
125	400	no holes	C0a	50	1	544946	2 608 901 156		

Accessories for Sanding and Polishing with Drills

Backing Pad with Shank for Drills



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Backing pad for 125 mm abrasive diameter for clamping with screw/disc						
125	8	C1c	1	1	004435	1 609 200 240

Sanding sleeves for straight grinders

Flap wheels - Aluminium oxide

- **Suitable for** universal application in wood, metal, paint, plastic
- **Appropriate for** drills
- For surface machining, edge chamfering, deburring and structuring
- Shape: Cylindrical



PRODUCT PROPERTIES				ORDERING INFORMATION				
Straight shank mm	Grit	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	60	50	20	C1d	1	1	004572	1 609 200 287
6	120	50	20	C1d	1	1	004589	1 609 200 288
6	60	60	40	C1d	1	1	076791	2 609 200 183
6	120	60	40	C1d	1	1	076807	2 609 200 185

Polishing accessories for GPO 14 CE Professional

► **Appropriate for** GPO 14 CE Professional

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	170	Hard Foam disc Polishing orange peel effect, paint runs and dust inclusions				
		P1d	1	1	632393	2 608 612 023
	170	Soft Foam Disc				
		P1d	1	1	632409	2 608 612 024
	170	Foam disc Removing holograms Finishing of dark and sensitive colours				
		P1d	1	1	632416	2 608 612 025
	150	Backing pad for foam disc and lambskin disc with hook-and-loop-type fastening system				
		P1d	1	1	632430	2 608 612 027

Polishing sponge for polishers

- **Suitable for** rubbing in wax and polishing weather-worn paints, stone, plastics and non-ferrous metal, and for polishing slightly dirty, scratched or pre-polished surfaces
- For use with polish or for working in surface sealing agents on even or curved surfaces
- **Appropriate for** GPO 12; GPO 12 E, GOP 14,4 V-EC Professional

Polishing sponge with M14 thread	160	P0b	1	1	026550	1 608 613 013
----------------------------------	-----	-----	---	---	--------	----------------------

Felt polishing disc for polishers

- **Suitable for** polishing stone, plastics and non-ferrous metal, and for pre-polishing very dirty or scratched, even surfaces
- For use with polish or grinding paste on even surfaces
- **Appropriate for** GPO 12; GPO 12 E Professional

Felt polishing disc with M14 thread	180	P0b	1	1	026543	1 608 612 002
-------------------------------------	-----	-----	---	---	--------	----------------------

Lambswool bonnet for polishers

- **Suitable for** polishing old varnish and after surface sanding
- **Note:** For use with polishing sponge (1 608 613 013) or felt polishing disc (1 608 612 002) or backing pad (2 608 601 209)
- **Appropriate for** GPO 12; GPO 12 E Professional



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Lambswool bonnet						
	180	P0f	1	1	026499	1 608 610 000



MACHINE ACCESSORIES

Upgrade your power tool.

The best your tool can get. Bosch Professional Accessories.



Bosch System Chucks

Bosch System Chucks for Rotary Hammers



PRODUCT PROPERTIES		ORDERING INFORMATION					
Chuck capacity mm	Mount, range	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		
SDS plus quick-change chuck							
GBH 4 DFE; GBH 4 DSC Professional; PBH 300 E							
SDS plus	SDS	C0a	1	1	077606	2 608 572 059	



SDS plus keyless chuck GBH 2-24 DF; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-28 DFV; GBH 3-28 DFR; GBH 4-32 DFR; GBH 18V-26 F; GBH 36.0 VF-LI; GBH 2600 Professional							
SDS plus	SDS	C2a	1	1	336932	2 608 572 213	



Keyless chuck with adapter GBH 2-24 DF; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-28 DFV; GBH 3-28 DFR; GBH 4-32 DFR; GBH 18V-26 F; GBH 36.0 VF-LI; GBH 2600 Professional							
1.5-13.0	SDS ●	C2a	1	1	336925	2 608 572 212	

Bosch System Chucks for Impact Drills



PRODUCT PROPERTIES		ORDERING INFORMATION						
Chuck capacity mm	Mount, range	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...			Part number
Keyless chuck, chrome-plated GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 21-2 RCT; GSB 21-2 RE; GSB 24-2 Professional; PSB 850; PSB 1000; PSB 1200 „Auto-Lock“								
1.5–13.0	1/2" – 20	P1h	1	1	223423	2 608 572 150		

Accessories for Rotary Hammers

Drill Bit Adapters for Drill Bits

	PRODUCT PROPERTIES		ORDERING INFORMATION					
	Shank	For drill bit shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
	SDS max	SDS plus	P1e	1	1	033435	1 618 598 159	

SDS Shanks for Drill Chucks

	SDS plus	1/2"-20 UNF	C1a	1	5	012584	1 617 000 132	
	SDS max	1/2"-20 UNF	P1e	1	1	034180	2 608 550 036	

Handles for Rotary Hammers and Impact Drills

Handles for Rotary Hammers

	PRODUCT PROPERTIES				ORDERING INFORMATION	
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	
	Handle for rotary hammers GBH 5-40; GBH 5-40 D; GBH 8 DCE; GBH 38 Professional				P0f	1 1 042482 2 602 025 062

Machine vices, drill holders

Machine vices for do-it-yourselfers

► With quick clamping mechanism, die-cast aluminium housing, black chrome plated jaws



PRODUCT PROPERTIES			ORDERING INFORMATION				
Slot spacing mm	Fitting width mm	Jaw opening mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Machine vice MS 80							
95	80	80	C1d	1	1	092425	2 608 030 055

Keyless Drill Chucks

Keyless chucks up to 10 mm

PRODUCT PROPERTIES					ORDERING INFORMATION					
Chuck capacity mm	Mount, range				Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
1.0-10.0	1/4" external hex shank	●			3	P1h	1	1	085441	2 608 572 075
1.0-10.0	3/8" - 24	●	●		5	P1h	1	1	092036	2 608 572 068
1.0-10.0	1/2" - 20	●	●	●	8	P1h	1	1	348638	2 608 572 218



Keyless chucks up to 16 mm

PRODUCT PROPERTIES					ORDERING INFORMATION							
Chuck capacity mm	Mount, range				Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number			
2.0–13.0	1/2" – 20	●		●	●	3	C1a	1	1	064682	2 608 572 034	
2.0–13.0	3/8" – 24		●	●		4	P1h	1	1	080255	2 608 572 060	
2.0–13.0	1/2" – 20		●	●		4	P1h	1	1	082754	2 608 572 062	
1.5–13.0	1/2" – 20	●		●	●	●	5	P1h	1	1	111942	2 608 572 105
1.5–13.0	1/2" – 20	●	●	●		●	6	P1h	1	1	290975	2 608 572 182



Keyed Drill Chucks

Keyed Drill Chucks up to 10 mm

PRODUCT PROPERTIES						ORDERING INFORMATION					
Chuck capacity mm	Mount, range	Replacement key				Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
1.0-10.0	3/8" - 24 ●	D	●	1		P1h	1	1	002608	1 608 571 053	
1.0-10.0	3/8" - 24 ●	B	●	1		P1h	1	1	016506	1 608 571 058	

1



Keyed Drill Chucks up to 13 mm

PRODUCT PROPERTIES						ORDERING INFORMATION					
Chuck capacity mm	Mount, range	Replacement key				Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	

Keyed chucks up to 13 mm
Replacement key 1 607 950 045


1.5-13.0	1/2" - 20 ●	D	●	1		P1h	1	1	041133	1 608 571 048	
1.5-13.0	1/2" - 20 ●	D	●	●	1	P1h	1	1	002639	1 608 571 062	

1



Replacement Keys for Drill Chucks

PRODUCT PROPERTIES						ORDERING INFORMATION					
Ref. type	Replacement key, type	Outer length (L1) mm	Key length (L2) mm	Key width (KW) mm	Key diameter (Z) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
S3	A	110	50	4	8	C1d	1	5	024556	1 607 950 041	
ZS14	B	60	30	-	6	C1e	1	5	016476	1 607 950 042	
S2	C	110	40	4	6	C1d	1	5	002363	1 607 950 044	
S2	D	110	40	-	6	C1d	1	5	002370	1 607 950 045	
S14	F	80	30	5	6	C1d	1	5	033480	1 607 950 053	



Depth Stops and Handles for Drills

Handles for Drills

	PRODUCT PROPERTIES		ORDERING INFORMATION				
			Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
	Handle for drills						
	GBM 13; GBM 13 HRE; GBM 16-2 RE; GRW 11 E; GSB 22-2 RCE Professional						
			P0b	1	1	026987	1 612 025 020

Stirrer Baskets

Stirrer baskets for hand-held stirrers, from the bottom upwards


- ▶ Suitable for plaster, concrete, mortar, epoxy resin
- ▶ Mixing effect from bottom upwards
- ▶ M14 outer thread



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter, basket mm	Total length mm	Mixing quantity, from kg	Mixing quantity, to kg	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GRW 9; GRW 11 E; GRW 12 E; GRW 18-2 E Professional								
135	590	25	40	P1e	1	1	061339	3 609 201 038

Routing Accessories for Drills

Freehand Router Bits



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	90	-	6	P1c	1	1	107433	2 608 597 528

Ground rasp drill bit HSS, with 118° split point, deep-set cutting teeth

Suitable for non-ferrous metals, wood

Recommended speed: 1000 to 2000 rpm

Backing Pads for Angle Grinders

Regular Backing Pads for Fibre Sanding Discs

- High temperature resistant, low vibration running, break-resistant

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Backing Pad with M10 flange thread					
	100	C1a	1	1	047265	2 608 601 046
	Backing Pad Soft with M14 flange thread					
	115	C1a	1	1	031202	2 608 601 005
	125	C1a	1	1	016551	1 608 601 033
	180	C1a	1	1	653206	2 608 601 209
	Round nut with M14 flange thread					
	115	P0b	1	1	029711	2 603 345 002
	125	P0b	1	1	024266	1 603 345 004
	180	P0b	1	1	024266	1 603 345 004
	Hook-and-loop-type fastening plate with M14 flange thread					
	115	C1d	1	1	086585	2 608 601 076
	125	C1d	1	1	086592	2 608 601 077

X-LOCK Backing Pads for Fibre Sanding Discs



- Changing backing pads is fast and convenient thanks to the keyless X-LOCK system
- High temperature resistant, low vibration running, break-resistant

X-LOCK Backing Pad Soft
Ideal for fine grit sanding P60 and finer
Extended lifetime thanks to thermostable plastic

125	C1d	1	1	938501	2 608 601 714
-----	-----	---	---	--------	---------------

X-LOCK Backing Pads for Fibre Sanding Discs




PRODUCT PROPERTIES		ORDERING INFORMATION					
		Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
X-LOCK Backing Pad Medium							
Ideal for medium grit sanding P36 to P60							
Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic							
		125	C1d	1	1	938518	2 608 601 715



X-LOCK Backing Pad Hard, ideal for grit size P50 and rougher							
Ideal for rough grit sanding P50 and rougher							
Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic							
		125	C1d	1	1	938525	2 608 601 716

X-LOCK Clip, Easy tool free disc changing		-	P1b	1	1	938563	2 608 601 720
---	--	---	-----	---	---	--------	---------------



X-LOCK Backing Pad for SCM discs with center pin							
Ideal for all SCM (surface conditioning) discs							
		125	C1d	1	1	959032	2 608 601 724

Locking Nuts for Angle Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SDS clic quick-locking nut M14 Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 Note: The disc must be centred at the supporting flange, not at the nut	C1a	1	1	033206	1 603 340 031

Locking Nuts for Angle Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	
Locking Nut for M14 Thread for clamping sanding discs with 115-150 mm diameter manufactured before 08/90						
	-	PC1c	1	1	016384	1 603 340 015



Locking Nut for M14 Thread for clamping all discs with 115 - 230 mm diameter, manufactured after 08/90.	-	P1b	1	1	052078	1 603 340 040
--	---	-----	---	---	--------	---------------

Backing Flanges for Angle Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Backing flange for M14 thread for clamping all discs with 115 - 150 mm diameter, manufactured after 08/90	PC1c	1	5	046947	1 605 703 099

HIGH PROTECTION FOR ANGLE GRINDER USERS

EXPERT Vibration Control Handles

ASSORTMENT: M10 / M14

EXPERT

- 1 Comfort and protection with a Bosch Vibration Control handle
- 2 Thick rubber for extra grip and control



EXPERT Handle for Vibration Control M10 Angle Grinders

EXPERT



- ▶ Ideal for working with angle grinders.
- ▶ Best for tradesmen: protective and comfortable.
- ▶ Up to 30% less vibration than Bosch 1602025024 Angle Grinder Handle.
- ▶ Fits all M10 angle grinders.



PRODUCT PROPERTIES

ORDERING INFORMATION

Packaging type		Pack quantity	Minimum order quantity	Barcode	Part number
C1d		1	1	530505	2 608 900 000

Handle M10 with Vibration Control
Appropriate for small angle grinders

EXPERT Handle for Vibration Control M14 Angle Grinders

EXPERT



- Ideal for working with angle grinders.
- Best for tradesmen: protective and comfortable.
- Up to 30% less vibration than Bosch 2602025075 Angle Grinder Handle.
- Fits all M14 angle grinders.



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Handle M14 with Vibration Control Appropriate for large angle grinders		C1d	1	1	530512	2 608 900 001

Handles for Angle Grinders

- For left-handers and right-handers



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13		Pof	1	1	016377	1 602 025 024

DUST EXTRACTION GUARDS

For Bosch angle grinder.



- Suitable for dust extraction when cutting with Bosch angle grinders
- Appropriate for hose system with 35 mm diameter
- Bosch extraction guards offer accurate guiding and large surface areas as well as very good extraction performance thanks to the nozzle effect
- With handle that can be fixed from either side for full protection and steep extraction outlet for cutting close to edges

Cutting Guides with Dust Extraction Outlet – Tool-Free

- Extraction guard with 35 mm diameter extraction pipe, easy-to-use adjustment.

PRODUCT PROPERTIES		ORDERING INFORMATION			
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Cutting guide with dust extraction outlet					
GWS 5-100 (0 601 376 0..); GWS 5-115 (0 601 376 2..); GWS 6-100 (0 601 375 0..); GWS 6-100 BS (0 601 375 x..); GWS 6-100 E (0 601 375 7..); GWS 6-100 S (0 601 375 0..); GWS 6-115 (0 601 375 0../0 601 375 9..); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9..); GWS 6-125 (0 601 375 1..); GWS 6-125 E (0 601 375 9..); GWS 7-100 (0 601 388 0../0 601 388 1..); GWS 7-100 E (0 601 388 2..); GWS 7-100 ET (0 601 388 5..); GWS 7-100 T (0 601 388 6..); GWS 7-115 (0 601 388 1..); GWS 7-115 E (0 601 388 2..); GWS 7-115 ET (0 601 388 5..); GWS 7-125 (0 601 388 0../0 601 388 1..); GWS 7-125 ET (0 601 388 5..); GWS 8-100 CE (0 601 378 6..); GWS 18-125 V-LI (0 601 93A 3..); GWS 18.0 V-LI (0 601 93A 3..); GWS 780 C (0 601 377 5..); GWS 850 C (0 601 377 7../0 601 377 9..); GWS 850 CE (0 601 377 9../0 601 378 7..)					
Professional; PWS 600 (0 603 411 0..); PWS 650 (0 603 411 0..); PWS 680 (0 603 411 0..); PWS 680-125 (0 603 411 0..)					
100 115 125	C0a	1	1	492805	1 619 P06 514



Dust Extraction Elbow

► For all Bosch Angle Grinders and protective guards with 35 mm diameter dust extraction system.



PRODUCT PROPERTIES		ORDERING INFORMATION					
		Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust extraction elbow		35	P0f	1	1	053013	1 600 793 007

Dust extraction and protective guards

For Bosch angle grinders.



Diameter mm

Part number

Appropriate machines

Dust extraction guards for sanding

GWS 8-115 (3 601 H20 ...)	115	2 605 510 224
GWS 8-115 Z (3 601 H31 0..)	125	
GWS 8-125 (3 601 H27...)		
GWS 9-115 (3 601 G90 ...)		
GWS 9-125 (3 601 G91 ...)		
GWS 10-125 (3 601 H21 ...)		
GWS 10-125 Z (3 601 H32 0..)		
GWS 11-125 (3 601 G92 ...)		
GWS 11-125 CI (3 601 H22 ...)		
GWS 11-125 CIE (3 601 H23 ...)		
GWS 11-125 CIH (3 601 H30 1../B..)		
GWS 12-125 CI (3 601 G93 ...)		
GWS 12-125 CIE (3 601 G94 ...)		
GWS 14-125 CI (3 601 H24 ...)		
GWS 14-125 CIE (3 601 H25 ...)		
GWS 14-125 CIT (3 601 H29 ...)		
GWS 15-125 CI (3 601 G95 ...)		
GWS 15-125 CIE (3 601 G96 ...)		
GWS 15-125 CIH (3 601 H30 2../C..)		
GWS 15-125 CIEH (3 601 H30 3../D..)		
GWS 15-125 CIT (3 601 G97 ...)		
GWS 15-125 CITH (3 601 H30 4../E..)		
GWS 1000 (3 601 H21 ...)		
GWS 1400 Professional (3 601 H24 ...)		
PWS 10-125 CE (0 603 C47 000/030)		
PWS 13-125 CE (3 603 C48 000)		
PWS 6-115 (3 603 C99 2..; 3 603 C99 3..; 3 603 C99 4..)	125	1 605 510 281
PWS 7-100 (3 603 C99 640)		
PWS 7-115 (3 603 C99 5..; 3 603 C99 6..)		
PWS 7-125 (3 603 C99 7..; 3 603 C99 8..)		
PWS 7-125 CE; PWS 8-125 CE		
PWS 8-125 CE (3 603 C99 B..; 3 603 C99 9..; 3 603 C99 A..)		
PWS 9-125 CE		
PWS 10-125 CE; PWS 13-125 CE		
PWS 550		
PWS 550 (3 603 C99 0..)		
PWS 600		
PWS 600 (3 603 C99 1..)		
PWS 9-125 CE; PWS 700		
PWS 720; PWS 850 CE		
GWS 7-115 – GWS 14-125 CE		
GWS 5-100 (0 601 375 0..)	100	1 619 P06 546
GWS 6-100 (0 601 375 0..)		
GWS 6-100 E (0 601 375 7..)		
GWS 580 (0 601 375 0..)		
GWS 670 (0 601 375 0..)		
GWS 7-100 (3 601 C88 1..)		




Diameter mm

Part number

Appropriate machines

Protective guards without cover for grinding

GWS 5-115 (0 601 376 2..)	115	1 619 P06 547
GWS 6-115 (0 601 375 0..; 0 601 375 7..; 0 601 375 9..)		
GWS 6-115 E (0 601 375 5..; 0 601 375 7..; 0 601 375 9..)		
GWS 580 (0 601 376 0..)		
GWS 780 C (0 601 377 56.)		
GWS 850 C (0 601 377 5..)		
GWS 7-115 (3 601 C88 1..; 3 601 C88 2..)		
PWS 600 (3 603 D11 0..); PWS 650 (3 603 D11 0..); PWS 680 (3 603 D11 0..)		
GWS 6-125 (0 601 375 1..)	125	1 619 P06 548
GWS 6-125 E (0 601 375 9..)		
GWS 850 C (0 601 377 7..; 0 601 377 9..)		
GWS 850 CE (0 601 377 7..; 0 601 377 9..)		
GWS 7-125 (3 601 C88 1..)		
PWS 680-125 (3 603 D11 0..)		
GWS 7-115 (0 601 700 0..)	115	2 605 510 102
GWS 7-125 (0 601 700 048); GWS 9-125 (0 601 701 0..)	125	2 605 510 101
GWS 10-125 C (0 601 702 7..)		
GWS 10-125 CE Professional (0 601 703 7..)		
GWS 8-115 (3 601 H20 ...)	115	1 605 510 364
GWS 8-115 Z (3 601 H31 0..)		
GWS 9-115 (3 601 G90 ...)		
GWS 1000 (3 601 H21 0..)		
GWS 1400 (3 601 H24 0..)		



Diameter mm

Part number

Appropriate machines

Protective guards without cover
for grinding

GWS 8-125 (3 601 H27...) GWS 9-125 (3 601 G91...) GWS 10-125 (3 601 H21...) GWS 10-125 Z (3 601 H32 0...) GWS 11-125 (3 601 G92...) GWS 11-125 CI (3 601 H22...) GWS 11-125 CIE (3 601 H23...) GWS 11-126 CIH (3 601 H39 1.../B...) GWS 12-125 CI (3 601 G93...) GWS 12-125 CIE (3 601 G94...) GWS 14-125 CI (3 601 H24...) GWS 14-125 CIE (3 601 H25...) GWS 14-125 CIT (3 601 H29...) GWS 15-125 CI (3 601 G95...) GWS 15-125 CIE (3 601 G96...) GWS 15-125 CIEH (3 601 H30 3.../D...) GWS 15-125 CIH (3 601 H30 2.../C...) GWS 15-125 CIT (3 601 G97...) GWS 15-125 CITH (3 601 H30 4.../E...) GWS 1400 Professional (3 601 H24...) PWS 10-125 CE (3 603 C47 0...) PWS 13-125 CE (3 603 C48 0...)	125	1 605 510 365
GWS 14-150 CI (0 601 H26...) GWS 15-150 CI (3 601 G98...) GWS 15-150 CIH (0 601 H30 5.../F...)	150	1 605 510 366
GWS 22-180 LVI (3 601 H90 D...) GWS 24-180 LVI (3 601 H92 F...) GWS 26-180 JBV (3 601 H55 U...)	180	2 605 510 280
GWS 22-230 LVI (3 601 H91 D.../C...) GWS 24-230 LVI (3 601 H93 F.../H...) GWS 24-230 JBX (3 601 H64 4.../R.../T...) GWS 26-230 BV (3 601 H56 S...) GWS 26-230 JBV (3 601 H56 U...) GWS 26-230 (3 601 H56 5...)	230	2 605 510 281
GWS 20-180/H/JH (0 601 849...) GWS 21-180 HV/JHV (0 601 851...) GWS 22-180 H/JH (3 601 H81...) GWS 23-180/J (0 601 753...) GWS 24-180 BX/JBX (0 601 863...) GWS 24-180 H (3 601 H53 1...) GWS 24-180 H/BV/JBV (0 601 853...) GWS 24-180 JH (3 601 H53 M...) GWS 25-180/J (0 601 755...) GWS 26-180 B (3 601 H55 K...) GWS 26-180 BV/JBV (0 601 856...) GWS 26-180 H (3 601 H55 1...; 3 601 H56 1.../L...) GWS 26-180 JH (3 601 H55 M...) GWS 180/J, 20-180/J, (0 601 751...)	180	2 605 510 297



Diameter mm

Part number

Appropriate machines

Protective guards without cover
for grinding

GWS 20-230 H/J/JH (0 601 850...) GWS 21-230 HV/JHV (0 601 852...) GWS 22-230 H/JH (3 601 H82...) GWS 23-230/J (0 601 754...) GWS 24-230 BX/JBX (0 601 864...) GWS 24-230 H (3 601 H54 1.../L...) GWS 24-230 H/BV/JBV (0 601 854...) GWS 24-230 JH (3 601 H54 M...) GWS 25-230/J (0 601 756...) GWS 26-230 B (3 601 H56 3.../K...) GWS 26-230 BV/JBV (0 601 856...) GWS 26-230 JBV (3 601 H56 5...) GWS 26-230 JH (3 601 H56 M...) GWS 230, 20-230/J (0 601 752...) PWS 20-230/J (0 603 359...) PWS 20-230/1900 (0 603 C59 V.../W...) PWS 1900 (0 603 359 0...)	230	2 605 510 298
PWS 700-115; PWS 720-115 PWS 750-115 (0 601 164 0...)	115	2 605 510 288



Diameter mm

Part number

Appropriate machines

Protective guards with cover
for cut-off grinding

PWS 7-125 CE (3 603 C98 8.) PWS 8-125 CE (3 603 C99 B.) PWS 9-125 (3 603 C99 A.) PWS 720-125; PWS 750-125 (0 601 164 1.)	125	2 605 510 289
PWS 6-115 PWS 6-115 (3 603 C99 2.; 3 603 C99 3.; 3 603 C99 4.) PWS 7-115 (0 601 800 ...) PWS 7-115 (3 603 C99 5.; 3 603 C99 6.) PWS 550 PWS 550 (3 603 C99 0.) PWS 600 (3 603 C99 1.) PWS 600 (0 601 800 ...-0 601 806 ...) GWS 7-115 (0 601 800 ...) PWS 600 (3 603 D11 0.) PWS 650 (3 603 D11 0.) PWS 680 (3 603 D11 0.)	115	2 605 510 192
GWS 7-125 (0 601 800 048) PWS 8-125; PWS 9-125 CE GWS 9-125 (0 601 801 ...) GWS 10-125 C (0 601 802 ...) GWS 10-125 CE (0 601 803 ...) GWS 14-125 C (0 601 804 ...) GWS 14-125 CE (0 601 805 ...) GWS 1000 (0 601 802 ...) PWS 7-125 (3 603 C99 7.; 3 603 C99 8.) PWS 8-125 CE (3 603 C99 B.; 3 603 C99 9.; 3 603 C99 A.) PWS 680-125 (3 603 D11 0.)	125	2 605 510 193
GWS 14-150 CI; GWS 14-150 C Professional 0 601 800 ...- 0 601 806...	150	2 605 510 194
GWS 6-125 (0 601 375 1../3..) GWS 850 C (0 601 377 9..) GWS 850 CE (0 601 378 7../9..) GWS 850 CE Professional GWS 780 (0 601 377 3..) GWS 850 C, Ban, manufacture before 12.09	125	2 605 510 172
GWS 5-100 (0 601 375 0.) GWS 6-100 (0 601 375 0.) GWS 6-100 E (0 601 375 7..) GWS 580 (0 601 375 0.) GWS 670 GWS 7-100 (3 601 C88 1..)	100	1 619 P06 549
GWS 5-115 (0 601 376 2.) GWS 6-115 (0 601 375 0.; 0 601 375 7.; 0 601 375 9.) GWS 6-115 E (0 601 375 5.; 0 601 375 7.; 0 601 375 9.) GWS 7-115 (3 601 C88 1..) GWS 7-115 E (3 601 C88 1..) GWS 580 (0 601 376 0.) GWS 780 C (0 601 377 56.) GWS 850 C (0 601 377 5.)	115	1 619 P06 550
GWS 6-125 (0 601 375 1.) GWS 6-125 E (0 601 375 9.) GWS 7-125 (3 601 C88 1..) GWS 850 C (0 601 377 7.; 0 601 377 9..) GWS 850 CE (0 601 377 7.; 0 601 377 9..)	125	1 619 P06 551
GWS 22-180 LVI (3 601 H90 D..) GWS 24-180 LVI (3 601 H92 F..) GWS 26-180 JBV (3 601 H55 U..)	180	2 602 025 282
GWS 22-230 LVI (3 601 H91 D../C..) GWS 24-230 LVI (3 601 H93 F../H..) GWS 24-230 JBX (3 601 H64 4../R../T..) GWS 26-230 BV (3 601 H56 S..) GWS 26-230 JBV (3 601 H56 U..) GWS 26-230 (3 601 H56 5.)	230	2 602 025 283



Diameter mm

Part number

Appropriate machines

Protective guards with cover
for cut-off grinding

GWS 20-180/H/JH (0 601 849 ...) GWS 21-180 HV/JHV (0 601 851 ...) GWS 22-180 H/JH (3 601 H81 ...) GWS 23-180/J (0 601 753 ...) GWS 24-180 BX/JBX (0 601 863 ...) GWS 24-180 H (3 601 H53 1..) GWS 24-180 H/BV/JBV (0 601 853 ...) GWS 24-180 JH (3 601 H53 M..) GWS 25-180/J (0 601 755 ...) GWS 26-180 B (3 601 H55 K..) GWS 26-180 BV/JBV (0 601 856 ...) GWS 26-180 H (3 601 H56 1../L..) GWS 26-180 JH (3 601 H55 M..) GWS 180/J, 20 -180/J, (0 601 751 ...)	180	2 605 510 299
GWS 20-230 H/J/JH (0 601 850 ...) GWS 21-230 HV/JHV (0 601 852 ...) GWS 22-230 H/JH (3 601 H82 ...) GWS 23-230/J (0 601 754 ...) GWS 24-230 BX/JBX (0 601 864 ...) GWS 24-230 H (3 601 H54 1../L..) GWS 24-230 H/BV/JBV (0 601 854 ...) GWS 24-230 JH (3 601 H54 M..) GWS 25-230/J (0 601 756 ...) GWS 26-230 B (3 601 H56 3../K..) GWS 26-230 BV/JBV (0 601 856 ...) GWS 26-230 JBV (3 601 H56 5..) GWS 26-230 JH (3 601 H56 M..) GWS 230, 20-230/J (0 601 752 ...) PWS 20-230/1900 0 603 C59 V../W..) PWS 20-230/J (0 603 359 ...) PWS 1900 (0 603 359 0..)	230	2605 510 300
GWS 8-115 (0 601 820 ...; 0 601 H20 ...) GWS 8-115 Z (3 601 H31 0..) GWS 9-115 (3 601 G90 ...) GWS 1000 Professional (3 601 H23 ...)	115	2 605 510 256
GWS 8 - GWS 14 Professional (0 601 821 ...- 0 601 829...) GWS 8-125 (3 601 H27...) GWS 9-115 (3 601 G90 ...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0..) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-125 CIH 3 601 H30 1../B..) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIH (3 601 H30 2../C..) GWS 15-125 CIEH (3 601 H30 3../D..) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4../E..) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (3 603 C47 0..) PWS 13-125 CE (3 603 C48 0..)	125	2 605 510 257
GWS 14-150 CI (3 601 H26 ...) GWS 15-150 CI (3 601 G98 ...) GWS 15-150 CIH (3 601 H30 5../F..)	150	2 605 510 258
PWS 700-115; PWS 720-115 PWS 750-115 (0 603 164 0..)	115	2 605 510 290
PWS 7-125 CE (3 603 C98 8.) PWS 8-125 CE (3 603 C99 B.) PWS 9-125 (3 603 C99 A.) PWS 720-125; PWS 750-125 (0 601 164 1..)	125	2 605 510 291
GWS 24-300 GWS 24-300 J Professional	300	1 605 510 224

Protective Guards for Bosch Angle Grinders

Protective Guards without Cover for Grinding

- ▶ Without cover for general grinding and sanding work
- ▶ EN/EC 60745

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



Protective guard without cover

with easy-to-use adjustment and tool-free attachment

GWS 8-115 (0 601 820 0../0 601 820 2.); GWS 8-115 Z (0 601 831 0../0 601 831 5.); GWS 9-115 (0 601 790 0.); GWS 9-115 P (0 601 790 2.); GWS 10-125 (0 601 821 0.); GWS 1400 (0 601 824 0.); GWX 9-115 S (0 601 7B1 0.); GWX 18V-10 C (0 601 7B0 2.); GWX 18V-10 SC (0 601 7B0 4.) Professional

115	P0f	1	1	364089	1 605 510 364
-----	-----	---	---	--------	---------------



Protective guard without cover

with easy-to-use adjustment and tool-free attachment

GWS 8-125; GWS 8-125 C; GWS 9-125; GWS 9-125 C; GWS 9-125 CES; GWS 9-125 CMS; GWS 9-125 CS; GWS 9-125 CSS; GWS 9-125 S; GWS 10-125; GWS 10-125 C; GWS 10-125 CE; GWS 10-125 Z; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 11-125 CIH; GWS 11-125 P; GWS 12-125 CI; GWS 12-125 CIE; GWS 12-125 CIEP; GWS 12-125 CIP; GWS 13-125 CI; GWS 13-125 CIE; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 Inox; GWS 15-125 CI; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEP; GWS 15-125 CIH; GWS 15-125 CIP; GWS 15-125 CIT; GWS 15-125 CITH; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1000 + SDS; GWS 1400; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PWS 10-125 CE; PWS 13-125 CE

125	P0f	1	1	364096	1 605 510 365
-----	-----	---	---	--------	---------------



Protective guard without cover for grinding

with clamp fitting, with coding and quick fastening

GWS 22-180 LVI (0 601 890 D.); GWS 26-180 JBV (0 601 855 G../0 601 856 ...); GWS 26-180 LVI (0 601 894 F.) Professional

180	C0a	1	1	482547	2 605 510 280
-----	-----	---	---	--------	---------------

Protective guard without cover for grinding

with clamp fitting, with coding and quick fastening

GWS 22-230 LVI (0 601 891 C../0 601 891 D.); GWS 24-230 JBX (0 601 864 4../0 601 864 R../0 601 864 T.); GWS 24-230 JVX (0 601 864 U.); GWS 24-230 LVI (0 601 893 F../0 601 893 H.); GWS 26-230 BV (0 601 856 S.); GWS 26-230 JBV (0 601 856 G../0 601 856 U.); GWS 26-230 JH + SDS (0 601 856 5.); GWS 26-230 LVI (0 601 895 F.) Professional

230	C0a	1	1	482554	2 605 510 281
-----	-----	---	---	--------	---------------



Protective guard

Clamp with screw-type fastening, with coding

GWS 6-125 (0 601 375 1.); GWS 780 C (0 601 377 5.); GWS 850 C (0 601 377 3../0 601 377 7../0 601 377 9.); GWS 850 CE (0 601 378 7../0 601 378 9.) Professional

125	U0	1	1	220071	2 605 510 172
-----	----	---	---	--------	---------------

Protective Guards with Cover for Cut-Off Grinding


- ▶ Cover for safe cut-off grinding
- ▶ EN/EC 60745

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Protective guard with cover for cutting with clamp fitting, screw-type fastening GWS 6-100 (0 601 375 0..); GWS 6-100 S (0 601 375 0..); GWS 6-115 (0 601 375 0..); GWS 6-115 E (0 601 375 7..); GWS 7-100 (0 601 388 1..); GWS 900-100 (0 601 396 0..) Professional					
	100	U0	1	1	492775	1 619 P06 549
	Protective guard with cover with clamp fitting, with coding and screw-type fastening GWS 5-100 (0 601 376 0..); GWS 5-115 (0 601 376 2..); GWS 6-115 (0 601 375 0../0 601 375 9..); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9..); GWS 7-115 (0 601 388 1../0 601 700 0../0 601 800 0..); GWS 7-115 E (0 601 388 2..); GWS 9-115 P (0 601 790 2..); GWS 18.0 V-LI (0 601 93A 3..); GWS 660 (0 601 375 0..); GWS 700 (0 601 3A3 0..); GWS 780 C (0 601 377 5..); GWS 880 (0 601 396 0..) Professional; PWS 600 (0 603 411 0..); PWS 650 (0 603 411 0..); PWS 680 (0 603 411 0..)					
	115	U0	1	1	492782	1 619 P06 550
	Protective guard with cover for cutting with easy-to-use adjustment and tool-free attachment GWS 8-115 (0 601 820 0../0 601 820 2..); GWS 8-115 Z (0 601 831 0../0 601 831 5..); GWS 9-115 (0 601 790 0..); GWS 9-115 P (0 601 790 2..); GWS 18V-10 (0 601 9J4 0..); GWS 1000 (0 601 823 ...); GWX 9-115 S (0 601 7B1 0..); GWX 18V-7 (0 601 9H9 1..); GWX 18V-10 (0 601 7B0 1..); GWX 18V-10 C (0 601 7B0 2..); GWX 18V-10 SC (0 601 7B0 4..); GWX 750-115 (0 601 7C9 0..) Professional					
	115	P0f	1	1	418690	2 605 510 256
	GWS 9-115 P; GWS 18V-10; GWS 18V-115 C; GWS 18V-115 SC; GWS 1000; GWX 9-115 S; GWX 18V-7; GWX 18V-10; GWX 750-115 Professional					
	115	C0a	1	1	942430	2 608 000 680
	Protective guard with cover with clamp fitting, with coding and screw-type fastening GWS 6-125 (0 601 375 1..); GWS 6-125 E (0 601 375 9..); GWS 7-115 (0 601 800 0..); GWS 7-125 (0 601 388 1../0 601 700 0..); GWS 9-125 P (0 601 791 2..); GWS 700 (0 601 3A3 0..); GWS 780 C (0 601 377 5..); GWS 850 C (0 601 377 3../0 601 377 7../0 601 377 9..); GWS 850 CE (0 601 377 9../0 601 378 7../0 601 378 9..); GWS 880 (0 601 396 0..) Professional; PWS 680-125 (0 603 411 0..)					
	125	U0	1	1	492799	1 619 P06 551


Protective Guards with Cover for Cut-Off Grinding



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Protective guard with cover for cutting with easy-to-use adjustment and tool-free attachment GWS 8-14; GWS 8-115; GWS 8-125; GWS 8-125 C; GWS 9-125; GWS 9-125 C; GWS 9-125 CES; GWS 9-125 CMS; GWS 9-125 CS; GWS 9-125 CSS; GWS 10-125; GWS 10-125 C; GWS 10-125 CE; GWS 10-125 Z; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 11-125 CIH; GWS 11-125 P; GWS 12-125 CI; GWS 12-125 CIE; GWS 12-125 CIEP; GWS 12-125 CIP; GWS 13-125 CI; GWS 13-125 CIE; GWS 14; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 Inox; GWS 15-125 CI; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEP; GWS 15-125 CIH; GWS 15-125 CIP; GWS 15-125 CIT; GWS 15-125 CITH; GWS 17-125; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 18V-10; GWS 18V-15 C; GWS 18V-15 SC; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1000 + SDS; GWS 1400; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 18V-10; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 18V-15 C; GWX 18V-15 SC; GWX 19-125 S; GWX 750-125 Professional; PWS 10-125 CE; PWS 13-125 CE						
	125	P0f	1	1	418706	2 605 510 257



Protective guard with cover for cutting with clamp fitting, with coding and quick fastening GWS 22-180 LVI (0 601 890 D..); GWS 24-180 LV (0 601 892 E..); GWS 26-180 JBV (0 601 855 G..); GWS 26-180 LVI (0 601 894 F..) Professional						
	180	C0a	1	1	485715	2 602 025 282



Protective guard with cover for cutting with clamp fitting, with coding and quick fastening GWS 22-230 LV (0 601 891 E..); GWS 22-230 LVI (0 601 891 C../0 601 891 D..); GWS 24-230 JBX (0 601 864 4../0 601 864 R../0 601 864 T..); GWS 24-230 JVX (0 601 864 U..); GWS 24-230 LVI (0 601 893 F../0 601 893 H..); GWS 26-230 BV (0 601 856 S..); GWS 26-230 JBV (0 601 856 G../0 601 856 U..); GWS 26-230 JH + SDS (0 601 856 5..); GWS 26-230 LVI (0 601 895 F..); GWS 30-230 B (0 601 8G1 0..); GWS 30-230 PB (0 601 8G1 1..) Professional						
	230	C0a	1	1	485722	2 602 025 283

with clamp fitting, with coding and screw-type fastening Protective guard GWS 20-230 (0 601 752 0..); GWS 20-230 H (0 601 850 0..); GWS 20-230 J (0 601 8C1 3..); GWS 20-230 JH (0 601 850 9..); GWS 20-230 P (0 601 8C1 1..); GWS 21-230 HV (0 601 852 B..); GWS 21-230 JHV (0 601 852 3../0 601 852 G..); GWS 22-230 H (0 601 882 L..); GWS 22-230 J (0 601 8C1 3..); GWS 22-230 JH (0 601 882 M../0 601 882 Z..); GWS 22-230 P (0 601 8C1 1..); GWS 23-230 / 230 J (0 601 754 0..); GWS 24-230 B + SDS (0 601 854 1..); GWS 24-230 BV (0 601 854 B..); GWS 24-230 BX + SDS (0 601 864 1..); GWS 24-230 H (0 601 854 4../0 601 854 L../0 601 884 1..); GWS 24-230 JBV (0 601 854 G..); GWS 24-230 JBX (0 601 864 8..); GWS 24-230 JH (0 601 854 M../0 601 884 2../0 601 884 M..); GWS 24-230 JZ (0 601 8C3 3..); GWS 24-230 P (0 601 8C3 1..); GWS 24-230 PZ (0 601 8C3 4..); GWS 24-230 Profi (0 601 854 5..); GWS 25-230 / 230 J (0 601 756 1..); GWS 26-230 B (0 601 856 3../0 601 856 K..); GWS 26-230 BV + SDS (0 601 856 B..); GWS 26-230 JBV (0 601 856 G..); GWS 26-230 JH (0 601 856 M..); GWS 26-230 JH + SDS (0 601 856 5..); GWS 2000 J (0 601 8F2 0..); GWS 2000 P (0 601 8F2 1..); GWS 2200 J (0 601 8F4 0..); GWS 2200 P (0 601 8F4 1..); GWS 2400 J (0 601 8F4 2..); GWS 2400 P (0 601 8F4 3..) Professional; PWS 20-230 (0 603 349 0../0 603 359 9../0 603 359 W..); PWS 20-230 J (0 603 359 8../0 603 359 V..); PWS 1900 (0 603 359 1..)						
	230	U0	1	1	542197	2 605 510 300

DUST EXTRACTION AND PROTECTIVE GUARDS

For Bosch angle grinder.



- Dust extraction guards for dust-free sanding
- Protective guards for additional safety when grinding
- Note: Please verify with the operating instructions of the machine for more detailed use

Dust Extraction Guards for Sanding

- With brush ring
- **Suitable for** dust-free sanding of paint, varnish, plastics and wood in conjunction with sanding plates and fibre sanding sheets or with tungsten carbide grinding heads (not suitable for metals).

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust extraction guard with brush ring Tool-free attachment GWS 8-14; GWS 8-115; GWS 8-125; GWS 9-115; GWS 9-115 P; GWS 9-125; GWS 9-125 P; GWS 10-125; GWS 10-125 CE; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 11-125 CIH; GWS 11-125 P; GWS 12-125 CI; GWS 12-125 CIE; GWS 12-125 CIEP; GWS 12-125 CIEPX; GWS 12-125 CIEH; GWS 12-125 CIP; GWS 12-125 CIPX; GWS 12-125 CIX; GWS 13-125 CI; GWS 13-125 CIE; GWS 13-125 CIEH; GWS 13-125 CIX; GWS 14; GWS 14-125; GWS 14-125 C; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 INOX; GWS 15-125 CI; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEP; GWS 15-125 CIEPX; GWS 15-125 CIEH; GWS 15-125 CIH; GWS 15-125 CIP; GWS 15-125 CIPX; GWS 15-125 CIT; GWS 15-125 CITH; GWS 15-125 CIX; GWS 15-125 INOX; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIEH; GWS 17-125 CIT; GWS 17-125 CIX; GWS 17-125 INOX; GWS 18V-115 C; GWS 18V-115 SC; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CI; GWS 19-125 CIE; GWS 19-125 CIST; GWS 1000; GWS 1400; GWX 9-115 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional						
	115 125	U0	1	1	375160	2 605 510 224



SDS clic Quick-Locking Nuts M14



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SDS clic quick-locking nut M14						
Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm)						
manufactured in or after 08/90						
Note: The disc must be centred at the supporting flange, not at the nut						
		C1a	1	1	033206	1 603 340 031

Two-Hole Spanners for Angle Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Two-hole spanner, straight for clamping all discs on angle grinders		PC1c	1	1	016483	1 607 950 043
Two-hole spanner, straight for clamping all discs on two-hand angle grinders and straight grinders GG5 6 S Professional		PC1c	1	1	040891	1 607 950 048

Hand Protectors for Angle Grinders

- ▶ Appropriate for all Bosch Angle Grinders in combination with auxiliary handle
- ▶ Protects the hands when using rubber backing pads

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
					3 165 140...	
Hand protector in combination with auxiliary handle		PC1c	1	1	001885	1 601 329 013



Accessories for Bosch Concrete Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION					
	Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	SDS clic quick-locking nut M14		Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm)				
	manufactured in or after 08/90		Note: The disc must be centred at the supporting flange, not at the nut				
	-	14	C1a	1	1	033206	1 603 340 031
	Locking Nut for M14 Thread		for clamping all discs with 115 - 230 mm diameter, manufactured after 08/90.				
	-	-	P1b	1	1	052078	1 603 340 040
	Backing flange for M14 thread		for clamping all discs with 115 - 150 mm diameter, manufactured after 08/90				
	-	-	PC1c	1	5	046947	1 605 703 099

Collets for Bosch Straight Grinders

Collets without Locking Nut for Straight Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Diameter inches	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Collet without locking nut							
GGG 27; GGS 27 C Professional; POF 500 A; POF 600 ACE							
6	-	P1b	1	1	013505	2 608 570 047	
-	1/4	P1b	1	1	006699	2 608 570 048	
Collet without locking nut							
GGG 8 C; GGS 28; GGS 28 C; GGS 28 CE; GGS 28 LC; GGS 28 LCE; GGS 28 LPC Professional							
-	1/4	P0b	1	1	620079	2 608 570 140	
-	1/8	P0b	1	1	620062	2 608 570 139	

Collets with Locking Nut for Straight Grinders



Collet with locking nut							
GGG 7 C; GGS 27 L; GGS 27 LC; GGS 1212 Professional							
3	-	P0b	1	1	031103	2 608 570 082	
6	-	P0b	1	1	031110	2 608 570 084	

Collet with locking nut							
GGG 7 C; GGS 27 L; GGS 27 LC; GGS 1212; GWG 12V-50 S Professional							
-	1/4	P0b	1	1	031127	2 608 570 085	

Spanners for Bosch Straight Grinders

Spanners for Bosch Straight Grinders

	PRODUCT PROPERTIES		ORDERING INFORMATION				
			Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Spanner						
	GGS 16 Professional						
			PC1c	1	1	048491	1 607 950 525
	Two-hole spanner, straight						
	for clamping all discs on two-hand angle grinders and straight grinders						
	GGS 6 S Professional						
			PC1c	1	1	040891	1 607 950 048


LONG LIFE FOR SANDING SHEETS

EXPERT Multihole Backing Pads

ASSORTMENT: soft - hard

EXPERT

- 1 Most efficient dust removal with Bosch Particle Control
- 2 Hole layout offers long life for all sanding sheets



EXPERT Multihole Backing Pads for Bosch 150 mm

EXPERT



- ▶ Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- ▶ Best for cabinet woodworkers: clean and efficient.
- ▶ Lasts up to 2x longer than Bosch 2608601115 Backing Pad.
- ▶ Just stick it on with hook and loop.



PARTICLE CONTROL

UP TO 2x
LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	
GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional								
Hard	150	Multi-Hole	C1a	1	1	530611	2 608 900 011	
Medium	150	Multi-Hole	C1a	1	1	530604	2 608 900 010	
soft	150	Multi-Hole	C1a	1	1	530598	2 608 900 009	

EXPERT Multihole Backing Pads Universal 150 mm

EXPERT




- ▶ Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- ▶ Best for cabinet woodworkers: clean and efficient.
- ▶ Lasts up to 2x longer than Bosch 2608601115 Backing Pad.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GET 75-150; GEX 34-150; GEX 40-150 Professional; 3M; DeWalt; Dynabrade; Festool; Makita; Mirka; Rupes							
Hard	150	Multi-Hole	C1a	1	1	530581	2 608 900 008
Medium	150	Multi-Hole	C1a	1	1	530574	2 608 900 007
soft	150	Multi-Hole	C1a	1	1	530567	2 608 900 006

EXPERT Multihole Backing Pads Universal 125 mm

EXPERT




- ▶ Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- ▶ Best for cabinet woodworkers: clean and efficient.
- ▶ Lasts up to 2x longer than Bosch 2608601115 Backing Pad.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GET 55-125; GEX 34-125 Professional; 3M; Dynabrade; Mirka; Rupes							
Hard	125	Multi-Hole	C1a	1	1	530550	2 608 900 005
Medium	125	Multi-Hole	C1a	1	1	530543	2 608 900 004
soft	125	Multi-Hole	C1a	1	1	530536	2 608 900 003

Backing Pads



PRODUCT PROPERTIES			ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Sanding pad							
PEX 115							
Hard	115	8	C1c	1	1	079198	2 608 601 064
medium-hard	115	8	C1c	1	1	079181	2 608 601 065



Sanding pad GEX 125-1 AE Professional								
Medium	125	8	C1a	1	1	454957	2 608 000 349	



Sanding Pad GEX 12V-125; GEX 18V-125 Professional								
Medium	125	8	C1b	1	1	572437	2 608 000 714	



Sanding pad PEX 12; PEX 12 A; PEX 125; PEX 125 AE								
Hard	125	8	C1c	1	1	077446	2 608 601 061	
medium-hard	125	8	C1c	1	1	077453	2 608 601 062	
soft	125	8	C1c	1	1	077460	2 608 601 063	




Sanding pad GEX 12 A; GEX 12 AE; GEX 125 A; GEX 125 AC Professional								
soft	125	8	C1c	1	1	219495	2 608 601 118	

Backing Pads



PRODUCT PROPERTIES			ORDERING INFORMATION					
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		
Sanding pad with screws and hexagon socket wrench								
PEX 270 A; PEX 270 AE								
medium-hard	125	8	C1c	1	1	260459	2 608 601 169	



Sanding pad PEX 220 A								
medium-hard	125	8	C1c	1	1	329217	2 608 601 175	



Sanding pad GEX 125-150 AVE Professional								
medium-hard	125	8	C1c	1	1	623476	2 608 601 607	



Sanding pad GEX 125 AC; GEX 150 AC Professional; PEX 15 AE								
soft	150	8	C1c	1	1	063074	2 608 601 051	
medium-hard	150	-	C1c	1	1	063081	2 608 601 052	
Hard	150	-	C1c	1	1	063098	2 608 601 053	



Sanding pad GEX 125 AC; GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional								
extra-soft	150	-	C1c	1	1	219457	2 608 601 114	
soft	150	-	C1c	1	1	219464	2 608 601 115	
Hard	150	-	C1c	1	1	219471	2 608 601 116	

Adapters for Random Orbit Sanders



- **Suitable as** further cushioning layer for especially soft work
- Ideal for sanding or polishing contours and curved surfaces

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter, punched		C1d	1	1	220729	2 608 601 127



Dust Box, Filter and Dust Bags for Random Orbital Sanders





Filter

GEX 34-125; GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional

	U0	1	1	624152	2 605 190 930
--	----	---	---	--------	---------------

Sanding Plates for Orbital Sanders

	PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Sanding plate with hook-and-loop-type fastening GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	110	100	-	PC1c	1	1	822978	2 608 601 443
	Sanding plate with hook-and-loop-type fastening GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	80	130	-	PC1c	1	1	822985	2 608 601 444
	Sanding plate delta with hook-and-loop-type fastening GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	100	150	-	PC1c	1	1	822992	2 608 601 445
	Swing plate for sanding plate 2 608 601 442 & 2 608 601 443 GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	110	100	-	P0b	1	1	823005	2 608 601 446
	Orbital plate for sanding plate 2 608 601 444 GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	80	130	-	PC1c	1	1	823012	2 608 601 447
	Swing plate for sanding plate 2 608 601 445 GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	110	150	-	PC1c	1	1	823029	2 608 601 448

Dust Boxes for Orbital Sanders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust box with filter (of black execution) GSS 18V-10 Professional	C0a	1	1	851770	2 605 411 238



Dust box filter cover GSS 18V-10 Professional	C0a	1	1	851787	2 605 411 239
--	-----	---	---	--------	---------------

Sanding Plates for Delta Sanders

Sanding Plates for Bosch Delta Sanders



PRODUCT PROPERTIES				ORDERING INFORMATION	
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



Sanding plate
GDA 280E Professional; PDA 180; PDA 180 E; PDA 240 E

	C1d	1	1	109505	2 608 000 211
--	-----	---	---	--------	---------------



Sanding plate
PDA 100; PDA 120 E

	C1d	1	1	076401	2 608 000 149
--	-----	---	---	--------	---------------



Sanding plate
PSM 160 A; PSM 160 AE

	C1c	1	1	332293	2 608 601 181
--	-----	---	---	--------	---------------

Sanding Fingers for Bosch Delta Sanders



- **Suitable for** sanding in tight gaps
- **Appropriate for** GDA 280 E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM Ventaro 1400



Hook-and-loop-type fastening replacement material for sanding finger

	C1c	2	1	110907	2 601 099 074
--	-----	---	---	--------	---------------



Sanding finger, flat

	C1d	1	1	109482	2 608 000 199
--	-----	---	---	--------	---------------



Sanding finger, oval

	C1d	1	1	109475	2 608 000 198
--	-----	---	---	--------	---------------

Louvre sanding attachment for Bosch Delta Sanders



► Suitable for sanding louvre doors and shutters

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
		Louvre sanding attachment GDA 280E Professional; EasySander 18V-8; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM 200 AES; UniversalSander 18V-10; Ventaro 1400				
		C1d	1	1	109499	2 608 000 200
		Hook-and-loop-type fastening replacement material for louvre sanding attachment GDA 280E Professional; EasySander 18V-8; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; UniversalSander 18V-10; Ventaro 140				
		C1d	2	1	076395	2 601 099 044

Accessories for Bosch Belt Sanders

Sanding frames for belt sanders

	PRODUCT PROPERTIES		ORDERING INFORMATION				
			Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
	Sanding frame with brush and plastic insert						
	Ideal for plane sanding without tilting, protecting the surface						
	Easy and tool-free assembly						
	GBS 75 A; GBS 75 AE Professional; PBS 75 A; PBS 75 AE						
			C1a	1	1	015691	2 608 005 026

Parallel and angle guide for belt sanders

	Parallel and angle guide						
	GBS 75 AE Professional; PBS 7 A; PBS 7 AE; PBS 60						
			U0	1	1	015189	2 607 001 079

Auxiliary Handles for Compact Belt Sanders



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13		P0f	1	1	016377	1 602 025 024

ACCESSORIES FOR CIRCULAR SAWS



- ▶ Exact straight cuts due to guided sawing on the new Bosch guide rail system
- ▶ Precise work is possible, even with several rails, due to the self-aligning VEL connecting piece

Guide Rails for Hand-Held Circular Saws

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	700	Guide rail FSN 70 Pair of G-clamps not included GKS; GKS 18.0 V; GKS 55; GKS 55 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE				
		C0a	1	1	087186	2 602 317 030
	1,400	Guide rail FSN 140 Pair of G-clamps not included (rubber lip as spare part 2 601 010 044) GKS; GKS 18.0 V; GKS 55; GKS 55 CE; GKS 65 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE				
		C0a	1	1	087193	2 602 317 031

Accessories for Hand-Held Circular Saws



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pair of G-clamps for FSN 70, FSN 140		P0b	2	1	516532	2 608 000 426

Anti-Splinter Guard for Jigsaws

- The anti-splinter guard effectively prevents tearing out on the top of the material. All you have to do is insert it into the sole plate. Another **tip**: it is best to saw with the grain or diagonal to the grain.



PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode		
					3 165 140...		
		Part number					
Anti-splinter guard							
GST 14.4 V; GST 18.0 V; GST 75 BE; GST 80 Professional; EasySaw 18V-70; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 E; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE; UniversalSaw 18V-100							
		C1d	5	5	006651	2 607 010 079	

Dust Extraction Devices for Jigsaws



Dust extraction set		GST 100 BCE; GST 135 BCE; GST 140 BCE; GST 150 BCE; GST 150 CE Professional				
		P1d	1	1	516280	2 605 510 294



Dust extraction set		GST 14,4 V-LI; GST 18.0 V-LI; GST 140 BCE; GST 140 CE Professional				
		P1d	1	1	605816	2 605 510 301



Dust extraction		for extracting sanding dust in combination with the sanding plate AVI 93 G				
GOP 300 SCE Professional		P1d	1	1	641029	2 608 190 056 ⁱ

ⁱ = 01.2027

Parallel Guides with Circle Cutter for Jigsaws



Parallel guide with circle cutter		max width parallel 140 mm, max radius 150 mm				
		GST 14.4 V; GST 18.0 V; GST 24V; GST 75 BE; GST 90 BE; GST 90 E; GST 120 E; GST 135 BCE; GST 135 CE; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 160 BCE; GST 160 CE Professional; EasySaw 18V-70; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 E; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE; PST 1000 PEL; UniversalSaw 18V-100				
		P1d	1	1	516273	2 608 040 289

Parallel Guides for Bosch Routers

- ▶ Complete with fine adjustment
- ▶ **Suitable** for all routing work parallel to the workpiece edge



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Parallel guide						
GMF 1400 CE; GOF 900 CE; GOF 1200 A; GOF 1250 CE; GOF 1250 LCE; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional						
	10	U0	1	1	247252	2 607 001 387

Circle guide and guide rail adapter set for Bosch routers

- ▶ Screw the centring pin into the guide rail adapter to use this accessory
- ▶ Adapter enables guide rails FSN 70 (2 602 317 030) and FSN 140 (2 602 317 031) to also be used with router
- ▶ Continuously variable adjustment of the router enables cuts at the following circle radii:
 - With GOF 900: 95 to 655 mm
 - With GOF 1200: 100 to 660 mm
 - With GOF 1300: 100 to 660 mm
 - With GOF 2000: 100 to 660 mm
 - With POF 800: 95 to 655 mm



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Guide rail FSN 70						
Pair of G-clamps not included						
GKS; GKS 18.0 V; GKS 55; GKS 55 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE						
	700	C0a	1	1	087186	2 602 317 030



Guide rail FSN 140						
Pair of G-clamps not included						
(rubber lip as spare part 2 601 010 044)						
GKS; GKS 18.0 V; GKS 55; GKS 55 CE; GKS 65 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE						
	1,400	C0a	1	1	087193	2 602 317 031



GMF 1400 CE; GOF 130; GOF 900 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100; POF 1100 AE; POF 1200 AE; POF 1300; POF 1300 ACE; POF 1400 ACE						
	-	C1a	1	1	062886	2 609 200 143

Extra-Long Guide Bars for Bosch Routers

- For routing work that standard guide bars are not long enough for

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Guide bar							
GOF 130; GOF 900 A; GOF 900 ACE Professional; POF 800 ACE; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE							
8	800	C0d	2	1	062893	2 609 200 144	
Guide bar							
Appropriate for all routers with guide rod diameter 10 mm, distance between holes 100 mm							
GMF 1400 CE; GOF 900 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional							
10	800	C0d	2	1	062909	2 609 200 145	

Collets for Tool Versions as of 02/1985 for Bosch Routers

- Collets for holding the router bit

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Diameter inches	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		
						Part number	
Collet without locking nut							
GGS 27; GGS 27 C Professional; POF 500 A; POF 600 ACE							
6	-	P1b	1	1	013505	2 608 570 047	
-	1/4	P1b	1	1	006699	2 608 570 048	

Collets for Bosch Routers

- **Note:** We recommend using the correct size of collet rather than working with a shank sleeve.

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Diameter inches	Key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
Collet								
GMF 1400 CE; GMF 1600 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE Professional								
-	1/4	24	P0b	1	1	062701	2 608 570 104	
-	3/8	24	P0b	1	1	062725	2 608 570 106	
6	-	24	P0b	1	1	062695	2 608 570 103	
10	-	24	P0b	1	1	090087	2 608 570 125	
Collet								
GMF 1400 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE Professional								
-	1/2	24	P0b	1	1	062749	2 608 570 108	



Collets for Bosch Routers

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Collet							
GOF 1600 A; GOF 1700 ACE Professional							
-	3/8	27	P0b	1	1	062787	2 608 570 112
6	-	27	P0b	1	1	062756	2 608 570 109
8	-	27	P0b	1	1	062770	2 608 570 111
10	-	27	P0b	1	1	090094	2 608 570 126
12	-	27	P0b	1	1	062794	2 608 570 113

Template Guides with Quick Fastening Lock, Tool-Free for Bosch Routers

- Indispensable for work with templates (template guide runs along the template and transfers the shape onto the workpiece)
- Bayonet lock for rapid, tool-free changing
- **Note:** When making a template for use with a template guide, the distance between the guide and the router bit has to be taken into consideration. This distance is calculated using the following formula: (diameter (Ø) of template guide (K) – diameter (Ø) of router bit (F))/2

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Template guide						
with quick fastening lock, tool-free						
GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 130; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE						
	13	P1b	1	1	062831	2 609 200 138
	17	P1b	1	1	062848	2 609 200 139
	24	P1b	1	1	062855	2 609 200 140
	30	P1b	1	1	062879	2 609 200 142



Template guide

with quick fastening lock, tool-free

GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1600 CE; GOF 2000 CE Professional;
 POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE

16	P1b	1	1	600590	2 608 000 471
----	-----	---	---	--------	---------------

Template guide						
with quick fastening lock, tool-free						
GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 130; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE						
27	P1b	1	1	062862	2 609 200 141	

Template guide						
with quick fastening lock, tool-free						
GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE						
40	P0b	1	1	252188	2 609 200 312	

Accessories for Copy Routing



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Diameter inches	Outer diameter inch	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece centring pins set for GOF								
8	1/4	1/4	125	P0b	3	1	647885	2 608 000 498
12	1/2	1/2						

Accessories for Bosch Palm Router GKF 600 Professional

Handles for Bosch Mini Angle Grinders and Compact Belt Sanders

► For convenient and safe guiding of the machine



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13						
		P0f	1	1	016377	1 602 025 024

ACCESSORIES FOR PLANERS



- Accessories for a wide variety of planing applications in interior fitting work or furniture manufacture

Parallel and Angle Guides for Bosch Planers

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Parallel and angle guide with 45° setting					
	GHO 14,4 V; GHO 18.0 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 100; PHO 1500; PHO 2000; PHO 3100					
		U0	1	1	015165	2 607 001 077
	Parallel guide without 45° setting					
	GHO 14,4 V; GHO 18.0 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 100; PHO 1500; PHO 2000; PHO 3100					
		C1a	1	1	013383	2 607 000 102

Rebating Depth Guides for Bosch Planers



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 3100		P0b	1	1	002523	1 608 132 006


Scraper Blades, Spring Steel Version

- **Suitable for** smoothing grouted joints, removing adhesive or sealing compounds (like silicone on tiles, wood glue from joints, hardened foam in door cavities)
- Spring steel
- **Appropriate for** GSE 300 E Professional; PSE 150; PSE 180 E; PSE 220 E



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width mm	Length mm	Description	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
Scraper SP 40 C							
40	80	SP 40 C	C1d	1	1	092678	2 608 691 022

ACCESSORIES FOR BOSCH NIBBLERS



- ▶ Punches and dies for curved or straight cuts with Bosch nibblers
- ▶ For easy working, even when performing narrow curved cuts or complicated cutouts in different types of sheet metal

Punches



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Punch for straight cut GNA 16 (SDS) Professional		P0b	1	1	088640	2 608 639 027

Dies




PRODUCT PROPERTIES		ORDERING INFORMATION					
System recommendation		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Die suitable for flat sheet metals up to 2 mm GNA 1.6 L; GNA 2,0; GNA 16 (SDS) Professional; 1530		GNA 1.3/1.6/2.0	P0b	1	1	031561	2 608 639 900

Dies



PRODUCT PROPERTIES		ORDERING INFORMATION					
	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode		
					3 165 140...		Part number
Die suitable for corrugated and most trapezoidal sheet metals up to 1.2 mm							
GNA 16 (SDS) Professional							
	GNA 16	P0b	1	1	088657	2 608 639 028	

Blades for Bosch Slot Shear GSZ 160 Professional



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
					3 165 140...	
Cutter set						
consisting of 2 cutters and 4 screws						
		P0b	1	1	229937	2 608 635 410

ACCESSORIES FOR BOSCH SHEET METAL AND UNIVERSAL SHEARS



- ▶ Shear blades for Bosch shears, for easy cutting of a wide variety of materials
- ▶ Re-sharpenable reversible blades for cost-effective use

Shear blade sets

PRODUCT PROPERTIES					ORDERING INFORMATION		
	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number
	5-piece blade set suitable for sheet metals						
	GSC 2,8 Professional						
	GSC 2.8	PC1a	5	1	029803		2 607 010 025
	6-piece blade set suitable for sheet metals						
	GSC; GSC 1,6 Professional; Typ 1500						
	GSC 1.6, type 1500, cordless GSC 9.6 V	C1d	1	1	031783		3 607 010 028

5-piece blade set **suitable for** sheet metals
GSC 2,8 Professional


GSC 2.8 PC1a 5 1 029803 2 607 010 025

6-piece blade set **suitable for** sheet metals
GSC; GSC 1,6 Professional; Typ 1500

GSC 1.6, type 1500, cordless GSC 9.6 V C1d 1 1 031783 3 607 010 028



Upper blades for Bosch sheet metal and universal shears





PRODUCT PROPERTIES		ORDERING INFORMATION				
	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode	
					3 165 140...	
Upper blade and lower blade						
GSC 12V-13; GSC 16; GSC 160 Professional						
GSC 16 (metalworking) + GSC 160		C0a	1	1	088664	2 608 635 243



Upper blade							
Only for fabrics, plastics, wallpaper, cardboard, leather, floor coverings							
GUS; GUS 12V-300 Professional							
GUS 9.6 V		P0b	1	1	031516	2 608 635 126	

Fine wire staples, type 53

- **Suitable for** e.g. textiles, cardboard, flat wooden slats, woven wire
- **Appropriate for** tackers from AEG, Arrow, Black+Decker, Bosch, Esco, kwb, Maestri, Mekano, Metabo, Neckermann/Bullcraft, Novus, Outifrance, Piranha, Rocagraf, Stanley, Skil Wolfcraft



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11.4	0.74	6	C1a	1,000	1	012126	1 609 200 326
11.4	0.74	8	C1a	1,000	1	004756	1 609 200 365
			C1a	5,000	1	084109	2 609 200 210
11.4	0.74	10	C1a	1,000	1	004763	1 609 200 366
			C1a	5,000	1	084116	2 609 200 211
11.4	0.74	12	C1a	1,000	1	004770	1 609 200 367
11.4	0.74	14	C1a	1,000	1	004787	1 609 200 368

Weatherproof staples made of stainless steel.

11.4	0.74	10	C1a	1,000	1	084161	2 609 200 216
------	------	----	-----	-------	---	--------	---------------

Staple remover and tacker set



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4-piece tacker set PTK 14 E		PC1c	1	1	010443	2 607 000 098

HAND AND HAMMER TACKER



- ▶ Manual tackers for quick fixing of, for example, fabrics, foils, cardboard and insulation material
- ▶ Available as hand tackers with a grip trigger or as hammer tackers with an impact trigger
- ▶ Bosch hammer tackers drive the staples into the material with enormous power on impact

Hand staple guns



PRODUCT PROPERTIES		ORDERING INFORMATION			
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
		Part number			
Appropriate staple type 53, length of 4, 6, 8, 10, 12, 14 mm, appropriate pin type 41, length of 14 mm Handheld Tacker HT 14 Suitable for quick fixing of fabrics, roof felt, foils, insulation materials, woven wires, and for light upholstery work Multi-purpose tacker made of robust, polished steel, with continuously variable power adjustment, padded grip and grip-lock		C1a	1	1	101332 0 603 038 001

ACCESSORIES FOR GLUE GUNS



- ▶ Glue sticks made of hot-melt adhesive for easy repairing, fixing, installation, sealing and jointing work
- ▶ Appropriate for all makes of glue guns

Glue Sticks, Transparent

- ▶ For elastic, tough connections
- ▶ **Suitable for** seals, PVC, plastics, leather, ceramics, fabric, glass
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Length mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11	200	500	C1a	1	1	005647	1 609 201 396

Glue Sticks, Black



- ▶ For elastic, tough connections
- ▶ **Suitable for** seals, carpet, metal
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

GKP 200 CE Professional; AdvancedGlue 18V

11	200	500	C1a	1	1	048439	2 607 001 178
----	-----	-----	-----	---	---	--------	---------------

Glue Sticks, Yellow

- ▶ For hard, firm connections
- ▶ **Suitable for** wood, veneer, cardboard, packages, seals, metal
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Length mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GKP 200 CE Professional; AdvancedGlue 18V							
11	200	500	C1a	1	1	048415	2 607 001 176

Accessories for Bosch Heat Guns

Nozzles for Bosch Heat Guns

► **Appropriate for** GHG 500-2; GHG 600-3; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 500-2; PHG 600-3; PHG 630 DCE



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Surface nozzle with surface distribution of the hot air for drying, removing paint, thawing						
75	33.5	C1d	1	1	006095	1 609 390 451
50	33.5	C1d	1	1	013109	1 609 201 795

Nozzles for Bosch Heat Guns with Electronic

► **Appropriate for** GHG 600-3; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 600-3; PHG 630 DCE



PRODUCT PROPERTIES		ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		
Basic attachment for all auxiliary nozzles with 9 mm diameter							
Reducing nozzle							
GHG 18V-50; GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE							
	9	C1d	1	1	013123	1 609 201 797	



Welding shoe						
with side channel for feeding plastic welding wire up to 5 mm in diameter. In conjunction with reducing nozzle 9 mm diameter						
GHG 18V-50; GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE						
10	C1d	1	1	013130	1 609 201 798	

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for wall chasers, slot cutters and
angle grinders 670 – 1.400 W.



Dust extrac-
tion guard
Ø 100, 115, 125 mm

Elbow

Hose Ø 19 x
3,000 mm

Hose Ø 19 x
5,000 mm

Page number	464	465	535	535
Part Number	1 619 P06 514	1 600 793 007	2 600 793 009	1 610 793 002

WALL CHASERS AND SLOT CUTTERS

GNF 20 CA	-	-	✓	✓
GNF 35 CA	-	-	✓	✓
GNF 65 A	-	-	✓	✓
GSF 100 A	-	-	✓	✓

ANGLE GRINDER 670 – 1,400 W

GWS 5-100 ..	✓	✓	✓	✓
GWS 5-115 ..				
GWS 6-100 ..	✓	✓	✓	✓
GWS 6-115 ..				
GWS 6-125 ..				
GWS 7-115	-	✓	✓	✓
GWS 7-125				
GWS 8-115	-	✓	✓	✓
GWS 8-115 Z				
GWS 8-125				
GWS 9-125	-	✓	✓	✓
GWS 10-125	-	✓	✓	✓
GWS 10-125 Z				
GWS 10-125 C	-	✓	✓	✓
GWS 10-125 CE				
GWS 11-125 CI/CIE/ CIH	-	✓	✓	✓
GWS 14-125 C	-	✓	✓	✓
GWS 14-125 CE				
GWS 14-125 CI/CIE/ CIT	-	✓	✓	✓
GWS 14-150 C	-	✓	✓	✓
GWS 14-150 CI	-	✓	✓	✓
GWS 15-150 CIH	-	✓	✓	✓
GWS 15-125 CIH / CIEH / CITH	-	✓	✓	✓
GWS 850 ...	✓	✓	✓	✓
GWS 1000	-	✓	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for angle grinders 2.000 – 2.500 W,
special cut-off grinders and concrete grinders.



Dust extrac-
tion guard
Ø 300 mm

Elbow

Hose
Ø 19 x
3,000 mm

Hose
Ø 19 x
5,000 mm

Page number	465	465	535	535
Part Number	1 605 510 215	1 600 793 007	2 600 793 009	1 610 793 002

ANGLE GRINDER WITH 2,000 – 2,500 W

GWS 25-230 / J	-	✓	✓	✓
GWS 26-180 B	-	✓	✓	✓
GWS 26-180 BV / JBV	-	✓	✓	✓
GWS 26-180 H/ JH	-	✓	✓	✓
GWS 26-180 JBV	-	✓	✓	✓
GWS 26-230	-	✓	✓	✓
GWS 26-230 B / BV / JBV	-	✓	✓	✓
GWS 26-230 BV	-	✓	✓	✓
GWS 26-230 JBV	-	✓	✓	✓
GWS 26-230 JH	-	✓	✓	✓
GWS 180 / J	-	✓	✓	✓
GWS 230	-	✓	✓	✓

SPECIAL CUT-OFF GRINDERS

GWS 24-300	✓	-	✓	✓
GWS 24-300 J				

CONCRETE GRINDERS

GBR 14 CA	-	-	✓	✓
-----------	---	---	---	---

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for angle grinders 2.000 – 2.500 W,
special cut-off grinders and concrete grinders.



Elbow

Hose
Ø 19 x
3,000 mmHose
Ø 19 x
5,000 mm

Page number	465	535	535
Part Number	1 600 793 007	2 600 793 009	1 610 793 002

ANGLE GRINDER WITH 2,000 – 2,500 W

GWS 20-180 / H / JH	✓	✓	✓
GWS 20-180 / J	✓	✓	✓
GWS 20-230 / J	✓	✓	✓
GWS 20-230 H / J / JH	✓	✓	✓
GWS 21-180 HV / JHV	✓	✓	✓
GWS 21-230 HV / JHV	✓	✓	✓
GWS 22-180 H / JH	✓	✓	✓
GWS 22-180 LVI	✓	✓	✓
GWS 22-230 H / JH	✓	✓	✓
GWS 22-230 LVI	✓	✓	✓
GWS 23-180 / J	✓	✓	✓
GWS 23-230 / J	✓	✓	✓
GWS 24-180 BX / JBX	✓	✓	✓
GWS 24-180 H / BV / JBV	✓	✓	✓
GWS 24-180 H / JH	✓	✓	✓
GWS 24-180 LVI	✓	✓	✓
GWS 24-230 BX / JBX	✓	✓	✓
GWS 24-230 H / BV / JBV	✓	✓	✓
GWS 24-230 H / JH	✓	✓	✓
GWS 24-230 JBX	✓	✓	✓
GWS 24-230 LVI	✓	✓	✓
GWS 25-180 / J	✓	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for jigsaws and all-purpose saws.



Hose Ø 35 × 5,000 mm

Page number	535
Part Number	2 607 002 164

JIGSAWS

GST 90 E	✓
GST 100 GST 100 B GST 100 BCE GST 100 CE	✓
GST 120 BE GST 120 E	✓
GST 135 BCE GST 135 CE	✓
GST 150 BCE GST 150 CE	✓
GST 14,4 V	✓
GST 18 V	✓
GST 24 V	✓
GST 75 BE	✓

ALL-PURPOSE SAW

GFZ 14-35 A	✓
GFZ 16-35 AC	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for hand-held circular saws and planers.



Hose Ø 35 × 5,000 mm

Page number	535
Part Number	2 607 002 164

HAND-HELD CIRCULAR SAWS

GKS 54
GKS 54 CE ✓

GKS 55
GKS 55 CE ✓
GKS 55 GCE

GKS 65
GKS 65 CE ✓
GKS 65 G
GKS 65 GCE

GKS 66 CE ✓

GKS 85 S ✓
GKS 85 G

GKS 160 ✓

GKS 190 ✓

GKS 18 V-LI ✓

GKS 24 V ✓

GKS 36 V-LI ✓

PLANERS

GHO 15-82 ✓

GHO 26-82 ✓

GHO 31-82 ✓

GHO 36-82 C ✓

GHO 40-82 C ✓

GHO 14.4 V ✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for routers and jointer.



Adapter	Adapter	Hose Ø 35 x 5,000 mm
---------	---------	----------------------

Page number	540	540	535
Part Number	2 608 000 488	2 608 000 489	2 607 002 164

ROUTERS

GKF 600	✓	✓	✓
GOF 900 ACE	✓	✓	✓
GOF 1300 ACE	✓	✓	✓
GOF 2000 CE	✓	✓	✓
GOF 1600 CE	✓	✓	✓
GMF 1600 CE	✓	✓	✓

UNIVERSAL ROUTER

GUF 4-22 A	-	-	✓
------------	---	---	---

BISCUIT JOINTER

GFF 22 A	-	-	✓
----------	---	---	---

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for sanders and benchtop tools.



Adapter

Page number 540

Part Number 2 600 306 007

BELT SANDERS

GBS 75 AE Set -

GBS 100 AE -

ORBITAL SANDERS

GSS 16 A ✓

GSS 23 AE ✓
GSS 23 A

GSS 140 A -

GSS 230 AE -

GSS 280 A -
GSS 280 AE

DELTA SANDERS

GDA 280 E -

RANDOM ORBIT SANDERS

GEX 125 A ✓
GEX 125 AC

GEX 125-1 AE -

GEX 150 AC ✓

GEX 150 Turbo -

BENCHTOP TOOLS

GCM 8 S -

GCM 10
GCM 10 J -
GCM 10 S
GCM 10 SD

GCM 12 -
GCM 12 SD

GTS 10 -

GKG 24 V -

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for jigsaws and delta sanders.



Hose Ø 19 × 3,000 mm

Hose Ø 19 × 5,000 mm

Page number	535	535
Part Number	2 600 793 009	1 610 793 002

JIGSAWS

PST 650		
PST 650 E	✓	✓
PST 650 PE		
PST 680 E	✓	✓
PST 700 E		
PST 700 PE	✓	✓
PST 700 PEL		
PST 750 PE	✓	✓
PST 800 PEL	✓	✓
PST 850 PE	✓	✓
PST 900 PEL	✓	✓
PST 1000 PEL	✓	✓

DELTA SANDERS

PDA 180	✓	✓
PDA 180 E		
PDA 240 E	✓	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for random orbit, orbital sanders and planers.



Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 5,000 mm
---------	-------------------------	-------------------------	-------------------------

Page number	540	535	535	535
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 002 150

RANDOM ORBIT SANDERS

PEX 150 A	✓	✓	✓	-
PEX 220 A	✓	✓	✓	-
PEX 270 AE	✓	✓	✓	-
PEX 400 AE	✓	✓	✓	-
PEX 420 AE	✓	✓	✓	-

ORBITAL SANDERS

PSM 80 A	✓	✓	✓	-
PSM 160 A	✓	✓	✓	-
PSS 190 AE	✓	✓	✓	-
PSS 200 A/AC	✓	✓	✓	-
PSS 250 AE	✓	✓	✓	-
PSS 280 A	✓	✓	✓	-
PSS 300 AE	✓	✓	✓	-

PLANERS

PHO 16-82	✓	-	-	✓
PHO 20-82	✓	-	-	✓
PHO 25-82	✓	-	-	✓
PHO 30-82	✓	-	-	✓
PHO 35-82 C	✓	-	-	✓
PHO 3100	✓	-	-	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for belt sanders, compact belt sanders and wall chaser.



Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 5,000 mm
---------	----------------------	----------------------	----------------------

Page number	540	535	535	535
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 002 150

BELT SANDERS

PBS 60 PBS 60 E	-	✓	✓	-
PBS 60 PBS 60 E	-	-	-	-
PBS 60 PBS 60 E	-	-	-	✓
PBS 75 A PBS 75 AE	-	✓	✓	-
PBS 75 A PBS 75 AE	-	-	-	-
PBS 75 A PBS 75 AE	-	-	-	✓
PBS 7 AE	✓	✓	✓	-

COMPACT BELT SANDERS

PVS 300 AE	-	✓	✓	-
PVS 300 AE	-	-	-	-

WALL CHASER

PSF 22 A	-	✓	✓	-
PSF 22 A	-	-	-	-

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for hand-held circular saws.



Hose Ø 35 × 5,000 mm

Page number	535
Part Number	2 607 002 150

HAND-HELD CIRCULAR SAWS	
PKS 40	-
PKS 40	✓
PKS 46	-
PKS 46	✓
PKS 54 PKS 54 CE	-
PKS 54 PKS 54 CE	✓
PKS 55 PKS 55 A	-
PKS 55 PKS 55 A	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	-
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓

ACCESSORIES FOR PAS 12-27 F/ PAS 12-27/PAS 11-21

External dust extraction for routers.



Hose $\varnothing$ 35 × 5,000 mm

Page number	535
Part Number	2 607 002 150

ROUTERS

POF 400 A	-
POF 400 A	✓
POF 500 A	-
POF 500 A	✓
POF 600 ACE	-
POF 600 ACE	✓
POF 800 ACE	-
POF 800 ACE	✓
POF 1100 AE	-
POF 1100 AE	✓
POF 1200 AE	-
POF 1200 AE	✓
POF 1300 ACE	-
POF 1300 ACE	✓
POF 1400 AE	-
POF 1400 AE	✓

ACCESSORIES FOR PAS 12-27 F/ PAS 12-27/PAS 11-21

External dust extraction for angle grinders.



Hose Ø 35 × 5,000 mm

Page number	535
Part Number	2 607 002 150

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	✓
PWS 7-115 (0 603 402 0..)	✓
PWS 7-125 (0 603 403 0..)	✓
PWS 7-125 (3 603 C99 8..)	✓
PWS 9-125 CE (0 603 405 7..)	✓
PWS 9-125 CE (3 603 C99 A..)	✓
PWS 10-125 CE (0 603 347 ...)	✓
PWS 10-125 CE (3 603 C47 0..)	-
PWS 13-125 CE (0 603 348 ...)	-
PWS 13-125 CE (3 603 C48 0..)	-
PWS 20-230 J	-
PWS 21-230	-
PWS 700 (0 603 402 0..)	✓
PWS 700-115 (0 603 A64 2..)	✓
PWS 720 (0 603 403 0..)	✓
PWS 720-115 (0 603 A64 0..)	✓
PWS 720-125 (0 603 A64 0..)	✓
PWS 750-115 (0 603 A84 1..)	✓
PWS 750-125 (0 603 A84 1..)	✓
PWS 850 CE (0 603 404 7..)	✓
PWS 1900	-

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27 / PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for jigsaws and delta sanders.



Hose Ø 19 × 3,000 mm

Hose Ø 19 × 5,000 mm

Page number	535	535
Part Number	2 600 793 009	1 610 793 002
JIGSAWS		
PST 650		
PST 650 E	✓	✓
PST 650 PE		
PST 680 E	✓	✓
PST 700 E		
PST 700 PE	✓	✓
PST 700 PEL		
PST 750 PE	✓	✓
PST 800 PEL	✓	✓
PST 850 PE	✓	✓
PST 900 PEL	✓	✓
PST 1000 PEL	✓	✓
DELTA SANDERS		
PDA 180		
PDA 180 E	✓	✓
PDA 240 E	✓	✓

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27 / PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for random orbit, orbital sanders and planers.



Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm
---------	-------------------------	-------------------------

Page number	540	535	535
Part Number	2 600 306 007	2 600 793 009	1 610 793 002

RANDOM ORBIT SANDERS

PEX 150 A	✓	✓	✓
PEX 220 A	✓	✓	✓
PEX 270 AE	✓	✓	✓
PEX 400 AE	✓	✓	✓
PEX 420 AE	✓	✓	✓

ORBITAL SANDERS

PSM 80 A	-	✓	✓
PSM 160 A	✓	✓	✓
PSS 190 AE	-	✓	✓
PSS 200 A/AC	-	✓	✓
PSS 250 AE	-	✓	✓
PSS 280 A	-	✓	✓
PSS 300 AE	-	✓	✓

PLANERS

PHO 16-82	-	-	-
PHO 20-82	-	-	-
PHO 25-82	-	-	-
PHO 30-82	-	-	-
PHO 35-82 C	-	-	-
PHO 3100	-	-	-

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27 / PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for belt sanders, compact belt sanders and wall chaser.



Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm
---------	----------------------	----------------------

Page number	540	535	535
Part Number	2 600 306 007	2 600 793 009	1 610 793 002

BELT SANDERS

PBS 60 PBS 60 E	-	✓	✓
PBS 60 PBS 60 E	-	-	-
PBS 75 A PBS 75 AE	-	✓	✓
PBS 75 A PBS 75 AE	-	-	-
PBS 7 AE	✓	✓	✓

COMPACT BELT SANDERS

PVS 300 AE	-	✓	✓
PVS 300 AE	-	-	-

WALL CHASER

PSF 22 A	-	✓	✓
PSF 22 A	-	-	-

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27 / PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for hand-held circular saws and routers.



Hose Ø 35 × 3,000 mm

Hose Ø 35 × 5,000 mm

Page number	100002836	100004213
Part Number	2 607 000 837	1 609 202 230

HAND-HELD CIRCULAR SAWS

PKS 40	✓	✓
PKS 46	✓	✓
PKS 54 PKS 54 CE	✓	✓
PKS 55 PKS 55 A	✓	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓

ROUTERS

POF 400 A	✓	✓
POF 500 A	✓	✓
POF 600 ACE	✓	✓
POF 800 ACE	✓	✓
POF 1100 AE	✓	✓
POF 1200 AE	✓	✓
POF 1300 ACE	✓	✓
POF 1400 AE	✓	✓

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27 / PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for angle grinders.



Cutting Guide

Cutting Guide

Cutting Guide

Cutting Guide

Hose Ø 35 x
3,000 mmHose Ø 35 x
5,000 mm

Page number	100002184	100016135	100007369	100016371	100002836	100004213
Part Number	1 605 510 180	2 605 510 264	1 605 510 291	2 605 510 292	2 607 000 837	1 609 202 230

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	-	-	✓	-	✓	✓
PWS 7-115 (0 603 402 0..)	-	-	✓	-	✓	✓
PWS 7-125 (0 603 403 0..)	-	-	✓	-	✓	✓
PWS 7-125 (3 603 C99 8..)	-	-	-	✓	✓	✓
PWS 9-125 CE (0 603 405 7..)	-	-	✓	-	✓	✓
PWS 9-125 CE (3 603 C99 A..)	-	-	-	✓	✓	✓
PWS 10-125 CE (0 603 347 ...)	-	-	✓	-	✓	✓
PWS 10-125 CE (3 603 C47 0..)	-	✓	-	-	✓	✓
PWS 13-125 CE (0 603 348 ...)	-	-	✓	-	✓	✓
PWS 13-125 CE (3 603 C48 0..)	-	✓	-	-	✓	✓
PWS 20-230 J	✓	-	-	-	✓	✓
PWS 21-230	✓	-	-	-	✓	✓
PWS 700 (0 603 402 0..)	-	-	✓	-	✓	✓
PWS 700-115 (0 603 A64 2..)	-	-	-	✓	✓	✓
PWS 720 (0 603 403 0..)	-	-	✓	-	✓	✓
PWS 720-115 (0 603 A64 0..)	-	-	-	✓	✓	✓
PWS 720-125 (0 603 A64 0..)	-	-	-	✓	✓	✓
PWS 750-115 (0 603 A84 1..)	-	-	-	✓	✓	✓
PWS 750-125 (0 603 A84 1..)	-	-	-	✓	✓	✓
PWS 850 CE (0 603 404 7..)	-	-	✓	-	✓	✓
PWS 1900	✓	-	-	-	✓	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for jigsaws and delta sanders.



Hose Ø 19 × 3,000 mm

Hose Ø 19 × 5,000 mm

Page number	535	535
Part Number	2 600 793 009	1 610 793 002

JIGSAWS

PST 650		
PST 650 E	✓	✓
PST 650 PE		
PST 680 E	✓	✓
PST 700 E		
PST 700 PE	✓	✓
PST 700 PEL		
PST 750 PE	✓	✓
PST 800 PEL	✓	✓
PST 850 PE	✓	✓
PST 900 PEL	✓	✓
PST 1000 PEL	✓	✓

DELTA SANDERS

PDA 180	✓	✓
PDA 180 E		
PDA 240 E	✓	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for random orbit, orbital sanders and planers.



Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm
---------	-------------------------	-------------------------

Page number	540	535	535
Part Number	2 600 306 007	2 600 793 009	1 610 793 002

RANDOM ORBIT SANDERS

PEX 150 A	✓	✓	✓
PEX 220 A	✓	✓	✓
PEX 270 AE	✓	✓	✓
PEX 400 AE	✓	✓	✓
PEX 420 AE	✓	✓	✓

ORBITAL SANDERS

PSM 80 A	-	✓	✓
PSM 160 A	✓	✓	✓
PSS 190 AE	-	✓	✓
PSS 200 A/AC	-	✓	✓
PSS 250 AE	-	✓	✓
PSS 280 A	-	✓	✓
PSS 300 AE	-	✓	✓

PLANERS

PHO 16-82	-	-	-
PHO 20-82	-	-	-
PHO 25-82	-	-	-
PHO 30-82	-	-	-
PHO 35-82 C	-	-	-
PHO 3100	-	-	-

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for belt sanders, compact belt sanders and wall chaser.



Hose Ø 19 × 3,000 mm

Hose Ø 19 × 5,000 mm

Adapter

Page number	535	535	540
Part Number	2 600 793 009	1 610 793 002	2 600 306 007

BELT SANDERS

PBS 60 PBS 60 E	✓	✓	-
PBS 60 PBS 60 E	-	-	-
PBS 75 A PBS 75 AE	✓	✓	-
PBS 75 A PBS 75 AE	-	-	-
PBS 7 AE	✓	✓	✓

COMPACT BELT SANDERS

PVS 300 AE	✓	✓	-
------------	---	---	---

WALL CHASER

PSF 22 A	-	-	-
----------	---	---	---

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for hand-held circular saws and routers.



Hose Ø 35 × 3,000 mm

Hose Ø 35 × 5,000 mm

Adapter for Ø 19 to 35 mm

Page number	100002836	100004213	100002843
Part Number	2 607 000 837	1 609 202 230	2 607 000 748

HAND-HELD CIRCULAR SAWS

PKS 40	✓	✓	✓
PKS 46	✓	✓	✓
PKS 54 PKS 54 CE	✓	✓	✓
PKS 55 PKS 55 A	✓	✓	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓	✓

ROUTERS

POF 400 A	✓	✓	-
POF 500 A	✓	✓	-
POF 600 ACE	✓	✓	-
POF 800 ACE	✓	✓	-
POF 1100 AE	✓	✓	-
POF 1200 AE	✓	✓	-
POF 1300 ACE	✓	✓	-
POF 1400 AE	✓	✓	-

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for angle grinders.



Cutting Guide

Cutting Guide

Cutting Guide

Cutting Guide

Hose Ø 35 x
3,000 mmHose Ø 35 x
5,000 mm

Page number	100002184	100016135	100007369	100016371	100002836	100004213
Part Number	1 605 510 180	2 605 510 264	1 605 510 291	2 605 510 292	2 607 000 837	1 609 202 230

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	-	-	✓	-	✓	✓
PWS 7-115 (0 603 402 0..)	-	-	✓	-	✓	✓
PWS 7-125 (0 603 403 0..)	-	-	✓	-	✓	✓
PWS 7-125 (3 603 C99 8..)	-	-	-	✓	✓	✓
PWS 9-125 CE (0 603 405 7..)	-	-	✓	-	✓	✓
PWS 9-125 CE (3 603 C99 A..)	-	-	-	✓	✓	✓
PWS 10-125 CE (0 603 347 ...)	-	-	✓	-	✓	✓
PWS 10-125 CE (3 603 C47 0..)	-	✓	-	-	✓	✓
PWS 13-125 CE (0 603 348 ...)	-	-	✓	-	✓	✓
PWS 13-125 CE (3 603 C48 0..)	-	✓	-	-	✓	✓
PWS 20-230 J	✓	-	-	-	✓	✓
PWS 21-230	✓	-	-	-	✓	✓
PWS 700 (0 603 402 0..)	-	-	✓	-	✓	✓
PWS 700-115 (0 603 A64 2..)	-	-	-	✓	✓	✓
PWS 720 (0 603 403 0..)	-	-	✓	-	✓	✓
PWS 720-115 (0 603 A64 0..)	-	-	-	✓	✓	✓
PWS 720-125 (0 603 A64 0..)	-	-	-	✓	✓	✓
PWS 750-115 (0 603 A84 1..)	-	-	-	✓	✓	✓
PWS 750-125 (0 603 A84 1..)	-	-	-	✓	✓	✓
PWS 850 CE (0 603 404 7..)	-	-	✓	-	✓	✓
PWS 1900	✓	-	-	-	✓	✓

Accessories for External Dust Extraction using Bosch Dust Extractors

Nozzles for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Rubber nozzle GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F					
	35	C1d	1	1	005319	1 609 201 229
	Floor nozzle GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F					
	35	C1d	1	1	005326	1 609 201 230
	Multi-purpose nozzle for wet and dry applications with 2 inserts: rubber lip for water, brush for smooth surfaces GAS12-25/12-25PS; GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 15 PS; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F					
	35	P1d	1	1	015936	1 609 390 478
	Small round brush GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F					
	35	C1d	1	1	015967	1 609 390 481
	Crevice nozzle GAS12-25/12-25PS; GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 15 PS; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F					
	35	C1d	1	1	056656	2 607 000 165
	Small floor nozzle GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F					
	35	C1d	1	1	056335	2 607 000 166

Nozzles for Bosch dust extractors



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
Coarse dirt nozzle						
GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F						
35	C1d	1	1	056359	2 607 000 170	

Hoses for Bosch dust extractors



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Regular Hoses for Dust Extractors GAS 11-21; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F							
19	1 6/16 1 5/16	3	C0a	1	1	015462	2 600 793 009



Regular Hoses for Dust Extractors GAS 11-21; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F							
19	-	5	C0a	1	1	006149	1 610 793 002



Regular Hoses for Dust Extractors GAS 11-21 Professional; PAS 11-21; PAS 12-27; PAS 12-27 F							
35	-	5	C0a	1	1	205320	2 607 002 150



Antistatic hose, with bayonet lock GAS 25 L SFC; GAS 50; GAS 50 M; GOF 130 Professional							
35	-	5	C0a	1	1	257572	2 607 002 164



Regular Hoses for Dust Extractors with Bayonet Lock GAS 25 L SFC; GAS 50; GAS 50 M Professional							
35	-	5	C0a	1	1	292788	2 609 390 393



Hose with bayonet lock including power tool adapter GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GOF 130 Professional							
22	-	5	P0b	1	1	713658	2 608 000 567

Pipes for Bosch dust extractors

Elbow for Bosch dust extractors

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...
Elbow, antistatic GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	35	P0b	1	1	713719
					2 608 000 573

Hose sleeves for hoses



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Power tool adapter GAS12-25/12-25PS; GAS 15 PS; GAS 18V-10 L; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GEX 125-1 AE; GSS 12V-13; GSS 18V-13 Professional						
	22	P0b	1	1	726887	2 608 000 585
	35					

Bellows filters, square



PRODUCT PROPERTIES		ORDERING INFORMATION				
Size cm²	Dimensions (length x width x height) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Cellulose bellows filter, dry application GAS 50; GAS 50 M Professional						
8,600	257 x 69 x 187	U0	2	1	257602	2 607 432 016



Cellulose flat-pleated filter GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional						
6,150	240 x 140 x 56	C1a	1	1	713566	2 607 432 033



Polyester (PES) flat-pleated filter GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional						
6,150	240 x 140 x 56	C1a	1	1	713573	2 607 432 034



Polytetrafluoroethylene (PTFE) flat-pleated filter GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional						
6,150	240 x 140 x 56	C1a	1	1	718233	2 607 432 041



Flat-pleated Filter H-Class (HEPA), PTFE GAS 35 H AFC Professional						
-	-	C1b	1	1	574882	2 607 432 052


Fleece filter bag




PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Fleece bag						
GAS 15; GAS 20 L SFC Professional						
		C1b	5	1	605779	2 605 411 229




Fleece filter bag						
GAS 50; GAS 50 M Professional						
		P0b	5	1	257633	2 605 411 163



Fleece filter bag						
GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC Professional						
		P1b	5	1	713603	2 607 432 037



Wet filter bag						
GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional						
		P1b	5	1	713627	2 607 432 039



Fleece filter bag						
GAS 55 M AFC Professional						
		P1b	5	1	713610	2 607 432 038



Safety filter bag with integrated fleece filter bag						
GAS 35 H AFC Professional						
		P1b	5	1	574868	2 607 432 050

Paper filter bag

	PRODUCT PROPERTIES				ORDERING INFORMATION	
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
	Paper filter bag					
	GAS 55 M AFC Professional	P1b	5	1	713597	2 607 432 036
	Paper filter bags					
	PAS 11-21; PAS 12-27; PAS 12-27 F	P0b	5	1	210454	2 605 411 150
	Dust bag					
	Ventaro; Ventaro 140; Ventaro 1400	C0a	3	1	437141	2 605 411 225
	Paper filter bag					
	GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC Professional	P1b	5	1	713580	2 607 432 035

Disposal bag

	PRODUCT PROPERTIES				ORDERING INFORMATION	
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
	Disposal bag					
	GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	P1b	10	1	744850	2 607 432 043
	PE Disposal bags					
	GAS 35 H AFC; GAS 35 M AFC; GAS 55 M AFC Professional	P1b	10	1	574875	2 607 432 051

Adapter

► For connecting power tools to hose



Adapter for random orbit, orbital and multi-sanders

GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GEX 125; GEX 125 AC; GEX 150 AC; GSS 140; GSS 140 A; GSS 230; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PBS 75 A; PBS 75 AE; PEX 11; PEX 12; PEX 15 AE; PEX 270 A; PEX 270 AE; PEX 400 A; PEX 420 AE; PSM 160 A; PSS 180; PSS 240 AE

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
-	P1e	1	1	063050	2 600 306 007



Cutting guide with dust extraction outlet for working on edges

GMF 1400 CE; GMF 1600 CE; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE Professional

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
-	P0b	1	1	617130	2 608 000 488



Dust extraction adapter, plunge unit for GMF 1600 CE; GOF 1600 CE Professional

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
-	P0b	1	1	617147	2 608 000 489



Dust extraction adapter for routers

POF 1200 AE; POF 1400 ACE

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
-	P0b	1	1	452939	2 600 499 077



GAS 18V-10 L (0 601 9C6 3..); GHO 12V-20 (0 601 5A7 0..) Professional

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
35	P1d	1	1	935418	2 608 000 674



Vacuum Adapter

GKS 18V-57; GKS 18V-57 G; GKS 55 GCE; GKS 165; GKS 600; GKS 7000 Professional

Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
-	P1c	1	1	211668	2 608 000 563

Dust extraction for jigsaws

	PRODUCT PROPERTIES		ORDERING INFORMATION				
			Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number
	Dust extraction set						
	GST 100 BCE; GST 135 BCE; GST 140 BCE; GST 150 BCE; GST 150 CE Professional		P1d	1	1	516280	2 605 510 294
	Dust extraction set						
	GST 14,4 V-LI; GST 18.0 V-LI; GST 140 BCE; GST 140 CE Professional		P1d	1	1	605816	2 605 510 301
	Dust extraction						
	for extracting sanding dust in combination with the sanding plate AVI 93 G						
	GOP 300 SCE Professional		P1d	1	1	641029	2 608 190 056 ⁱ

i = 01.2027

Accessories for Internal Dust Extraction when using Bosch Power Tools

Dust bags for benchtop circular saws



PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust bag GTS 10 Professional		P0b	1	1	316248	2 605 411 205

Adapters for benchtop circular saws




Dust extraction adapter GCM 10 S Professional		P0b	1	1	316316	2 600 499 071
--	--	-----	---	---	--------	---------------

Cloth dust bags with adapter



GH0 12V-20 (0 601 5A7 0..) Professional		P1d	1	1	935425	2 608 000 675
---	--	-----	---	---	--------	---------------

Cloth dust bag with adapter, type 2 (oval)



Dust bag for belt and random orbit sanders Also suitable for PEX 11/12/15 AE/115 A-1 GBS 75 AE; GEX 34-125; GEX 34-150; GEX 125 AC; GEX 150 AC Professional; PEX 12 AE; PEX 15		P1d	1	1	098458	2 605 411 096
--	--	-----	---	---	--------	---------------



Dust bag for planers GH0 10-82; GH0 14,4 V; GH0 14,4 V-LI; GH0 15-82; GH0 18.0 V; GH0 26-82; GH0 31-82; GH0 36-82 C; GH0 40-82; GH0 40-82 C Professional; PCM 10; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 1500; PHO 2000; PHO 3100		P1d	1	1	056366	2 605 411 035
--	--	-----	---	---	--------	---------------

Dust bags (one-way system)



PRODUCT PROPERTIES	ORDERING INFORMATION								
	Packaging type	Pack quantity	Minimum order quantity	Barcode			Part number		
				3 165 140 ...					
Dust bag for belt, random orbit, orbital sanders, universal router									
Also suitable for PEX 11 A/11 AE/115 A-1, GEX 125 A									
GEX 34-125; GEX 34-150; GEX 125 AC; GSS 16; GSS 23 AE; GUF 4-22 A Professional; PBS 60; PBS 75 A; PEX 115; PEX 115 A; PEX 115 AE; PSF 22 A									
	P1d	3	1	077477	2 605 411 067				

Dust boxes and adapters



Dust box HW3 complete						
PEX 125 (old, round connection)						
PBS 60; PBS 75 (round connection)						
GBS 75 A; GEX 34-125; GEX 34-150; GEX 125; GEX 125 AC; GEX 150 AC; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PBS 7 A; PBS 7 AE; PBS 60; PBS 75 A; PBS 75 AE; PEX 11; PEX 12; PEX 15; PEX 125; PEX 400 A; PEX 400 AE						
	C1a	1	1	198615	2 605 411 147	



Filter						
GEX 34-125; GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional						
	U0	1	1	624152	2 605 190 930	

Carrying Cases for Bosch Power Tools

Carrying cases for rotary and demolition hammers, screwdrivers



PRODUCT PROPERTIES				ORDERING INFORMATION				
Material	Width mm	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Plastic case								
GSH 16-28; GSH 16-30 Professional								
K	355	895	228	M0a	1	1	438186	2 605 438 628



ACCESSORIES FOR CORDLESS POWER TOOLS

Take them anywhere you need.

The best your tool can get. Bosch Professional Accessories.



18 V slide-in battery packs



PRODUCT PROPERTIES			ORDERING INFORMATION				
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
18 V slide-in battery pack with ECP (Electronic Cell Protection)							
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class							
LD	2	Li-Ion	C1a	1	1	801348	2 607 336 906

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ
0 603 038 001	507	1
1 600 793 007	465	1
1 601 329 013	475	1
1 602 025 024	463, 489, 497	1
1 603 340 015	461	1
1 603 340 031	461, 473, 476	1
1 603 340 040	461, 476	1
1 603 345 004	459	1
1 605 510 364	469	1
1 605 510 365	469	1
1 605 703 099	461, 476	5
1 607 950 041	455	5
1 607 950 042	455	5
1 607 950 043	474	1
1 607 950 044	455	5
1 607 950 045	455	5
1 607 950 048	474, 478	1
1 607 950 053	455	5
1 607 950 525	478	1
1 608 132 006	499	1
1 608 571 048	455	1
1 608 571 053	455	1
1 608 571 058	455	1
1 608 571 062	455	1
1 608 601 033	459	1
1 608 610 000	448	1
1 608 612 002	447	1
1 608 613 013	447	1
1 608 614 001	188	1
1 608 614 002	188	1
1 608 614 011	188	1
1 608 614 020	191	1
1 608 622 029	188	1
1 609 200 240	445	1
1 609 200 243	335	1
1 609 200 269	192	1
1 609 200 287	446	1
1 609 200 288	446	1
1 609 200 326	506	1
1 609 200 365	506	1
1 609 200 366	506	1
1 609 200 367	506	1
1 609 200 368	506	1
1 609 201 229	534	1
1 609 201 230	534	1
1 609 201 396	508	1
1 609 201 795	510	1
1 609 201 797	510	1
1 609 201 798	510	1
1 609 390 451	510	1
1 609 390 478	534	1
1 609 390 481	534	1
1 610 793 002	535	1
1 612 025 020	456	1
1 617 000 132	451	5
1 618 596 164	59	5
1 618 596 165	59	5
1 618 596 166	59	5
1 618 596 167	59	5
1 618 596 168	59	5
1 618 596 169	59	5

PART NUMBER	PAGE	MOQ
1 618 596 170	59	5
1 618 596 171	59	5
1 618 596 172	59	5
1 618 596 173	59	5
1 618 596 174	59	5
1 618 596 176	59	5
1 618 596 177	59	5
1 618 596 178	59	5
1 618 596 179	60	5
1 618 596 181	59	5
1 618 596 182	59	5
1 618 596 183	59	5
1 618 596 184	59	5
1 618 596 185	59	5
1 618 596 186	59	5
1 618 596 187	59	5
1 618 596 188	59	5
1 618 596 189	59	5
1 618 596 204	60	1
1 618 596 207	60	1
1 618 596 224	59	1
1 618 596 225	59	1
1 618 596 231	59	5
1 618 596 232	60	1
1 618 596 233	60	1
1 618 596 236	60	1
1 618 596 237	60	1
1 618 596 238	60	1
1 618 596 239	60	1
1 618 596 240	60	1
1 618 596 241	60	1
1 618 596 257	59	1
1 618 596 259	60	1
1 618 596 260	60	1
1 618 596 262	60	1
1 618 596 263	60	1
1 618 596 264	59	5
1 618 596 265	59	5
1 618 596 267	59	1
1 618 596 268	59	5
1 618 596 269	59	1
1 618 596 270	59	5
1 618 596 271	59	5
1 618 596 315	59	5
1 618 596 316	59	5
1 618 596 318	59	5
1 618 596 319	60	1
1 618 596 502	68	1
1 618 596 503	68	1
1 618 596 504	68	1
1 618 596 505	68	1
1 618 596 506	68	1
1 618 596 507	68	1
1 618 598 159	451	1
1 618 600 012	114	1
1 618 600 015	114	1
1 618 600 019	116	1
1 618 600 203	114	1
1 618 600 204	114	1
1 618 600 206	116	1
1 618 601 007	115	1
1 618 601 008	115	1

PART NUMBER	PAGE	MOQ
1 618 601 011	116	1
1 618 601 017	115	1
1 618 601 019	115	1
1 618 601 102	115	1
1 619 P06 514	464	1
1 619 P06 549	470	1
1 619 P06 550	470	1
1 619 P06 551	470	1
2 600 100 188	220	1
2 600 100 202	220	1
2 600 100 203	220	1
2 600 100 217	220	1
2 600 100 219	220	1
2 600 100 220	220	1
2 600 100 221	220	1
2 600 100 222	220	1
2 600 306 007	540	1
2 600 499 071	542	1
2 600 499 077	540	1
2 600 793 009	535	1
2 601 099 044	487	1
2 601 099 074	486	1
2 602 025 062	452	1
2 602 025 282	471	1
2 602 025 283	471	1
2 602 317 030	490, 493	1
2 602 317 031	490, 493	1
2 603 345 002	459	1
2 603 345 018	459	1
2 605 190 930	483, 543	1
2 605 411 035	542	1
2 605 411 067	543	1
2 605 411 096	542	1
2 605 411 147	543	1
2 605 411 150	539	1
2 605 411 163	538	1
2 605 411 205	542	1
2 605 411 225	539	1
2 605 411 229	538	1
2 605 411 238	485	1
2 605 411 239	485	1
2 605 438 628	544	1
2 605 510 172	469	1
2 605 510 224	472	1
2 605 510 256	470	1
2 605 510 257	471	1
2 605 510 280	469	1
2 605 510 281	469	1
2 605 510 294	492, 541	1
2 605 510 300	471	1
2 605 510 301	492, 541	1
2 607 000 096	226	5
2 607 000 098	506	1
2 607 000 102	498	1
2 607 000 103	224	1
2 607 000 165	534	1
2 607 000 166	534	1
2 607 000 170	535	1
2 607 000 444	42	1
2 607 000 445	42	1
2 607 000 446	42	1
2 607 000 447	42	1

PART NUMBER	PAGE	MOQ
2 607 000 448	42	1
2 607 000 797	224	1
2 607 001 077	498	1
2 607 001 079	488	1
2 607 001 176	509	1
2 607 001 178	508	1
2 607 001 387	493	1
2 607 001 507	98	1
2 607 001 511	98	5
2 607 001 512	98	1
2 607 001 514	98	1
2 607 001 526	98	5
2 607 001 528	98	5
2 607 001 535	98	5
2 607 001 540	98	5
2 607 001 563	98	1
2 607 001 577	98	5
2 607 001 583	98	5
2 607 001 588	98	5
2 607 001 636	98	5
2 607 001 638	98	5
2 607 001 642	98	5
2 607 001 672	98	5
2 607 001 726	99	5
2 607 001 728	99	5
2 607 001 734	99	5
2 607 001 735	99	5
2 607 001 738	100	5
2 607 001 740	100	5
2 607 001 742	100	5
2 607 001 743	100	5
2 607 002 150	535	1
2 607 002 164	535	1
2 607 010 025	504	1
2 607 010 079	259, 492	5
2 607 010 529	19	1
2 607 010 533	36	5
2 607 010 535	19	1
2 607 010 545	75	5
2 607 010 629	257	1
2 607 010 630	258	1
2 607 010 901	303	1
2 607 010 902	303	1
2 607 010 907 ⁱ	303	1
2 607 010 908 ⁱ	303	1
2 607 017 047	21	1
2 607 017 080	75	1
2 607 017 082	74	1
2 607 017 164	101	6
2 607 017 319	101	10
2 607 017 469	223	1
2 607 017 472	223	1
2 607 017 565	102	3
2 607 017 571	101	3
2 607 017 574	85	3
2 607 018 010	260	1
2 607 018 011	260	1
2 607 018 012	260	1
2 607 018 013	260	1
2 607 019 052	109	1
2 607 336 906	546	1
2 607 432 016	537	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 607 432 033	537	1	2 608 521 118	99	5	2 608 576 288	54	1	2 608 577 473	35	5
2 607 432 034	537	1	2 608 522 068	98	5	2 608 576 289	54	1	2 608 577 474	35	5
2 607 432 035	539	1	2 608 522 069	98	5	2 608 576 290	54	1	2 608 577 475	35	5
2 607 432 036	539	1	2 608 522 302	88	1	2 608 576 291	55	1	2 608 577 476	35	5
2 607 432 037	538	1	2 608 522 303	88	1	2 608 576 293	66	1	2 608 578 179	56	5
2 607 432 038	538	1	2 608 522 304	88	1	2 608 576 294	66	1	2 608 578 180	56	5
2 607 432 039	538	1	2 608 522 305	88	1	2 608 576 295	66	1	2 608 578 181	56	5
2 607 432 041	537	1	2 608 522 306	88	1	2 608 576 296	66	1	2 608 578 182	56	5
2 607 432 043	539	1	2 608 522 308	88	1	2 608 576 297	66	1	2 608 578 183	56	5
2 607 432 050	538	1	2 608 522 309	88	1	2 608 576 298	66	1	2 608 578 184	56	5
2 607 432 051	539	1	2 608 522 310	88	1	2 608 576 299	66	1	2 608 578 185	56	5
2 607 432 052	537	1	2 608 522 311	88	1	2 608 576 300	66	1	2 608 578 186	56	5
2 607 990 050	26	1	2 608 522 333	87	5	2 608 576 301	67	1	2 608 578 187	56	5
2 608 000 149	486	1	2 608 522 365	85	6	2 608 576 302	67	1	2 608 578 188	56	5
2 608 000 198	486	1	2 608 550 036	451	1	2 608 576 779	66	1	2 608 578 189	56	5
2 608 000 199	486	1	2 608 550 037	103	5	2 608 577 045	12	5	2 608 578 190	56	5
2 608 000 200	487	1	2 608 550 039	103	5	2 608 577 048	12	5	2 608 578 191	56	5
2 608 000 211	486	1	2 608 550 057	62, 160	1	2 608 577 052	12	5	2 608 578 192	56	1
2 608 000 349	481	1	2 608 550 073	103	5	2 608 577 055	12	5	2 608 578 193	56	5
2 608 000 426	491	1	2 608 550 075	62	1	2 608 577 058	12	5	2 608 578 194	56	5
2 608 000 471	495	1	2 608 550 076	62	1	2 608 577 061	12	5	2 608 578 195	56	5
2 608 000 488	540	1	2 608 550 080	103	5	2 608 577 146	13	6	2 608 578 196	56	5
2 608 000 489	540	1	2 608 550 081	103	5	2 608 577 147	86	6	2 608 578 197	56	5
2 608 000 498	496	1	2 608 550 082	103	5	2 608 577 345	10	1	2 608 578 198	56	5
2 608 000 563	540	1	2 608 551 029	88	1	2 608 577 350	10	1	2 608 578 199	56	1
2 608 000 565	536	1	2 608 551 078	103	5	2 608 577 351	10	1	2 608 578 200	56	1
2 608 000 566	536	1	2 608 551 079	103	10	2 608 577 352	11	1	2 608 578 201	56	5
2 608 000 567	535	1	2 608 551 100	88	1	2 608 577 426	33	5	2 608 578 202	56	5
2 608 000 568	536	1	2 608 551 101	89	1	2 608 577 427	33	5	2 608 578 203	56	5
2 608 000 573	536	1	2 608 551 102	88	1	2 608 577 428	33	5	2 608 578 204	56	5
2 608 000 575	536	1	2 608 551 110	104	5	2 608 577 429	33	5	2 608 578 205	56	5
2 608 000 585	537	1	2 608 570 047	477, 494	1	2 608 577 430	33	5	2 608 578 206	56	1
2 608 000 590	382	1	2 608 570 048	477, 494	1	2 608 577 431	33	5	2 608 578 207	56	1
2 608 000 596	416	1	2 608 570 082	477	1	2 608 577 432	33	5	2 608 578 208	56	1
2 608 000 597	416	1	2 608 570 084	477	1	2 608 577 433	33	5	2 608 578 209	56	5
2 608 000 598	416	1	2 608 570 085	477	1	2 608 577 434	33	5	2 608 578 210	56	1
2 608 000 599	417	1	2 608 570 103	494	1	2 608 577 435	33	5	2 608 578 211	56	5
2 608 000 600	417	1	2 608 570 104	494	1	2 608 577 436	33	5	2 608 578 212	56	5
2 608 000 601	417	1	2 608 570 106	494	1	2 608 577 437	33	5	2 608 578 213	56	5
2 608 000 602	417	1	2 608 570 108	494	1	2 608 577 438	33	5	2 608 578 214	56	1
2 608 000 603	417	1	2 608 570 109	495	1	2 608 577 439	33	5	2 608 578 215	56	5
2 608 000 604	417	1	2 608 570 111	495	1	2 608 577 440	33	5	2 608 578 216	56	5
2 608 000 605	417	1	2 608 570 112	495	1	2 608 577 441	33	5	2 608 578 217	56	5
2 608 000 607	417	1	2 608 570 113	495	1	2 608 577 442	33	5	2 608 578 218	56	5
2 608 000 608	417	1	2 608 570 125	494	1	2 608 577 443	33	5	2 608 578 219	56	5
2 608 000 609	417	1	2 608 570 126	495	1	2 608 577 444	34	5	2 608 578 220	56	1
2 608 000 636	374	1	2 608 570 139	477	1	2 608 577 445	34	5	2 608 578 221	56	1
2 608 000 672	226	1	2 608 570 140	477	1	2 608 577 446	34	5	2 608 578 222	56	5
2 608 000 674	540	1	2 608 572 034	454	1	2 608 577 448	34	5	2 608 578 223	56	5
2 608 000 675	542	1	2 608 572 059	450	1	2 608 577 449	34	5	2 608 578 224	56	1
2 608 000 680	470	1	2 608 572 060	454	1	2 608 577 450	34	5	2 608 578 225	56	5
2 608 000 714	481	1	2 608 572 062	454	1	2 608 577 460	34	5	2 608 578 226	56	5
2 608 000 908	260	1	2 608 572 068	454	1	2 608 577 461	34	5	2 608 578 227	56	1
2 608 005 026	488	1	2 608 572 075	454	1	2 608 577 462	34	5	2 608 578 228	56	1
2 608 030 055	453	1	2 608 572 105	454	1	2 608 577 463	34	5	2 608 578 229	56	1
2 608 040 289	492	1	2 608 572 150	450	1	2 608 577 464	34	5	2 608 578 230	57	1
2 608 135 020	260	1	2 608 572 182	454	1	2 608 577 465	35	1	2 608 578 231	57	1
2 608 135 021	260	1	2 608 572 212	450	1	2 608 577 468	34	5	2 608 578 232	57	1
2 608 135 022	260	1	2 608 572 213	450	1	2 608 577 469	34	5	2 608 578 233	57	1
2 608 135 023	260	1	2 608 572 218	454	1	2 608 577 470	34	5	2 608 578 234	57	1
2 608 190 056 [†]	492, 541	1	2 608 576 286	54	1	2 608 577 471	34	5	2 608 578 235	57	1
2 608 521 115	99	5	2 608 576 287	54	1	2 608 577 472	34	5	2 608 578 236	57	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 578 237	57	1	2 608 578 302	52	5	2 608 584 850	334	1	2 608 587 126	157	1
2 608 578 238	57	1	2 608 578 303	52	5	2 608 584 852	334	1	2 608 587 127	157	1
2 608 578 239	57	1	2 608 578 304	52	1	2 608 585 440	15	1	2 608 587 128	157	1
2 608 578 240	57	1	2 608 578 305	52	1	2 608 585 441	15	1	2 608 587 129	157	1
2 608 578 241	57	1	2 608 578 306	52	1	2 608 585 444	15	1	2 608 587 130	157	1
2 608 578 242	57	1	2 608 578 307	52	1	2 608 585 448	15	1	2 608 587 131	157	1
2 608 578 243	57	1	2 608 578 308	52	1	2 608 585 452	16	1	2 608 587 132	157	1
2 608 578 244	57	1	2 608 578 309	52	1	2 608 585 456	16	1	2 608 587 133	157	1
2 608 578 245	57	1	2 608 578 310	52	1	2 608 585 464	16	1	2 608 587 134	157	1
2 608 578 246	57	1	2 608 578 311	52	1	2 608 585 615	60	1	2 608 587 135	157	1
2 608 578 247	57	1	2 608 578 312	52	1	2 608 585 617	60	1	2 608 587 139	156	1
2 608 578 248	57	1	2 608 578 313	52	1	2 608 585 618	60	1	2 608 587 141	156	1
2 608 578 249	57	1	2 608 578 314	52	1	2 608 585 619	60	1	2 608 587 144	156	1
2 608 578 250	57	1	2 608 578 315	52	1	2 608 585 620	60	1	2 608 587 157	82	5
2 608 578 251	57	1	2 608 578 316	53	1	2 608 585 623	60	1	2 608 587 158	82	5
2 608 578 252	57	1	2 608 578 317	53	1	2 608 585 624	60	1	2 608 587 159	82	5
2 608 578 253	57	1	2 608 578 318	53	1	2 608 585 625	60	1	2 608 587 160	82	5
2 608 578 254	57	1	2 608 578 319	53	1	2 608 585 626	60	1	2 608 587 161	82	5
2 608 578 255	57	1	2 608 578 320	53	1	2 608 585 627	60	1	2 608 587 162	82	5
2 608 578 256	57	1	2 608 578 321	53	1	2 608 585 629	60	1	2 608 587 163	82	5
2 608 578 257	57	1	2 608 578 322	53	1	2 608 585 630	60	1	2 608 587 164	82	5
2 608 578 258	51	5	2 608 578 323	53	1	2 608 585 730	40	1	2 608 587 165	82	5
2 608 578 259	52	5	2 608 578 324	53	1	2 608 586 755	65	1	2 608 587 166	82	5
2 608 578 260	52	5	2 608 578 962	54	1	2 608 586 762	65	1	2 608 587 167	82	5
2 608 578 261	52	5	2 608 578 963	54	1	2 608 586 764	65	1	2 608 587 169	82	1
2 608 578 262	52	5	2 608 578 964	54	1	2 608 586 769	65	1	2 608 587 556	40	1
2 608 578 263	52	5	2 608 578 965	66	1	2 608 586 774	65	1	2 608 587 557	40	1
2 608 578 264	52	5	2 608 579 280	57	12	2 608 586 781	65	1	2 608 587 558	40	1
2 608 578 265	52	5	2 608 579 281	58	1	2 608 586 788	65	1	2 608 587 559	40	1
2 608 578 266	52	1	2 608 579 291	54	1	2 608 586 795	65	1	2 608 587 560	40	1
2 608 578 267	52	1	2 608 579 292	54	1	2 608 586 796	65	1	2 608 587 561	40	1
2 608 578 268	52	5	2 608 579 293	54	1	2 608 586 797	65	1	2 608 587 562	40	1
2 608 578 269	52	5	2 608 579 294	54	1	2 608 586 798	65	1	2 608 587 564	40	1
2 608 578 270	52	5	2 608 579 295	54	1	2 608 586 799	65	1	2 608 587 565	40	1
2 608 578 271	52	1	2 608 579 296	66	1	2 608 586 800	65	1	2 608 587 566	40	1
2 608 578 272	52	1	2 608 579 297	66	1	2 608 586 801	65	1	2 608 588 167	73	1
2 608 578 273	52	5	2 608 579 298	66	1	2 608 586 802	65	1	2 608 588 228	15	5
2 608 578 274	52	5	2 608 579 299	67	1	2 608 586 803	65	1	2 608 588 229	15	5
2 608 578 275	52	5	2 608 580 094	330	1	2 608 586 804	65	1	2 608 588 230	15	5
2 608 578 276	52	5	2 608 580 518	69	1	2 608 586 805	65	1	2 608 588 231	15	5
2 608 578 277	52	5	2 608 580 519	69	1	2 608 586 806	65	1	2 608 588 232	15	5
2 608 578 278	52	1	2 608 580 525	69	1	2 608 586 807	65	1	2 608 588 233	15	5
2 608 578 279	52	1	2 608 580 526	69	1	2 608 586 994	61	1	2 608 588 234	15	5
2 608 578 280	52	1	2 608 580 528	69	1	2 608 586 995	61	1	2 608 588 235	15	5
2 608 578 282	52	5	2 608 580 881	326	1	2 608 586 996	61	1	2 608 588 236	15	5
2 608 578 283	52	5	2 608 580 884	320	1	2 608 586 997	61	1	2 608 588 237	15	5
2 608 578 284	52	5	2 608 584 129	334	1	2 608 586 998	61	1	2 608 588 238	15	5
2 608 578 285	52	1	2 608 584 133	334	1	2 608 586 999	61	1	2 608 588 239	15	1
2 608 578 286	52	1	2 608 584 134	334	1	2 608 587 100	61	1	2 608 588 240	15	5
2 608 578 287	52	1	2 608 584 136	334	1	2 608 587 113	157	1	2 608 588 241	15	5
2 608 578 288	52	5	2 608 584 137	334	1	2 608 587 114	157	1	2 608 588 242	15	5
2 608 578 289	52	5	2 608 584 138	334	1	2 608 587 115	157	1	2 608 588 243	15	1
2 608 578 290	52	5	2 608 584 676	331	5	2 608 587 116	157	1	2 608 588 244	15	5
2 608 578 292	52	1	2 608 584 677	331	5	2 608 587 117	157	1	2 608 588 245	15	5
2 608 578 293	52	1	2 608 584 681	330	5	2 608 587 118	157	1	2 608 588 246	15	5
2 608 578 294	52	5	2 608 584 682	332	1	2 608 587 119	157	1	2 608 588 247	15	5
2 608 578 296	52	5	2 608 584 750	331	5	2 608 587 120	157	1	2 608 588 248	15	5
2 608 578 297	52	5	2 608 584 777	160, 331, 333	1	2 608 587 121	157	1	2 608 588 249	15	5
2 608 578 298	52	5	2 608 584 779	325	1	2 608 587 122	157	1	2 608 588 250	15	5
2 608 578 299	52	1	2 608 584 801	325	1	2 608 587 123	157	1	2 608 588 251	15	5
2 608 578 300	52	1	2 608 584 809	325	1	2 608 587 124	157	1	2 608 588 252	15	5
2 608 578 301	52	5	2 608 584 843	331, 333	5	2 608 587 125	157	1	2 608 588 253	15	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 588 254	15	5	2 608 588 398	16	5	2 608 594 248	321	1	2 608 596 971	41	1
2 608 588 255	15	1	2 608 588 399	17	5	2 608 594 253	322, 331	1	2 608 596 972	41	1
2 608 588 265	14	5	2 608 588 402	18	5	2 608 594 256	326, 331	1	2 608 596 973	41	1
2 608 588 266	14	5	2 608 588 403	18	5	2 608 595 049	15	1	2 608 596 974	41	1
2 608 588 267	14	5	2 608 588 404	17	5	2 608 595 051	15	1	2 608 596 976	41	1
2 608 588 268	14	5	2 608 588 405	17	5	2 608 595 055	15	1	2 608 596 977	41	1
2 608 588 269	14	5	2 608 588 407	22	5	2 608 595 059	15	1	2 608 596 978	41	1
2 608 588 270	14	5	2 608 589 295	17	1	2 608 595 061	16	1	2 608 597 114	41	1
2 608 588 271	14	5	2 608 594 189	322	1	2 608 595 062	15	1	2 608 597 130	59	5
2 608 588 272	14	5	2 608 594 192	322	1	2 608 595 064	15	1	2 608 597 518	24	1
2 608 588 273	14	5	2 608 594 195	321	1	2 608 595 066	15	1	2 608 597 519	24	1
2 608 588 274	14	5	2 608 594 196	321	1	2 608 595 068	15	1	2 608 597 520	24	1
2 608 588 275	14	5	2 608 594 197	321	1	2 608 595 070	15	1	2 608 597 528	26, 458	1
2 608 588 276	14	5	2 608 594 198	321	1	2 608 595 071	15	1	2 608 597 622	39	1
2 608 588 277	14	5	2 608 594 199	321	1	2 608 595 072	16	1	2 608 597 623	39	1
2 608 588 278	15	5	2 608 594 200	321	1	2 608 595 073	16	1	2 608 597 624	39	1
2 608 588 279	15	5	2 608 594 201	321	1	2 608 595 075	16	1	2 608 597 625	39	1
2 608 588 280	15	5	2 608 594 202	321	1	2 608 595 077	16	1	2 608 597 626	39	1
2 608 588 281	15	5	2 608 594 203	321	1	2 608 595 078	16	1	2 608 597 627	39	1
2 608 588 282	15	5	2 608 594 204	321	1	2 608 595 079	16	1	2 608 597 633	39	1
2 608 588 283	15	5	2 608 594 205	321	1	2 608 595 080	16	1	2 608 597 629	39	1
2 608 588 284	15	5	2 608 594 206	321	1	2 608 595 081	16	1	2 608 597 630	39	1
2 608 588 285	15	5	2 608 594 207	321	1	2 608 595 082	16	1	2 608 597 631	39	1
2 608 588 286	15	5	2 608 594 208	321	1	2 608 595 083	16	1	2 608 597 632	39	1
2 608 588 287	15	5	2 608 594 209	321	1	2 608 595 245	36	1	2 608 597 633	40	1
2 608 588 288	15	5	2 608 594 210	321	1	2 608 595 422	33	1	2 608 597 634	40	1
2 608 588 289	15	5	2 608 594 211	321	1	2 608 595 423	33	1	2 608 597 635	40	1
2 608 588 291	19	5	2 608 594 212	321	1	2 608 595 517	16	1	2 608 597 636	40	1
2 608 588 292	19	5	2 608 594 213	321	1	2 608 595 518	37	5	2 608 597 637	40	1
2 608 588 293	19	5	2 608 594 214	321	1	2 608 595 519	37	5	2 608 597 638	40	1
2 608 588 294	19	5	2 608 594 215	321	1	2 608 595 520	37	5	2 608 597 640	40	1
2 608 588 295	19	5	2 608 594 216	321	1	2 608 595 521	37	5	2 608 597 641	40	1
2 608 588 296	19	5	2 608 594 217	321	1	2 608 595 522	37	5	2 608 597 642	40	1
2 608 588 297	19	5	2 608 594 218	321	1	2 608 595 523	37	5	2 608 597 643	40	1
2 608 588 298	19	5	2 608 594 219	321	1	2 608 595 524	37	5	2 608 597 644	40	1
2 608 588 299	19	5	2 608 594 220	321	1	2 608 595 525	38	1	2 608 597 645	40	1
2 608 588 300	19	5	2 608 594 221	321	1	2 608 596 115	59	5	2 608 597 646	40	1
2 608 588 307	21	5	2 608 594 222	321	1	2 608 596 116	59	1	2 608 597 647	40	1
2 608 588 309	21	5	2 608 594 223	321	1	2 608 596 118	60	1	2 608 597 648	40	1
2 608 588 313	21	5	2 608 594 224	321	1	2 608 596 119	333	5	2 608 597 649	40	1
2 608 588 317	21	5	2 608 594 225	321	1	2 608 596 146	59	5	2 608 597 651	40	1
2 608 588 336	20	5	2 608 594 226	321	1	2 608 596 185	60	5	2 608 597 652	40	1
2 608 588 337	20	5	2 608 594 227	321	1	2 608 596 186	60	5	2 608 597 655	74	5
2 608 588 338	20	5	2 608 594 228	321	1	2 608 596 199	59	5	2 608 597 657	74	5
2 608 588 339	20	5	2 608 594 229	321	1	2 608 596 295	333	5	2 608 597 658	74	5
2 608 588 340	20	5	2 608 594 230	321	1	2 608 596 300	37	5	2 608 597 659	74	5
2 608 588 341	20	5	2 608 594 231	321	1	2 608 596 301	37	5	2 608 597 660	74	5
2 608 588 342	20	5	2 608 594 232	321	1	2 608 596 302	37	5	2 608 597 661	74	5
2 608 588 343	20	5	2 608 594 233	321	1	2 608 596 303	37	5	2 608 597 662	74	5
2 608 588 344	20	5	2 608 594 234	321	1	2 608 596 305	37	5	2 608 597 663	74	5
2 608 588 345	20	5	2 608 594 235	321	1	2 608 596 307	37	5	2 608 597 665	74	5
2 608 588 346	21	5	2 608 594 236	321	1	2 608 596 309	37	5	2 608 597 666	74	5
2 608 588 348	21	5	2 608 594 237	322	1	2 608 596 371	25	1	2 608 597 667	74	5
2 608 588 350	21	1	2 608 594 238	321	1	2 608 596 372	25	1	2 608 597 668	74	5
2 608 588 352	21	5	2 608 594 239	321	1	2 608 596 373	25	1	2 608 597 669	74	5
2 608 588 353	21	5	2 608 594 240	321	1	2 608 596 391	36	1	2 608 597 671	74	5
2 608 588 354	21	5	2 608 594 241	321	1	2 608 596 392	36	1	2 608 597 677	74	5
2 608 588 356	21	5	2 608 594 242	321	1	2 608 596 393	36	1	2 608 597 678	74	5
2 608 588 357	21	3	2 608 594 243	321	1	2 608 596 395	36	1	2 608 597 679	74	5
2 608 588 358	21	5	2 608 594 244	321	1	2 608 596 396	36	1	2 608 597 680	74	5
2 608 588 364	23	5	2 608 594 245	321	1	2 608 596 397	36	1	2 608 597 681	74	5
2 608 588 397	18	5	2 608 594 247	321	1	2 608 596 665	25	1	2 608 597 682	74	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 597 683	74	5	2 608 601 053	482	1	2 608 602 615	139	1	2 608 605 167	400	5
2 608 597 684	74	5	2 608 601 061	481	1	2 608 602 616	139	1	2 608 605 170	400	5
2 608 597 685	74	5	2 608 601 062	481	1	2 608 602 618	139	1	2 608 605 182	401	5
2 608 597 689	74	1	2 608 601 063	481	1	2 608 602 619	139	1	2 608 605 183	401	5
2 608 597 690	74	1	2 608 601 064	481	1	2 608 602 624	150, 154	1	2 608 605 184	401	5
2 608 597 691	74	1	2 608 601 065	481	1	2 608 602 625	150, 154	1	2 608 605 185	401	5
2 608 597 694	74	1	2 608 601 076	459	1	2 608 602 626	150, 154	1	2 608 605 186	401	5
2 608 597 773	59	5	2 608 601 077	459	1	2 608 602 627	154	1	2 608 605 199	375, 402	5
2 608 597 774	59	5	2 608 601 114	482	1	2 608 602 641	131	1	2 608 605 200	375, 402	5
2 608 597 775	59	5	2 608 601 115	482	1	2 608 602 642	131	1	2 608 605 464	437	50
2 608 597 776	59	5	2 608 601 116	482	1	2 608 602 644	131	1	2 608 605 466	437	50
2 608 597 777	59	5	2 608 601 118	481	1	2 608 602 645	131	1	2 608 605 467	438	50
2 608 597 778	59	5	2 608 601 127	483	1	2 608 602 651	137	1	2 608 605 469	438	50
2 608 597 779	59	5	2 608 601 169	482	1	2 608 602 652	137	1	2 608 605 474	438	50
2 608 597 780	59	5	2 608 601 175	482	1	2 608 602 654	137	1	2 608 605 476	438	50
2 608 597 782	59	5	2 608 601 181	486	1	2 608 602 655	137	1	2 608 605 477	438	50
2 608 597 898	74	5	2 608 601 209	459	1	2 608 602 657	147, 152	1	2 608 605 479	438	50
2 608 597 899	74	5	2 608 601 263	172	1	2 608 602 658	147, 152	1	2 608 605 484	438	50
2 608 598 109	62, 160	1	2 608 601 264	172	1	2 608 602 659	147, 152	1	2 608 605 486	438	50
2 608 598 110	62, 160	1	2 608 601 265	172	1	2 608 602 660	147, 152	1	2 608 605 487	438	50
2 608 599 014	158	1	2 608 601 443	484	1	2 608 602 672	134	1	2 608 605 577	401	5
2 608 599 015	158	1	2 608 601 444	484	1	2 608 602 674	134	1	2 608 605 578	401	5
2 608 599 016	158	1	2 608 601 445	484	1	2 608 602 675	134	1	2 608 606 032	412	2
2 608 599 018	158	1	2 608 601 446	484	1	2 608 602 679	139	1	2 608 606 033	412	4
2 608 599 019	158	1	2 608 601 447	484	1	2 608 602 680	139	1	2 608 606 034	412	4
2 608 599 020	158	1	2 608 601 448	484	1	2 608 602 682	139	1	2 608 606 035	412	4
2 608 599 021	158	1	2 608 601 520	180	1	2 608 602 683	139	1	2 608 606 036	412	4
2 608 599 022	158	1	2 608 601 607	482	1	2 608 602 689	138	1	2 608 606 037	412	4
2 608 599 023	158	1	2 608 601 714	459	1	2 608 602 690	138	1	2 608 606 069	412	2
2 608 599 024	158	1	2 608 601 715	460	1	2 608 602 692	138	1	2 608 606 070	412	4
2 608 599 026	158	1	2 608 601 716	460	1	2 608 602 693	138	1	2 608 606 071	412	4
2 608 599 027	158	1	2 608 601 720	460	1	2 608 603 035 ¹	173	50	2 608 606 072	412	4
2 608 599 028	158	1	2 608 601 724	460	1	2 608 603 036 ¹	173	50	2 608 606 073	412	4
2 608 599 029	158	1	2 608 602 196	137	1	2 608 603 037 ¹	173	50	2 608 606 089	412	2
2 608 599 030	158	1	2 608 602 197	137	1	2 608 603 038 ¹	173	40	2 608 606 090	412	4
2 608 599 031	158	1	2 608 602 198	137	1	2 608 603 039 ¹	173	25	2 608 606 091	412	4
2 608 599 032	158	1	2 608 602 199	137	1	2 608 603 040 ¹	173	25	2 608 606 092	412	4
2 608 599 033	158	1	2 608 602 200	137	1	2 608 603 041 ¹	173	25	2 608 606 093	412	4
2 608 599 034	158	1	2 608 602 201	130	1	2 608 603 042 ¹	173	20	2 608 606 094	412	4
2 608 599 035	158	1	2 608 602 202	130	1	2 608 603 043	175	25	2 608 606 095	412	4
2 608 599 036	158	1	2 608 602 204	130	1	2 608 603 047	170	25	2 608 606 113	412	2
2 608 599 037	159	1	2 608 602 205	130	1	2 608 603 050	174	50	2 608 606 114	412	4
2 608 599 038	158	1	2 608 602 393	135	1	2 608 603 051 ¹	174	50	2 608 606 115	412	4
2 608 600 029	26	1	2 608 602 394	135	1	2 608 603 052 ¹	174	50	2 608 606 117	412	4
2 608 600 106	182	1	2 608 602 396	135	1	2 608 603 053 ¹	174	50	2 608 606 129	412	2
2 608 600 111	182	1	2 608 602 397	135	1	2 608 603 054 ¹	174	25	2 608 606 130	412	4
2 608 600 175	181	1	2 608 602 478	130	1	2 608 603 055	174	25	2 608 606 131	413	4
2 608 600 176	181	1	2 608 602 479	130	1	2 608 603 056 ¹	177	25	2 608 606 132	412	4
2 608 600 179	181	1	2 608 602 536	146	1	2 608 603 057 ¹	177	25	2 608 606 133	412	4
2 608 600 180	181	1	2 608 602 537	146	1	2 608 603 058 ¹	177	25	2 608 606 203	414	4
2 608 600 249	181	1	2 608 602 538	146	1	2 608 603 059 ¹	177	20	2 608 606 205	414	4
2 608 600 250	181	1	2 608 602 539	146	1	2 608 603 060 ¹	177	20	2 608 606 211	413	4
2 608 600 251	181	1	2 608 602 540	146	1	2 608 603 061 ¹	177	10	2 608 606 716	441	10
2 608 600 362	181	1	2 608 602 541	146	1	2 608 603 062	179	25	2 608 606 717	441	10
2 608 600 363	181	1	2 608 602 543	147, 152	1	2 608 603 063	179	25	2 608 606 718	441	10
2 608 600 364	181	1	2 608 602 544	147, 152	1	2 608 603 064	179	20	2 608 606 752	441	10
2 608 600 365	181	1	2 608 602 545	147, 152	1	2 608 603 464 ¹	172	10	2 608 606 753	441	10
2 608 600 549	170	25	2 608 602 546	147, 152	1	2 608 603 467 ¹	172	10	2 608 606 754	441	10
2 608 601 005	459	1	2 608 602 597	131	1	2 608 603 470 ¹	172	10	2 608 606 916	437	50
2 608 601 046	459	1	2 608 602 598	131	1	2 608 603 642	150, 154	1	2 608 606 918	437	50
2 608 601 051	482	1	2 608 602 600	131	1	2 608 603 643	150, 154	1	2 608 606 919	437	50
2 608 601 052	482	1	2 608 602 601	131	1	2 608 605 130	392	5	2 608 606 920	437	50

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 606 921	437	50	2 608 619 188	436	50	2 608 621 832	440	5	2 608 635 376	226	5
2 608 607 248	437	50	2 608 619 209	440	10	2 608 621 833	440	5	2 608 635 410	503	1
2 608 607 249	437	50	2 608 619 210	440	10	2 608 622 011	189	1	2 608 636 229	238	10
2 608 607 250	438	50	2 608 619 211	440	10	2 608 622 022	192	1	2 608 636 236	254	10
2 608 607 251	438	50	2 608 619 212	440	10	2 608 622 051	192	1	2 608 636 335	248	5
2 608 607 258	412	4	2 608 619 257	173	25	2 608 622 052	192	1	2 608 636 420	246	10
2 608 607 262	412	4	2 608 619 259	177	10	2 608 622 055	193	1	2 608 636 974	238	5
2 608 607 346	441	10	2 608 619 262	171	25	2 608 622 056	193	1	2 608 636 975	249	5
2 608 607 347	441	10	2 608 619 264	169	25	2 608 622 057	189	1	2 608 636 976	246	5
2 608 607 407	400	1	2 608 619 265	170	25	2 608 622 058	189	1	2 608 636 977	246	5
2 608 607 408	400	1	2 608 619 267	171	10	2 608 622 059	188	1	2 608 637 723	255	10
2 608 607 409	400	1	2 608 619 269	175	25	2 608 622 060	190	1	2 608 637 724	255	10
2 608 607 410	400	1	2 608 619 270	175	25	2 608 622 061	190	1	2 608 637 876	242	1
2 608 607 417	400	1	2 608 619 363	171	25	2 608 622 063	188	1	2 608 637 877	243	1
2 608 607 428	401	5	2 608 619 364	171	10	2 608 622 098	188	1	2 608 638 473	246	10
2 608 607 429	401	5	2 608 619 366	178	10	2 608 622 100	189	1	2 608 639 027	501	1
2 608 607 430	401	5	2 608 620 725	185	1	2 608 622 103	190	1	2 608 639 028	502	1
2 608 607 431	401	5	2 608 620 726	184	1	2 608 622 105	190	1	2 608 639 900	501	1
2 608 607 432	401	5	2 608 620 727	184	1	2 608 622 106	190	1	2 608 640 442	210	1
2 608 607 638	439	10	2 608 620 728	186	1	2 608 622 107	190	1	2 608 640 452	212	1
2 608 607 639	439	10	2 608 620 729	186	1	2 608 622 108	191	1	2 608 642 135	201	1
2 608 607 640	439	10	2 608 620 730	187	1	2 608 622 109	191	1	2 608 642 137	201	1
2 608 608 263	439	10	2 608 620 731	185	1	2 608 630 014	242	10	2 608 642 384	200	1
2 608 608 264	439	10	2 608 620 732	185	1	2 608 630 030	242	10	2 608 642 388	202	1
2 608 608 265	439	10	2 608 620 733	186	1	2 608 630 031	242	10	2 608 642 494	209	1
2 608 608 279	416	1	2 608 621 767	439	10	2 608 630 032	243	10	2 608 642 498	204	1
2 608 608 280	416	1	2 608 621 768	439	10	2 608 630 033	244	10	2 608 643 059	207	1
2 608 608 281	416	1	2 608 621 769	439	10	2 608 630 037	244	10	2 608 643 060	207	1
2 608 608 282	416	1	2 608 621 770	439	10	2 608 630 040	243	10	2 608 643 062	207	1
2 608 608 283	416	1	2 608 621 779	433	5	2 608 630 058	243	10	2 608 643 071	210	1
2 608 610 001	394	1	2 608 621 780	433	5	2 608 630 310	244	10	2 608 644 039	203	1
2 608 612 023	447	1	2 608 621 781	433	5	2 608 630 565	255	10	2 608 644 080	205	1
2 608 612 024	394, 447	1	2 608 621 782	433	5	2 608 630 568	255	10	2 608 644 098	206	1
2 608 612 025	447	1	2 608 621 783	433	5	2 608 631 010	252	10	2 608 644 225	211	1
2 608 612 027	447	1	2 608 621 784	434	5	2 608 631 012	247	10	2 608 644 284	208	1
2 608 613 005	394	1	2 608 621 788	434	1	2 608 631 013	247	10	2 608 644 285	208	1
2 608 615 057	134	1	2 608 621 789	434	1	2 608 631 014	247	10	2 608 644 560	213	1
2 608 615 059	134	1	2 608 621 790	434	1	2 608 631 017	248	10	2 608 644 561	213	1
2 608 615 065	134	1	2 608 621 791	434	1	2 608 631 030	248	10	2 608 644 562	213	1
2 608 615 069	149	1	2 608 621 792	434	1	2 608 631 319	247	10	2 608 644 563	213	1
2 608 615 071	149	1	2 608 621 793	434	1	2 608 631 404	248	10	2 608 644 564	213	1
2 608 615 073	149	1	2 608 621 794	434	1	2 608 631 511	256	10	2 608 644 565	213	1
2 608 615 132	129	1	2 608 621 795	434	1	2 608 631 771	256	10	2 608 644 566	213	1
2 608 615 138	130	1	2 608 621 796	434	1	2 608 633 104	253	1	2 608 644 567	213	1
2 608 615 166	136	1	2 608 621 797	435	1	2 608 633 105	253	1	2 608 644 568	213	1
2 608 619 159	437	50	2 608 621 798	435	1	2 608 633 A35	241	10	2 608 644 569	214	1
2 608 619 160	437	50	2 608 621 799	435	1	2 608 633 A36	242	10	2 608 644 570	214	1
2 608 619 161	437	50	2 608 621 816	431	1	2 608 634 233	238	10	2 608 644 571	213	1
2 608 619 162	437	50	2 608 621 817	431	1	2 608 634 234	238	10	2 608 644 572	213	1
2 608 619 163	437	50	2 608 621 818	431	1	2 608 634 235	238	10	2 608 644 573	213	1
2 608 619 164	437	50	2 608 621 819	431	1	2 608 634 237	246	10	2 608 644 574	214	1
2 608 619 171	437	50	2 608 621 820	430	1	2 608 634 241	247	10	2 608 644 575	214	1
2 608 619 172	437	50	2 608 621 821	430	1	2 608 634 242	247	10	2 608 644 576	214	1
2 608 619 173	437	50	2 608 621 822	430	1	2 608 634 243	239	10	2 608 644 577	214	1
2 608 619 174	437	50	2 608 621 823	430	1	2 608 634 503	246	10	2 608 644 578	214	1
2 608 619 175	437	50	2 608 621 824	430	1	2 608 634 505	246	10	2 608 644 579	214	1
2 608 619 176	437	50	2 608 621 825	431	1	2 608 634 567	238	10	2 608 644 580	214	1
2 608 619 183	436	50	2 608 621 826	431	1	2 608 634 897	238	10	2 608 644 581	214	1
2 608 619 184	436	50	2 608 621 828	431	1	2 608 635 126	505	1	2 608 644 582	214	1
2 608 619 185	436	50	2 608 621 829	431	1	2 608 635 187	253	5	2 608 644 583	213	1
2 608 619 186	436	50	2 608 621 830	431	1	2 608 635 243	505	1	2 608 644 584	213	1
2 608 619 187	436	50	2 608 621 831	432	1	2 608 635 350	226	1	2 608 644 585	213	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 644 586	213	1	2 608 656 017	293	5	2 608 662 561	352	1	2 608 690 166	114	1
2 608 644 587	213	1	2 608 656 018	282	5	2 608 662 568	352	1	2 608 690 167	114	1
2 608 644 588	215	1	2 608 656 019	283	5	2 608 662 574	356	1	2 608 690 168	114	1
2 608 644 589	215	1	2 608 656 020	283	5	2 608 662 575	368	1	2 608 691 022	500	1
2 608 644 590	215	1	2 608 656 021	293	5	2 608 662 577	380	1	2 608 840 001	215	1
2 608 644 591	215	1	2 608 656 022	293	5	2 608 662 579	368	1	2 608 840 002	215	1
2 608 644 592	215	1	2 608 656 036	282	5	2 608 662 582	380	1	2 608 840 003	215	1
2 608 644 593	215	1	2 608 656 037	283	5	2 608 662 583	367	1	2 608 840 004	215	1
2 608 644 594	215	1	2 608 656 038	282	5	2 608 663 314	244	5	2 608 900 000	462	1
2 608 644 595	216	1	2 608 656 039	292	5	2 608 664 207	364	1	2 608 900 001	463	1
2 608 644 596	215	1	2 608 656 040	293	5	2 608 664 904	352	1	2 608 900 003	480	1
2 608 644 597	219	1	2 608 656 041	283	5	2 608 664 905	353	1	2 608 900 004	480	1
2 608 644 598	219	1	2 608 656 042	283	5	2 608 664 907	353	1	2 608 900 005	480	1
2 608 644 599	219	1	2 608 656 043	293	5	2 608 664 908	354	1	2 608 900 006	480	1
2 608 644 600	219	1	2 608 656 255 ⁱ	281	5	2 608 664 910	355	1	2 608 900 007	480	1
2 608 644 601	219	1	2 608 656 258	291	5	2 608 664 911	354	1	2 608 900 008	480	1
2 608 644 602	219	1	2 608 656 260	291	5	2 608 664 912	354	1	2 608 900 009	479	1
2 608 644 603	219	1	2 608 656 261	291	5	2 608 664 913	360	1	2 608 900 010	479	1
2 608 644 604	219	1	2 608 656 265	281	5	2 608 664 915	353	1	2 608 900 011	479	1
2 608 644 605	219	1	2 608 656 267	282	5	2 608 664 916	356	1	2 608 900 012	357	1
2 608 644 606	219	1	2 608 656 270	293	5	2 608 664 917	365	1	2 608 900 013	357	1
2 608 644 607	219	1	2 608 656 272	291	5	2 608 664 919	377	1	2 608 900 014	358	1
2 608 644 608	217	1	2 608 656 273	291	5	2 608 664 923	366	1	2 608 900 015	358	1
2 608 644 609	217	1	2 608 656 274	299	5	2 608 664 924	367	1	2 608 900 016	358	1
2 608 644 610	218	1	2 608 656 931	304	1	2 608 664 925	367	1	2 608 900 017	358	25
2 608 644 646	215	1	2 608 656 932	305	1	2 608 664 926	374	1	2 608 900 018	359	1
2 608 644 647	215	1	2 608 656 934	305	1	2 608 664 927	354	1	2 608 900 020	358	1
2 608 644 648	215	1	2 608 657 394 ⁱ	280	5	2 608 664 928	355	1	2 608 900 021	360	1
2 608 649 000	306	1	2 608 657 395 ⁱ	280	5	2 608 664 930	355	1	2 608 900 023	359	1
2 608 649 001	306	1	2 608 657 396 ⁱ	280	5	2 608 665 050	244	5	2 608 900 024	361	1
2 608 650 065	304	1	2 608 657 397 ⁱ	280	5	2 608 665 051	244	5	2 608 900 025	361	1
2 608 650 414	304	1	2 608 657 398 ⁱ	280	5	2 608 665 052	241	5	2 608 900 026	361	1
2 608 650 613	301	5	2 608 657 406 ⁱ	280	5	2 608 665 053	243	5	2 608 900 027	361	25
2 608 650 614	301	5	2 608 657 407	281	5	2 608 665 054	243	5	2 608 900 028	362	1
2 608 650 616	302	5	2 608 657 408	281	5	2 608 665 055	242	5	2 608 900 029	362	1
2 608 650 617	302	5	2 608 657 409	281	1	2 608 665 056	242	5	2 608 900 030	362	1
2 608 650 673	301	5	2 608 657 523 ⁱ	279	5	2 608 665 057	242	5	2 608 900 031	363	1
2 608 650 676	301	5	2 608 657 524 ⁱ	279	5	2 608 665 058	243	5	2 608 900 032	363	1
2 608 650 678	302	5	2 608 657 525 ⁱ	279	5	2 608 665 059	243	5	2 608 900 034	376	1
2 608 650 679	302	5	2 608 657 526 ⁱ	279	5	2 608 665 061	242	5	2 608 900 035	376	1
2 608 650 681	301	5	2 608 657 527	279	5	2 608 667 411	255	10	2 608 900 036	379	1
2 608 650 682	301	5	2 608 657 528	279	5	2 608 668 173	248	10	2 608 900 037	379	1
2 608 651 780	283	5	2 608 657 562	291	1	2 608 668 643	247	5	2 608 900 038	380	1
2 608 651 781	283	5	2 608 657 608	291	5	2 608 668 644	247	5	2 608 900 039	374	1
2 608 651 821	283	5	2 608 657 610	291	5	2 608 668 645	247	5	2 608 900 040	373	1
2 608 651 944	283	5	2 608 657 612	292	5	2 608 668 646	248	5	2 608 900 041	378	1
2 608 652 900	299	5	2 608 661 626	352	1	2 608 668 647	248	5	2 608 900 042	378	1
2 608 654 401	282	5	2 608 661 628	354	1	2 608 690 003	115	1	2 608 900 043	371	1
2 608 654 402	282	5	2 608 661 629	354	1	2 608 690 091	109	1	2 608 900 045	369	1
2 608 654 403	302	5	2 608 661 630	353	1	2 608 690 097	114	1	2 608 900 046	369	1
2 608 654 404	302	5	2 608 661 633	356	1	2 608 690 098	115	1	2 608 900 047	370	1
2 608 654 405	292	5	2 608 661 646	366	1	2 608 690 101	109	1	2 608 900 049	370	1
2 608 654 406	292	5	2 608 661 692	377	1	2 608 690 102	109	1	2 608 900 051	372	1
2 608 654 763	291	5	2 608 661 693	366	1	2 608 690 106	116	1	2 608 900 052	371	1
2 608 654 820 ⁱ	281	5	2 608 661 694	381	1	2 608 690 111	117	1	2 608 900 053	372	1
2 608 654 834	291	5	2 608 661 695	381	1	2 608 690 112	117	1	2 608 900 055	48	1
2 608 654 981	293	5	2 608 661 696	381	1	2 608 690 113	117	1	2 608 900 056	48	1
2 608 656 010	282	5	2 608 661 906	367	25	2 608 690 124	114	1	2 608 900 057	48	1
2 608 656 013	282	5	2 608 661 907	355	1	2 608 690 131	109	1	2 608 900 058	48	1
2 608 656 014	283	5	2 608 661 908	360	1	2 608 690 144	109	1	2 608 900 059	48	5
2 608 656 015	282	5	2 608 662 342	381	10	2 608 690 145	108	1	2 608 900 060	49	5
2 608 656 016	292	5	2 608 662 343	381	10	2 608 690 146	109	1	2 608 900 061	49	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 062	49	5	2 608 900 124	49	1	2 608 900 186	50	1	2 608 900 268	64	1
2 608 900 063	49	5	2 608 900 125	49	1	2 608 900 187	50	1	2 608 900 269	64	1
2 608 900 064	49	1	2 608 900 126	49	1	2 608 900 188	50	1	2 608 900 270	64	1
2 608 900 065	49	5	2 608 900 127	49	1	2 608 900 189	50	1	2 608 900 311	30	5
2 608 900 066	49	5	2 608 900 128	50	1	2 608 900 190	50	1	2 608 900 312	30	5
2 608 900 067	49	5	2 608 900 129	50	1	2 608 900 191	50	1	2 608 900 314	30	5
2 608 900 068	49	5	2 608 900 130	50	5	2 608 900 192	50	1	2 608 900 315	31	5
2 608 900 069	49	1	2 608 900 131	50	5	2 608 900 193	51	1	2 608 900 316	31	5
2 608 900 070	49	1	2 608 900 132	50	1	2 608 900 194	51	1	2 608 900 317	31	5
2 608 900 071	49	5	2 608 900 133	50	1	2 608 900 197	51	1	2 608 900 318	31	5
2 608 900 072	49	5	2 608 900 134	50	1	2 608 900 198	51	1	2 608 900 319	31	5
2 608 900 073	49	5	2 608 900 135	50	1	2 608 900 201	63	1	2 608 900 320	31	5
2 608 900 074	49	5	2 608 900 136	50	1	2 608 900 202	63	1	2 608 900 321	31	5
2 608 900 075	49	5	2 608 900 137	50	1	2 608 900 203	63	1	2 608 900 322	31	5
2 608 900 076	49	1	2 608 900 138	50	1	2 608 900 204	63	1	2 608 900 323	31	5
2 608 900 077	49	1	2 608 900 139	50	1	2 608 900 207	63	1	2 608 900 324	31	5
2 608 900 078	49	5	2 608 900 140	50	1	2 608 900 208	63	1	2 608 900 325	31	5
2 608 900 079	49	5	2 608 900 141	50	1	2 608 900 209	64	1	2 608 900 326	31	5
2 608 900 080	49	5	2 608 900 142	50	1	2 608 900 210	64	1	2 608 900 327	31	5
2 608 900 081	49	1	2 608 900 143	50	1	2 608 900 212	64	1	2 608 900 328	31	5
2 608 900 082	49	1	2 608 900 144	50	1	2 608 900 214	64	1	2 608 900 329	31	5
2 608 900 083	49	1	2 608 900 145	50	1	2 608 900 215	64	1	2 608 900 330	31	5
2 608 900 084	49	1	2 608 900 146	50	1	2 608 900 216	64	1	2 608 900 331	32	5
2 608 900 085	49	1	2 608 900 147	50	1	2 608 900 217	64	1	2 608 900 332	32	1
2 608 900 086	49	1	2 608 900 148	50	1	2 608 900 221	64	1	2 608 900 333	32	1
2 608 900 087	49	5	2 608 900 149	50	1	2 608 900 222	64	1	2 608 900 334	32	5
2 608 900 088	49	5	2 608 900 150	50	1	2 608 900 223	64	1	2 608 900 335	32	5
2 608 900 089	49	5	2 608 900 151	50	1	2 608 900 224	64	1	2 608 900 336	32	5
2 608 900 090	49	5	2 608 900 152	50	1	2 608 900 228	64	1	2 608 900 340	31	5
2 608 900 091	49	1	2 608 900 153	50	1	2 608 900 229	64	1	2 608 900 341	31	5
2 608 900 092	49	5	2 608 900 154	50	1	2 608 900 230	64	1	2 608 900 342	31	5
2 608 900 093	49	1	2 608 900 155	50	1	2 608 900 231	64	1	2 608 900 343	31	5
2 608 900 094	49	1	2 608 900 156	50	1	2 608 900 233	64	1	2 608 900 344	31	5
2 608 900 095	49	1	2 608 900 157	50	1	2 608 900 234	64	1	2 608 900 345	31	5
2 608 900 096	49	1	2 608 900 158	50	1	2 608 900 235	64	1	2 608 900 346	31	5
2 608 900 097	49	5	2 608 900 159	50	1	2 608 900 236	64	1	2 608 900 347	31	5
2 608 900 098	49	5	2 608 900 160	50	1	2 608 900 238	64	1	2 608 900 349	31	5
2 608 900 099	49	5	2 608 900 161	50	1	2 608 900 239	64	1	2 608 900 350	31	5
2 608 900 100	49	1	2 608 900 162	50	1	2 608 900 240	64	1	2 608 900 351	31	5
2 608 900 101	49	5	2 608 900 163	50	1	2 608 900 241	64	1	2 608 900 352	31	5
2 608 900 102	49	1	2 608 900 164	50	1	2 608 900 242	64	1	2 608 900 353	31	5
2 608 900 103	49	1	2 608 900 165	50	1	2 608 900 243	64	1	2 608 900 355	31	5
2 608 900 104	49	1	2 608 900 166	50	1	2 608 900 245	64	1	2 608 900 356	31	5
2 608 900 105	49	1	2 608 900 167	50	1	2 608 900 246	64	1	2 608 900 357	31	5
2 608 900 106	49	1	2 608 900 168	50	1	2 608 900 247	64	1	2 608 900 358	31	5
2 608 900 107	49	1	2 608 900 169	50	1	2 608 900 248	64	1	2 608 900 359	274	1
2 608 900 108	49	5	2 608 900 170	50	1	2 608 900 249	64	1	2 608 900 360	275	1
2 608 900 109	49	5	2 608 900 171	50	1	2 608 900 250	64	1	2 608 900 361	275	1
2 608 900 110	49	5	2 608 900 172	50	1	2 608 900 252	64	1	2 608 900 362	275	1
2 608 900 111	49	5	2 608 900 173	50	1	2 608 900 253	64	1	2 608 900 363	275	1
2 608 900 112	49	5	2 608 900 174	50	1	2 608 900 254	64	1	2 608 900 364	269	1
2 608 900 113	49	1	2 608 900 175	50	1	2 608 900 255	64	1	2 608 900 365	270	1
2 608 900 114	49	1	2 608 900 176	50	1	2 608 900 256	64	1	2 608 900 366	270	1
2 608 900 115	49	1	2 608 900 177	50	1	2 608 900 257	64	1	2 608 900 367	270	1
2 608 900 116	49	1	2 608 900 178	50	1	2 608 900 260	64	1	2 608 900 368	270	1
2 608 900 117	49	1	2 608 900 179	50	1	2 608 900 261	64	1	2 608 900 369	270	1
2 608 900 118	49	1	2 608 900 180	50	1	2 608 900 262	64	1	2 608 900 370	270	1
2 608 900 119	49	5	2 608 900 181	50	1	2 608 900 263	64	1	2 608 900 371	271	1
2 608 900 120	49	5	2 608 900 182	50	1	2 608 900 264	64	1	2 608 900 372	271	1
2 608 900 121	49	5	2 608 900 183	50	1	2 608 900 265	64	1	2 608 900 373	272	1
2 608 900 122	49	5	2 608 900 184	50	1	2 608 900 266	64	1	2 608 900 374	273	1
2 608 900 123	49	1	2 608 900 185	50	1	2 608 900 267	64	1	2 608 900 375	273	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 376	273	1	2 608 900 456	317	1	2 608 900 558	241	10	2 608 900 648	79	1
2 608 900 377	273	1	2 608 900 457	317	1	2 608 900 559	257	10	2 608 900 649	79	5
2 608 900 378	276	1	2 608 900 458	317	1	2 608 900 561	245	1	2 608 900 650	79	1
2 608 900 379	276	1	2 608 900 459	317	1	2 608 900 564	253	1	2 608 900 652	128	1
2 608 900 380	277	1	2 608 900 460	317	1	2 608 900 565	251	1	2 608 900 653	128	1
2 608 900 381	277	1	2 608 900 461	317	1	2 608 900 566	250	1	2 608 900 654	128	1
2 608 900 382	277	1	2 608 900 463	317	1	2 608 900 569	76	5	2 608 900 656	127	1
2 608 900 383	278	1	2 608 900 464	317	1	2 608 900 570	76	5	2 608 900 657	127	1
2 608 900 384	288	1	2 608 900 465	317	1	2 608 900 571	76	5	2 608 900 658	127	1
2 608 900 386	286	1	2 608 900 466	317	1	2 608 900 572	76	5	2 608 900 660	133	1
2 608 900 387	287	1	2 608 900 468	317	1	2 608 900 573	77	5	2 608 900 661	133	1
2 608 900 388	287	1	2 608 900 469	317	1	2 608 900 574	77	5	2 608 900 663	133	1
2 608 900 389	289	1	2 608 900 470	317	1	2 608 900 577	77	5	2 608 900 664	133	1
2 608 900 390	289	1	2 608 900 471	317	1	2 608 900 579	77	5	2 608 900 665	148	1
2 608 900 391	290	1	2 608 900 472	317	1	2 608 900 580	77	5	2 608 900 666	148	1
2 608 900 392	290	1	2 608 900 473	317	1	2 608 900 581	77	5	2 608 900 667	148	1
2 608 900 393	290	1	2 608 900 474	317	1	2 608 900 582	77	5	2 608 900 668	148	1
2 608 900 394	290	1	2 608 900 475	317	1	2 608 900 583	77	5	2 608 900 669	132	1
2 608 900 395	290	1	2 608 900 477	317	1	2 608 900 584	77	1	2 608 900 670	132	1
2 608 900 396	284	1	2 608 900 479	317	1	2 608 900 585	77	1	2 608 900 672	385	5
2 608 900 397	284	1	2 608 900 480	317	1	2 608 900 586	77	1	2 608 900 674	385	5
2 608 900 398	285	1	2 608 900 481	317	1	2 608 900 587	80	1	2 608 900 676	385	5
2 608 900 400	285	1	2 608 900 486	317	1	2 608 900 588	80	1	2 608 900 678	385	5
2 608 900 401	285	1	2 608 900 490	317	1	2 608 900 589	80	1	2 608 900 679	385	5
2 608 900 402	285	1	2 608 900 491	323	1	2 608 900 590	80	1	2 608 900 680	386	1
2 608 900 403	300	1	2 608 900 492	323	1	2 608 900 591	81	1	2 608 900 681	386	1
2 608 900 404	300	1	2 608 900 493	323	1	2 608 900 592	81	1	2 608 900 682	386	1
2 608 900 405	300	1	2 608 900 494	323	1	2 608 900 593	81	1	2 608 900 683	386	1
2 608 900 406	301	1	2 608 900 495	324	1	2 608 900 594	81	1	2 608 900 684	386	1
2 608 900 407	298	1	2 608 900 496	324	1	2 608 900 595	81	1	2 608 900 685	386	1
2 608 900 408	296	1	2 608 900 497	324	1	2 608 900 597	81	1	2 608 900 686	386	1
2 608 900 409	296	1	2 608 900 498	324	1	2 608 900 600	78	5	2 608 900 687	386	1
2 608 900 410	297	1	2 608 900 499	324	1	2 608 900 602	78	1	2 608 900 688	386	1
2 608 900 411	297	1	2 608 900 500	324	1	2 608 900 604	78	5	2 608 900 690	385	5
2 608 900 412	297	1	2 608 900 501	324	1	2 608 900 605	78	5	2 608 900 692	386	5
2 608 900 413	297	1	2 608 900 502	324	1	2 608 900 606	78	5	2 608 900 693	386	5
2 608 900 415	295	1	2 608 900 503	325, 330	5	2 608 900 607	78	5	2 608 900 694	386	5
2 608 900 416	295	1	2 608 900 526	313, 318, 328	1	2 608 900 609	78	5	2 608 900 695	386	5
2 608 900 417	294	1	2 608 900 527	313, 318, 327	1	2 608 900 610	78	5	2 608 900 696	386	5
2 608 900 418	295	1	2 608 900 528	314, 319, 328	5	2 608 900 611	78	5	2 608 900 697	386	5
2 608 900 419	310	1	2 608 900 529	314, 319, 329	5	2 608 900 612	78	5	2 608 900 698	386	1
2 608 900 420	310	1	2 608 900 530	315, 320, 329	5	2 608 900 615	78	5	2 608 900 699	386	1
2 608 900 421	310	1	2 608 900 533	166	1	2 608 900 616	78	5	2 608 900 700	386	1
2 608 900 422	311	1	2 608 900 535	166	1	2 608 900 618	78	5	2 608 900 701	386	1
2 608 900 423	311	1	2 608 900 536	166	1	2 608 900 619	78	5	2 608 900 702	386	1
2 608 900 424	311	1	2 608 900 542	237	1	2 608 900 621	78	5	2 608 900 703	386	1
2 608 900 426	311	1	2 608 900 543	235	10	2 608 900 622	78	5	2 608 900 704	386	1
2 608 900 427	311	1	2 608 900 544	235	10	2 608 900 625	78	5	2 608 900 705	386	1
2 608 900 428	311	1	2 608 900 545	235	1	2 608 900 626	78	5	2 608 900 706	386	1
2 608 900 429	311	1	2 608 900 546	235	1	2 608 900 627	78	5	2 608 900 707	386	1
2 608 900 430	311	1	2 608 900 547	236	10	2 608 900 630	78	5	2 608 900 708	386	1
2 608 900 434	311	1	2 608 900 549	257	10	2 608 900 631	78	5	2 608 900 709	386	1
2 608 900 436	311	1	2 608 900 550	240	10	2 608 900 637	78	1	2 608 900 710	386	1
2 608 900 446	312	1	2 608 900 552	240	1	2 608 900 638	78	1	2 608 900 711	386	1
2 608 900 447	312	1	2 608 900 553	240	1	2 608 900 639	78	1	2 608 900 712	386	1
2 608 900 448	312	1	2 608 900 554	241	10	2 608 900 640	78	1	2 608 900 713	386	1
2 608 900 450	311	1	2 608 900 555	241	10	2 608 900 642	78	1	2 608 900 714	386	1
2 608 900 451	316	1	2 608 900 556	241	1	2 608 900 643	78	1	2 608 900 715	386	1
2 608 900 452	316	1	2 608 900 557	241	10	2 608 900 644	78	1	2 608 900 716	396	5
2 608 900 453	317	1				2 608 900 645	79	1	2 608 900 717	396	5
2 608 900 454	317	1				2 608 900 646	79	1	2 608 900 718	396	5
2 608 900 455	317	1				2 608 900 647	79	1	2 608 900 719	396	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 720	396	5	2 608 900 782	421	1	2 608 900 844	409	5	2 608 900 906	421	1
2 608 900 721	396	5	2 608 900 783	421	1	2 608 900 845	409	5	2 608 900 907	421	1
2 608 900 722	396	5	2 608 900 784	421	1	2 608 900 846	408	5	2 608 900 908	389	1
2 608 900 723	396	5	2 608 900 785	421	1	2 608 900 847	408	5	2 608 900 909	389	1
2 608 900 724	396	5	2 608 900 786	421	1	2 608 900 848	408	5	2 608 900 910	389	1
2 608 900 725	397	5	2 608 900 787	421	1	2 608 900 849	408	5	2 608 900 911	389	1
2 608 900 726	397	5	2 608 900 788	421	1	2 608 900 850	408	5	2 608 900 912	389	1
2 608 900 727	397	5	2 608 900 789	421	1	2 608 900 851	408	5	2 608 900 913	389	1
2 608 900 728	397	5	2 608 900 790	421	1	2 608 900 852	408	5	2 608 900 914	389	1
2 608 900 729	397	5	2 608 900 791	421	1	2 608 900 853	406	5	2 608 900 915	389	1
2 608 900 730	397	5	2 608 900 792	421	1	2 608 900 854	406	5	2 608 900 916	389	1
2 608 900 731	397	5	2 608 900 793	421	1	2 608 900 855	406	5	2 608 900 917	390	1
2 608 900 732	397	5	2 608 900 794	388	5	2 608 900 856	406	5	2 608 900 918	390	1
2 608 900 733	397	5	2 608 900 795	388	5	2 608 900 857	406	5	2 608 900 919	390	1
2 608 900 734	404	5	2 608 900 796	389	5	2 608 900 858	406	5	2 608 900 920	390	1
2 608 900 735	404	5	2 608 900 797	389	5	2 608 900 859	406	5	2 608 900 921	390	1
2 608 900 736	404	5	2 608 900 798	389	5	2 608 900 860	408	5	2 608 900 922	390	1
2 608 900 737	404	5	2 608 900 799	389	5	2 608 900 861	408	5	2 608 900 923	390	1
2 608 900 738	404	5	2 608 900 800	389	5	2 608 900 862	408	5	2 608 900 924	390	1
2 608 900 739	404	5	2 608 900 801	389	5	2 608 900 863	408	5	2 608 900 925	390	1
2 608 900 740	404	5	2 608 900 802	390	5	2 608 900 864	408	5	2 608 900 926	398	1
2 608 900 741	404	5	2 608 900 803	389	5	2 608 900 865	408	5	2 608 900 927	398	1
2 608 900 742	404	5	2 608 900 804	389	5	2 608 900 866	408	5	2 608 900 928	398	1
2 608 900 743	404	5	2 608 900 805	389	5	2 608 900 867	409	5	2 608 900 929	398	1
2 608 900 744	404	5	2 608 900 806	389	5	2 608 900 868	408	5	2 608 900 930	398	1
2 608 900 745	404	5	2 608 900 807	389	5	2 608 900 869	408	5	2 608 900 931	398	1
2 608 900 746	404	5	2 608 900 808	389	5	2 608 900 870	406	5	2 608 900 932	398	1
2 608 900 747	404	5	2 608 900 809	389	5	2 608 900 871	407	5	2 608 900 933	398	1
2 608 900 748	404	5	2 608 900 810	389	5	2 608 900 872	407	5	2 608 900 934	398	1
2 608 900 749	404	5	2 608 900 811	389	5	2 608 900 873	409	5	2 608 900 935	407	1
2 608 900 750	404	5	2 608 900 812	390	5	2 608 900 874	406	5	2 608 900 936	407	1
2 608 900 751	404	5	2 608 900 813	389	5	2 608 900 875	408	5	2 608 900 937	407	1
2 608 900 752	404	1	2 608 900 814	389	5	2 608 900 876	408	5	2 608 900 938	407	1
2 608 900 753	404	1	2 608 900 815	389	5	2 608 900 877	406	5	2 608 900 939	407	1
2 608 900 754	404	1	2 608 900 816	389	5	2 608 900 878	406	5	2 608 900 940	407	1
2 608 900 755	404	1	2 608 900 817	389	5	2 608 900 879	406	5	2 608 900 941	407	1
2 608 900 756	404	1	2 608 900 818	389	5	2 608 900 880	406	5	2 608 900 942	408	1
2 608 900 757	404	1	2 608 900 819	389	5	2 608 900 881	406	5	2 608 900 943	408	1
2 608 900 758	404	1	2 608 900 820	389	5	2 608 900 882	406	5	2 608 900 944	408	1
2 608 900 759	404	1	2 608 900 821	389	5	2 608 900 883	406	5	2 608 900 945	408	1
2 608 900 760	404	1	2 608 900 822	391	5	2 608 900 884	406	5	2 608 900 946	408	1
2 608 900 761	404	5	2 608 900 823	398	5	2 608 900 885	406	5	2 608 900 947	408	1
2 608 900 762	404	5	2 608 900 824	398	5	2 608 900 886	399	5	2 608 900 948	408	1
2 608 900 763	404	5	2 608 900 825	398	5	2 608 900 887	399	5	2 608 900 949	408	1
2 608 900 764	404	5	2 608 900 826	398	5	2 608 900 888	399	1	2 608 900 950	408	1
2 608 900 765	404	5	2 608 900 827	398	5	2 608 900 889	399	5	2 608 900 951	444	1
2 608 900 766	404	5	2 608 900 828	398	5	2 608 900 890	405	5	2 608 900 952	444	1
2 608 900 767	404	5	2 608 900 829	398	5	2 608 900 891	405	5	2 608 900 953	444	1
2 608 900 768	404	5	2 608 900 830	398	5	2 608 900 892	405	5	2 608 900 954	444	1
2 608 900 769	404	5	2 608 900 831	398	5	2 608 900 893	405	5	2 608 900 955	444	1
2 608 900 770	404	1	2 608 900 832	398	5	2 608 900 894	405	5	2 608 900 956	444	1
2 608 900 771	404	1	2 608 900 833	406	5	2 608 900 895	405	5	2 608 900 957	420	25
2 608 900 772	404	1	2 608 900 834	407	5	2 608 900 896	421	1	2 608 900 958	420	50
2 608 900 773	404	1	2 608 900 835	407	5	2 608 900 897	421	1	2 608 900 959	420	50
2 608 900 774	404	1	2 608 900 836	407	5	2 608 900 898	422	1	2 608 900 960	420	50
2 608 900 775	404	1	2 608 900 837	407	5	2 608 900 899	422	1	2 608 900 961	420	50
2 608 900 776	421	1	2 608 900 838	407	5	2 608 900 900	422	1	2 608 900 962	420	50
2 608 900 777	421	1	2 608 900 839	407	5	2 608 900 901	422	1	2 608 900 963	420	50
2 608 900 778	421	1	2 608 900 840	409	5	2 608 900 902	421	1	2 608 900 964	420	50
2 608 900 779	421	1	2 608 900 841	409	5	2 608 900 903	421	1	2 608 900 965	420	50
2 608 900 780	421	1	2 608 900 842	409	5	2 608 900 904	421	1	2 608 900 966	420	50
2 608 900 781	421	1	2 608 900 843	409	5	2 608 900 905	421	1	2 608 900 967	420	50

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 968	422	1	2 608 901 139	388	1	2 608 901 227	423	1	2 609 200 143	493	1
2 608 900 969	422	1	2 608 901 140	388	1	2 608 901 228	423	1	2 609 200 144	494	1
2 608 900 970	422	1	2 608 901 141	388	1	2 608 901 229	423	1	2 609 200 145	494	1
2 608 900 971	422	1	2 608 901 142	388	1	2 608 901 230	423	1	2 609 200 183	446	1
2 608 900 972	422	1	2 608 901 143	388	1	2 608 901 231	423	1	2 609 200 185	446	1
2 608 900 973	422	1	2 608 901 144	388	1	2 608 901 232	423	1	2 609 200 210	506	1
2 608 900 974	422	1	2 608 901 145	388	1	2 608 901 233	423	1	2 609 200 211	506	1
2 608 900 975	422	1	2 608 901 146	392	1	2 608 901 234	423	1	2 609 200 216	506	1
2 608 900 976	422	1	2 608 901 147	392	1	2 608 901 235	424	1	2 609 200 312	495	1
2 608 900 977	422	1	2 608 901 148	392	1	2 608 901 236	424	1	2 609 390 034	333	1
2 608 900 978	422	1	2 608 901 149	392	1	2 608 901 237	424	1	2 609 390 038	330	1
2 608 900 979	422	1	2 608 901 150	392	1	2 608 901 238	424	1	2 609 390 393	535	1
2 608 900 980	422	1	2 608 901 151	392	1	2 608 901 239	424	1	2 609 390 576	108	1
2 608 900 981	422	1	2 608 901 152	392	1	2 608 901 240	394	20	2 609 390 587	333	1
2 608 900 982	422	1	2 608 901 153	392	1	2 608 901 241	393	20	2 609 390 588	333	1
2 608 900 983	422	1	2 608 901 154	444	1	2 608 901 242	393	20	2 609 390 592	333	1
2 608 900 984	422	1	2 608 901 155	444	1	2 608 901 243	393	20	2 610 039 536	92	5
2 608 900 985	422	1	2 608 901 156	444	1	2 608 901 244	393	20	2 610 039 538	92	5
2 608 901 092	387	5	2 608 901 166	399	5	2 608 901 245	393	20	2 610 039 539	93	5
2 608 901 093	387	5	2 608 901 167	399	5	2 608 901 246	393	20	2 610 039 540	93	5
2 608 901 094	387	5	2 608 901 168	425	50	2 608 901 247	394	20	2 610 039 542	92	5
2 608 901 095	387	5	2 608 901 169	426	50	2 608 901 248	394	20	2 610 039 544	92	5
2 608 901 096	387	5	2 608 901 170	426	50	2 608 901 249	394	20	2 610 039 551	92	5
2 608 901 097	387	5	2 608 901 171	426	50	2 608 901 250	394	20	2 610 039 554	92	5
2 608 901 098	388	5	2 608 901 172	426	50	2 608 901 251	394	20	2 610 039 555	93	5
2 608 901 099	388	5	2 608 901 173	426	50	2 608 901 252	394	20	2 610 039 556	93	5
2 608 901 100	388	5	2 608 901 174	425	5	2 608 901 253	394	20	2 610 039 557	92	5
2 608 901 101	391	5	2 608 901 175	426	5	2 608 901 254	415	1	2 610 039 558	92	5
2 608 901 102	388	5	2 608 901 176	426	5	2 608 901 255	415	1	2 610 039 559	92	5
2 608 901 103	388	5	2 608 901 177	426	20	2 608 901 256	415	1	2 610 039 560	92	5
2 608 901 104	388	5	2 608 901 178	426	20	2 608 901 257	416	1	2 610 039 561	92	5
2 608 901 105	388	5	2 608 901 179	426	20	2 608 901 258	416	1	2 610 039 562	92	5
2 608 901 106	388	5	2 608 901 180	426	50	2 608 901 259	416	1	2 610 039 563	97	5
2 608 901 107	388	5	2 608 901 181	236	1	2 608 901 260	443	25	2 610 039 564	92	5
2 608 901 108	388	5	2 608 901 188	164	1	2 608 901 261	443	25	2 610 039 565	92	5
2 608 901 109	388	5	2 608 901 189	164	1	2 608 901 262	443	25	2 610 039 566	93	5
2 608 901 110	388	5	2 608 901 193	163	1	2 608 901 263	443	25	2 610 039 567	92	5
2 608 901 111	391	5	2 608 901 194	163	1	2 608 901 264	442	25	2 610 039 568	92	5
2 608 901 112	407	5	2 608 901 195	163	1	2 608 901 265	442	25	2 610 039 569	92	5
2 608 901 113	406	5	2 608 901 196	164	1	2 608 901 266	442	25	2 610 039 571	93	5
2 608 901 115	399	5	2 608 901 204	396	5	2 608 901 267	442	25	2 610 039 572	92	5
2 608 901 117	399	5	2 608 901 205	405	5	2 608 901 268	443	25	2 610 039 573	92	5
2 608 901 118	399	5	2 608 901 206	405	5	2 608 901 269	442	25	2 610 039 574	93	5
2 608 901 120	389	1	2 608 901 207	405	5	2 608 901 270	443	25	2 610 039 575	92	5
2 608 901 121	389	1	2 608 901 208	397	5	2 608 901 271	443	25	2 610 039 576	92	5
2 608 901 122	390	1	2 608 901 210	423	20	2 608 901 481	78	1	2 610 039 578	92	5
2 608 901 123	390	1	2 608 901 211	423	20	2 608 901 482	78	1	2 610 039 580	92	5
2 608 901 124	388	1	2 608 901 212	423	20	2 608 901 483	78	1	2 610 039 581	92	5
2 608 901 125	388	1	2 608 901 213	423	20	2 608 901 484	78	1	2 610 039 582	92	5
2 608 901 126	388	1	2 608 901 214	423	20	2 608 901 485	78	1	2 610 039 583	92	5
2 608 901 127	388	1	2 608 901 215	423	20	2 608 901 486	78	1	2 610 039 584	92	5
2 608 901 128	388	1	2 608 901 216	423	20	2 608 901 487	78	1	2 610 039 585	92	5
2 608 901 129	388	1	2 608 901 217	423	20	2 608 901 488	78	1	2 610 039 586	92	5
2 608 901 130	388	1	2 608 901 218	423	1	2 608 901 489	78	1	2 610 039 587	92	5
2 608 901 131	388	1	2 608 901 219	423	10	2 608 901 596	133	1	2 610 039 593	92	5
2 608 901 132	388	1	2 608 901 220	423	10	2 608 901 597	133	1	2 610 039 594	92	5
2 608 901 133	388	1	2 608 901 221	423	1	2 608 901 598	134	1	2 610 039 595	92	5
2 608 901 134	388	1	2 608 901 222	423	1	2 609 200 138	495	1	2 610 039 596	92	5
2 608 901 135	388	1	2 608 901 223	423	1	2 609 200 139	495	1	2 610 039 597	92	5
2 608 901 136	388	1	2 608 901 224	423	1	2 609 200 140	495	1	2 610 039 598	92	5
2 608 901 137	388	1	2 608 901 225	423	1	2 609 200 141	495	1	2 610 039 606	95	5
2 608 901 138	388	1	2 608 901 226	423	1	2 609 200 142	495	1	2 610 039 608	96	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 610 039 610	95	5
2 610 039 613	96	5
2 610 039 614	95	5
2 610 039 620	96	5
2 610 039 622	95	5
2 610 039 625	95	5
2 610 039 627	95	5
2 610 039 634	95	5
2 610 039 637	95	5
2 610 039 639	95	5
2 610 039 641	95	5
2 610 039 642	95	5
2 610 039 643	95	5
2 610 039 644	95	5
2 610 039 652	97	5
2 610 039 653	97	5
2 610 039 654	97	5
2 610 039 655	97	5
2 610 039 656	97	5
2 610 039 657	97	5
2 610 039 658	97	5
2 610 039 732	97	5
2 610 042 154	35	5
2 610 045 672	90	3
2 610 045 673	90	3
2 610 045 674	90	3
2 610 046 085	94	5
2 610 046 087	94	5
2 610 046 089	94	5
2 610 046 093	94	5
2 610 046 095	94	5
2 610 046 097	94	5
2 610 046 099	94	5
2 610 046 101	94	5
2 610 046 103	94	5
2 610 046 105	94	5
2 610 046 107	94	5
2 610 046 109	94	5
2 610 046 111	94	5
2 610 046 117	91	3
2 610 046 121	91	5
2 610 050 953	92	5
2 610 050 954	92	5
2 610 050 955	93	5
2 610 050 956	92	5
2 610 050 957	92	5
2 610 050 958	92	5
2 610 050 959	92	5
2 610 050 960	93	5
2 610 050 961	94	5
2 610 050 962	94	5
2 610 050 964	92	5
2 610 050 965	92	5
2 610 050 966	95	5
2 610 050 968	96	5
3 607 010 028	504	1
3 608 550 503	103	5
3 608 550 504	103	5
3 608 550 505	103	5
3 608 610 000	394	1
3 609 201 038	457	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

BOSCH

Ordering and packaging control system.

The ordering and packaging control system makes it easier to order the right amount and find the packaging type at a glance.

Order quantities are rounded up to the minimum order quantity.

$$2 \times \begin{array}{|c|} \hline \square \\ \hline \end{array} = \begin{array}{|c|} \hline \square \\ \hline \end{array} = \begin{array}{|c|c|} \hline \square & \square \\ \hline \end{array}$$

Order quantity

PQ

MOQ

Order quantities must be a multiple of the minimum order quantity:

3, 6, 9 etc.

$$6 \times \begin{array}{|c|} \hline \square \\ \hline \end{array} = \begin{array}{|c|c|} \hline \square & \square \\ \hline \end{array} \begin{array}{|c|c|} \hline \square & \square \\ \hline \end{array}$$

Order quantity

PQ

MOQ

MOQ

Example:

Step 1: The packaging type for each part number can be found on the product pages:

Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode
2 608 585 780	P1p	1	1	511421
2 608 585 781	P1p	1	1	511438

Step 2: An illustration of the corresponding packaging type and specifications about the type of suspension and form of the packaging can be found on the back cover.



P1p Watchbox with Euro hole

P2p Watchbox with other type of suspension

Step 3: What is the structure of a packaging type code?

1 ——— **C1a** ——— 2
3

- There are six different material groups which are identified by the initial letter in the English packaging code:

Packaging made of paper, cardboard or corrugated board (**C**ardboard)
 Plastic packaging (**P**lastic)
 Combined plastic / cardboard packaging (**P**lastic and **C**ardboard)
 Metal packaging (**M**etal)
 Unpacked product (**U**npacked)
 Wood packaging (**W**ood)

- Each packaging has one of three different types of suspension:

0 without any type of suspension
 1 with Euro hole
 2 other type of suspension

- In the six material groups, each form of packaging is identified by a lower case letter:

C Packaging made of paper, cardboard or corrugated board

a Box
 b Folded carton
 c Pocket
 d Sleeve
 e Hanger
 f Paper bag

h Tube
 k Carton with sleeve

P Plastic packaging

a Box
 b Bag
 c Pouch
 d Bag with tab card
 e Hanger
 f Shrink-wrapped
 h Tube
 k Cassette

n Sleeve
 p Watchbox

PC Combined plastic/cardboard packaging

a Blister
 b Folding blister
 c Shrink-wrapped carton
 d Tight Pack

M Metal packaging

a Cassette
 b Aerosol

U Unpacked product

No form specifications

W Wood packaging

a Case

PACKAGING

That holds clear information.

PACKAGING MADE OF PAPER, CARDBOARD OR CORRUGATED BOARD (CARDBOARD)



C0a Box without any type of suspension



C1a Box with Euro hole



C2a Box with other type of suspension



C1b Folded carton with Euro hole



C1c Pocket with Euro hole



C1d Sleeve with Euro hole



C1e Hanger with Euro hole



C0h Tube without any type of suspension C2h C1k Carton with sleeve and Euro hole
Tube with other type of suspension

PLASTIC PACKAGING (PLASTIC)



P0a Box without any type of suspension

P1a Box with Euro hole

P2a Box with other type of suspension



P0b Bag without any type of suspension

P1b Bag with Euro hole




P1c Pouch with Euro hole

P2c Pouch with other type of suspension



P1d Bag with tab card and Euro hole



P1e Hanger with Euro hole

P2e Hanger with other type of suspension



P0f Shrink-wrapped without any type of suspension



P1f Shrink-wrapped with Euro hole



P0h Tube without any type of suspension

P1h Tube with Euro hole



P1k Cassette with Euro hole



P0n Sleeve without any type of suspension



P1p Watchbox with Euro hole



P2p Watchbox with other type of suspension

COMBINED PLASTIC/CARDBOARD PACKAGING (PLASTIC AND CARDBOARD)


PC1a Blister with Euro hole



PC1b Folding blister with Euro hole



PC1c Shrink-wrapped carton with Euro hole



PC1d Tight Pack with Euro hole

METAL PACKAGING (METAL)


M1a Cassette with Euro hole

M0b Aerosol without any type of suspension

UNPACKED PRODUCT (UNPACKED)


U0 Without any type of suspension

WOOD PACKAGING (WOOD)



W0a Case without any type of suspension

TECHNICAL INFORMATION AND APPLICATIONS

MACHINES

EXPERT



Concrete Grinder



Drum Sander



Floor Sander



Multi delta sander



Orbital sander



Powerfile



Random Orbital Sander



Random Orbital Sander Dustbag



Hand Sanding



Petrol Saw



Marble Saw



Masonry Saw



Metal Saw



Jigsaw



Sabre Saw Noblade



Sabre Saw



Sabre Saw Corded



Multicutter Cordless



Multicutter



Dustextractor



Hammer Drill



Impact Drill



Impact Screwdriver



Screwdriver




Angle Grinder Big



Angle Grinder Small

MACHINES



Hand-held circular saw






Table saw



Vertical panel sizing saw



Hand dry cutters



CNC router



Joint cutter



Eibenstock concrete grinder



GTR 30 CE/GTR 18 V-LI



Tile cutting machine



Plunge saw



Pull-push saw



Mitre saw



Router




Angle grinder



Block saw




Concrete grinder



Polisher



Multi-router



Horizontal panel sizing saw



Mitre dry cutters



Table router



Petrol saw



Hilti concrete grinder




GTR 30 CE



Table saw

BENEFITS AND TECHNOLOGIES


EXPERT

	Long Life		No Dust		High precision
	Protection		High speed		Robust
	3-in-1		Carbide Technology		Centering Geometry
	Diamond Technology		Particle Control		Prisma Technology
	Surface Structure		Tip Technology		Vibration Control

BENEFITS

	For effortless cuts		Clean cut		Very clean cut
	Long lifetime		Very long lifetime		Clean cuts over the entire lifetime
	Quick cut		Fast work progress		Extra-high speed
	Precise drilling		3 times longer lifetime		Fast drilling
	Easy drilling		Heavy Duty		Tungsten carbide hinge & cantilever hinge cutter bits
	Powerful, rough cut		Effortless, fine cut		No sticking
	Deep cut		Very good surface quality		3 applications with one disc
	Test mark from Prüfgemeinschaft Mauerbohrer e.V.		Specially for plunge cutting		Round cut, fine
	Round cut, coarse		Straight cut, fine		Straight cut, coarse
	Tear-free cuts		Accurate angled cut		Angled cut, 90°
	Cutting with parallel guide		Flexible blade (bi-metal) for flush cut		Specially for curved cutting with sabre saw blades
	Material, thin and thick		Fine result		Coarse result
	Cleaning surfaces				

FEATURES

	microteQ teyst		cleanteQ		proteQtion
	stabilteQ		ResisteQ		Vibration Control
	Dura Technology		microteQ		cleanteQ
	proteQtion		Silent		Precise
	Cylindrical shank with wings		Cylindrical shank		SDS-plus shank
	SDS-max shank		Hexagonal shank		activeteq
	Power Grip System - 100% power transfer		2-cutter		5-cutter
	Power-Change		SDS-plus		Segment design
	SDS-pro		Impact Control		Break-resistant
	Prevents wear of the fastener		Tungsten carbide-tipped		Carbide-tipped (bar)
	Knife blade		Depth stop for segment saw blades with Ø 100 mm		Depth stop for segment saw blades with Ø 85 mm
	Basic depth stop		Expert depth stop		Fine grit
	Very fine grit		Medium grit		Coarse grit
	Extra coarse grit		RIFF grit (30)		3D diamond technology
	2x2 Tooth Geometry		Tooth spacing, reverse		Extraclean tooth strip
	Tooth spacing		Tooth spacing, progressive		No. of teeth per inch (TPI) and tooth spacing
	Ground, extra-sharp teeth		RIFF grit 30		For demolition and rescue work
	Length / width of plunge-cutting saw blade		Length / width of RIFF plunge-cutting saw blade		Length / width of Scrapers

FEATURES

	Length/width of universal joint cutter		Diameter of segment saw blade		Diameter of RIFF grout and mortar remover
	Diameter of round saw blade		Diameter of RIFF segment saw blade		Blade thickness
	Tooth spacing		Tooth spacing		Tooth spacing
	Delta plate		Sanding plate		Do not drill with impact
	Sharp blade		Sharp blade		Velcro-type fastening system
	Flexible backing		Very flexible backing		Cleaning edges
	Cleaning grooves		Cleaning corners		Working on the inside of pipes
	Pressure equalisation		Side reinforcement		Round combination block side
	Pointed combination block side		Wet application		Solvent-free
	Flap sanding wheel with fleece		Fleece sanding wheel		Flap sanding wheel
	Expansion wheel		Crimped wire = Fine result		Knotted wire = Coarse result
	Cooling		Waterproof		Pozidriv®
	Spanner		Internal square		Slotted screw
	Torx®		Phillips		Security Torx®
	Tri-Wing®				

MATERIALS

EXPERT




Aluminium




Cast Iron



Concrete building block



Drywall board



Glass



Hard wood



Lime sand brick



Non-ferrous materials



Plastic



Poroton building block




Reinforced concrete



Soft stone



Solid surface composite



Stainless steel sheets



Tiles



Autoclaved aerated concrete



CFK, GFK




Concrete




Drywall



Glue



HPL – high pressure laminate



Mortar



Paint on wood



Plastic coated boards



Pressure treated lumber



Rooftile



Soft wood



Solid wood furniture boards




Steel



Wood with metal




Brick



Chipboard




Construction wood



Fiber cement board



Hard stone



Kitchen Countertop



Multiplex boards



Parquet



Plywood



PVC – vinyl solid laminate flooring




Rubber



Solid brick



Stainless steel



Steel sheets



WPC – wood with plastic composites

MATERIALS

	Concrete		Rebar		Natural stone
	Tiles		Masonry		Marble
	Granite		Aluminium		Hard and soft wood
	Stainless steel		Metal		Wood, hard and soft
	Brass & alloys		Sheet metals		Construction timber
	Softwood		Hardwood		Plasterboard on metal
	Construction timber with nails and concrete residues		Formwork boards		Chipboard (raw), acoustic panels
	Abrasive panel materials coated on one or two sides		Panel materials, veneered laminate, thin chipboards		Composite material
	Pressed laminated wood, plywood		Fibre materials, MDF, OSB, MDF composite panels		Wood core plywood
	Laminate flooring, parquet		High pressure laminate panels, suitable for Trespa®		Porous concrete
	Plastics, epoxy		Steel		Sandwich panels, laminated on one or two sides
	Fibre cement, suitable for Eternit®		Plasterboard		Suitable for Corian®
	Perspex		Glass		Plastic

SAFETY

	Wear protective glasses		Wear ear protectors		Wear protective gloves
	Wear dust mask		Wear protective shoes		Read enclosed Instruction Manual
	Read Instruction Manual of Machine		Holesaw always to be used with guided pilot drill bit		Wet use not permitted (dry use only)
	Not allowed for lateral grinding		Do not use damaged disc		Do not use damaged accessory
	Do not use broken bits		Don't use bent drill bits (for drill bits $\geq 300\text{mm}$)		No drinking liquids
	Do not use for flammable products		Live working prohibited		Wet application allowed
	Wet and dry application allowed		No pressure on tip		Do not use on drill stand
	Do not use with hammer-/impact-mode		Use drill rig		Place drill bit first on surface of workpiece, then start the drill

SERVICE HOTLINE

1300 3070 44

Mon - Fri: 8.30 - 17.00

customerservice.pt@au.bosch.com



THE BEST YOUR TOOL CAN GET.

Bosch Professional Accessories.



Robert Bosch (Australia) Pty. Ltd

1555 Centre Road

(Cnr. Centre Road & McNaughton Road)

3169 Clayton, Vic, Australia

